



AP[®] Physics C: Mechanics 2002 Scoring Guidelines

The materials included in these files are intended for use by AP teachers for course and exam preparation in the classroom; permission for any other use must be sought from the Advanced Placement Program[®]. Teachers may reproduce them, in whole or in part, in limited quantities, for face-to-face teaching purposes but may not mass distribute the materials, electronically or otherwise. These materials and any copies made of them may not be resold, and the copyright notices must be retained as they appear here. This permission does not apply to any third-party copyrights contained herein.

These materials were produced by Educational Testing Service[®] (ETS[®]), which develops and administers the examinations of the Advanced Placement Program for the College Board. The College Board and Educational Testing Service (ETS) are dedicated to the principle of equal opportunity, and their programs, services, and employment policies are guided by that principle.

The College Board is a national nonprofit membership association dedicated to preparing, inspiring, and connecting students to college and opportunity. Founded in 1900, the association is composed of more than 4,200 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 22,000 high schools, and 3,500 colleges, through major programs and services in college admission, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT[®], the PSAT/NMSQT[®], and the Advanced Placement Program[®] (AP[®]). The College Board is committed to the principles of equity and excellence, and that commitment is embodied in all of its programs, services, activities, and concerns.

Copyright © 2002 by College Entrance Examination Board. All rights reserved. College Board, Advanced Placement Program, AP, SAT, and the acorn logo are registered trademarks of the College Entrance Examination Board. APIEL is a trademark owned by the College Entrance Examination Board. PSAT/NMSQT is a registered trademark jointly owned by the College Entrance Examination Board and the National Merit Scholarship Corporation. Educational Testing Service and ETS are registered trademarks of Educational Testing Service.

General Notes About 2002 AP Physics Scoring Guidelines

1. The solutions contain the most common method(s) of solving the free-response questions, and the allocation of points for these solutions. Other methods of solution also receive appropriate credit for correct work.
2. Generally, double penalty for errors is avoided. For example, if an incorrect answer to part (a) is correctly substituted into an otherwise correct solution to part (b), full credit will usually be awarded.
One exception to this may be cases when the numerical answer to a later part should be easily recognized as wrong, e.g., a speed faster than the speed of light in vacuum.
3. Implicit statements of concepts normally receive credit. For example, if use of the equation expressing a particular concept is worth one point, and a student's solution contains the application of that equation to the problem but the student does not write the basic equation, the point is still awarded.
4. The scoring guidelines typically show numerical results using the approximate value $g = 10 \text{ m/s}^2$ for ease of calculation, but use of 9.8 m/s^2 is of course also acceptable.
5. Numerical answers that differ from the published answer due to differences in rounding throughout the question typically receive full credit. The exception is usually when rounding makes a difference in obtaining a reasonable answer. For example, in calculations of mass differences in a nuclear reaction, rounding to too few digits can lose the accuracy required to determine a mass difference.

Copyright © 2002 by College Entrance Examination Board. All rights reserved.
Advanced Placement Program and AP are registered trademarks of the College Entrance Examination Board.

**AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES**

Question 1

15 points total

(a) 4 points

For any statement of conservation of momentum

$$p_{\text{before}} = p_{\text{after}}$$

For correctly substituting quantities into the left side of the above equation

For correctly substituting quantities into the right side of the above equation

$$m_{\text{car}} v_{\text{before}} = (M + m_{\text{car}}) v_{\text{after}}$$

$$(1,000 \text{ kg})(12 \text{ m/s}) = (M + 1,000 \text{ kg}) \left(\frac{8}{1+5t} \text{ m/s} \right)$$

p_{after} occurs just after the collision, i.e. at $t = 0$

$$(1,000 \text{ kg})(12 \text{ m/s}) = (M + 1,000 \text{ kg})(8 \text{ m/s})$$

For the correct answer

$$M = 500 \text{ kg}$$

(b) 3 points

For any indication that the velocity v is the time derivative of position x

$$\frac{dx}{dt} = \frac{8}{1+5t}$$

For correctly expressing the above equation as an integral, with or without using limits

$$x = \int \frac{8}{1+5t} dt$$

Substituting $u = 1+5t$ and $du = 5dt$

$$x = \frac{8}{5} \int \frac{du}{u} = \frac{8}{5} \ln u + C = \frac{8}{5} \ln(1+5t) + C \quad (\text{or equivalent using limits})$$

The condition $x = 0$ at $t = 0$ gives $C = 0$

For the correct answer

$$x = \frac{8}{5} \ln(1+5t)$$

**Distribution of
points**

1 point

1 point

1 point

1 point

1 point

1 point

1 point

**AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES**

Question 1 (cont'd.)

(c) 4 points

For use of Newton's second law

$$F = ma$$

For any indication that the acceleration a is the time derivative of velocity v

$$a = \frac{dv}{dt} = \frac{d}{dt} \left(\frac{8}{1+5t} \right)$$

$$a = - \frac{40}{(1+5t)^2}$$

$$F = (1500) \left(- \frac{40}{(1+5t)^2} \right)$$

For the including the minus sign in the final expression for the force

For having the proper expression for the magnitude of the force

$$F = - \frac{60,000}{(1+5t)^2}$$

Alternate solution

For any indication that the force F is the time derivative of momentum p

$$F = \frac{dp}{dt}$$

For expressing the force in terms of the derivative of the velocity

$$F = m \frac{dv}{dt} = m \frac{d}{dt} \left(\frac{8}{1+5t} \right) = (1500) \left(- \frac{40}{(1+5t)^2} \right)$$

For the including the minus sign in the final expression for the force

For having the proper expression for the magnitude of the force

$$F = - \frac{60,000}{(1+5t)^2}$$

**Distribution of
points**

1 point

1 point

1 point

1 point

Alternate

points

1 point

1 point

1 point

1 point

**AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES**

Question 1 (cont'd.)

	Distribution of points
(d) 3 points	
For a correct expression for the impulse $J = \Delta p$ or $m \Delta v$	1 point
For correct substitution into the equation above $J = m_{total} [v(2) - v(0)] = (1500 \text{ kg}) \left(\frac{8}{11} - 8 \right) \text{ m/s}$	1 point
For the correct sign on the final answer $J = -10,909 \text{ kg} \cdot \text{m/s}$ or $\text{N} \cdot \text{s}$	1 point
<i>Alternate solution</i>	<i>Alternate points</i>
For a correct expression for the impulse $J = \int F \, dt$ or $F_{average} \Delta t$	1 point
For correct substitution into the equation above $J = \int_0^2 -\frac{60,000}{(1+5t)^2} \, dt$	1 point
For the correct sign on the final answer $J = -10,909 \text{ kg} \cdot \text{m/s}$ or $\text{N} \cdot \text{s}$	1 point
Units point	
For correct units on the answers to both part (a) and part (d)	1 point

**AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES**

Question 2

15 points total	Distribution of points
(a) 2 points	
For determining the rotational inertia of each tire $I = \frac{1}{2} ML^2 = \frac{1}{2} \frac{m}{4} r^2 = \frac{1}{8} mr^2$	1 point
For the correct total rotational inertia for all 4 tires $I_{tot} = 4I = \frac{1}{2} mr^2$	1 point
(b) 7 points	
For an indication of the conservation of mechanical energy $E_{top} = E_{bottom}$; $\Delta U = -\Delta K$; or equivalent	1 point
For correct expressions for energies at the top $K_{top} = 0$; $U_{top} = mgh + 4 \left(\frac{1}{4} mgh \right) = 2mgh$	1 point
For a correct expression for potential energy at the bottom and for recognizing that kinetic energy at the bottom is the sum of translational and rotational kinetic energies $U_{bottom} = 0$; $K_{bottom} = K_{trans} + K_{rot}$	1 point
For a correct expression for translational kinetic energy at the bottom $K_{trans} = \frac{1}{2} (2m) v^2 = mv^2$	1 point
For a correct expression for rotational kinetic energy at the bottom $K_{rot} = \frac{1}{2} I \omega^2$	1 point
For recognition of the relationship between translational and rotational velocity $\omega = \frac{v}{r}$	1 point
Substituting these expressions to determine total kinetic energy at the bottom $K_{bottom} = mv^2 + \frac{1}{2} \left(\frac{1}{2} mr^2 \right) \frac{v^2}{r^2} = \frac{5}{4} mv^2$	1 point
Setting potential energy at the top equal to the kinetic energy at the bottom $\frac{5}{4} mv^2 = 2mgh$	1 point
For the correct solution for v $v = \sqrt{\frac{8}{5} gh}$	1 point

AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES

Question 2 (cont'd.)

(c) 4 points

For recognition that energy is conserved (Although it is an inelastic collision, the mass of the bumper is negligibly small, thus its kinetic energy is negligible and there is no loss of energy.)

For a correct expression for potential energy of the spring at maximum compression

$$U_K = \frac{1}{2} kx_m^2$$

For applying conservation of energy by equating the potential energy of the spring at maximum compression EITHER to the gravitational potential energy of the cart and wheels at the top of the inclined plane OR to the kinetic energy of the cart and wheels at the bottom of the inclined plane

$$\frac{1}{2} kx_m^2 = 2mgh \quad \text{OR} \quad \frac{1}{2} kx_m^2 = \frac{5}{4} Mv^2$$

For a correct solution of either of these equations for x_m (including a correct substitution for v from part (b) for the second equation) or an answer consistent with work done in (b)

$$x_m = 2\sqrt{\frac{mgh}{k}}$$

Notes:

If there was no attempt to use energy then 1 point only was given for $F = -kx = ma = \frac{dp}{dt}$ or a similar expression.

Further, if there was written recognition of the necessity to slow down the wheel rotation, torque, angular acceleration, etc, then 1 point was given.

(d) 2 points

For an explanation that discusses the inelastic collision with a loss of mechanical energy or a reduced velocity resulting in a smaller compression. The discussion should have been correctly stated. If there were any incorrect statements, then 1 point was subtracted. Points were neither added or subtracted for irrelevant statements, such as references to friction.

Distribution of
points

1 point

1 point

1 point

1 point


2 points

AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES

Question 3

15 points total

(a) 3 points



For correct shape: concave upward and monotonically decreasing

For correct y intercept: $U(0) = 2.0$ J

For value of U at $x = 5$ within the range $0.50 \text{ J} \leq U(5) \leq 0.75 \text{ J}$

Distribution of
points

1 point

1 point

1 point

(b) 4 points

For the expression for force as a derivative of potential relative to position

$$F = - \frac{dU}{dx}$$

Only one point was awarded if the negative sign was missing. A non-calculus statement

such as $F = - \frac{\Delta U}{\Delta x}$ earned no credit.

For taking a derivative of the potential function

$$F = - \frac{d}{dx} \left(\frac{4.0}{2.0 + x} \right)$$

For the correct answer or answer consistent with non-inclusion of minus sign in above equation

$$F = \frac{4.0}{(x + 2.0)^2}$$

2 points

1 point

1 point

**AP[®] PHYSICS C: MECHANICS
2002 SCORING GUIDELINES**

Question 3 (cont'd.)

	Distribution of points
(c) 3 points	
For explicitly indicating the use of conservation of energy or the net work-energy theorem in words or by an equation (but not just $K = U$)	1 point
$\Delta U = U(0) - U(2) = \frac{1}{2}mv^2$	
$2.0 \text{ J} - 1.0 \text{ J} = \frac{1}{2}(0.5 \text{ kg})v^2$	
For the correct answer $v = 2.0 \text{ m/s}$	2 points
(d) 2 points	
For indicating items of equipment consistent with the procedure described in part (e) (at least two of the items if more than two were used)	2 points
<u>Note:</u> If part (e) was not attempted, only 1 point maximum was awarded. Unreasonable indications, such as all the items being checked, were not awarded any points.	
(e) 3 points	
For a complete description of any correct procedure.	3 points
Partial credit was awarded for less complete descriptions. The following were common examples. Other examples, though rarely cited, could receive partial or full credit.	
1. Using photogates	
Place the photogates near $x = 2 \text{ m}$ and a small distance apart (such as a glider length). Measure the distance between the photogates. Measure the time the glider takes to travel between the photogates. Obtain the speed from distance/time.	
<u>Note:</u> No points were given if the distance measured was from 0 to 2 m and the time to travel 2 m was used.	
2. Using a spring	
The spring constant k of the spring must be known, or if not, then measured. Set up the spring at $x = 2 \text{ m}$ so that it is compressed when struck by the glider. Measure the distance of maximum compression x_m . The velocity can then be determined from the equation $\frac{1}{2}kx_m = \frac{1}{2}mv^2$.	
3. Treating the glider as a projectile	
Adjust the starting point so that $x = 2 \text{ m}$ is at end of the track. Thus the glider leaves the track at this point and becomes a projectile. The height of the track determines the time interval t that the glider is in the air. The horizontal distance x from the end of the track to the point where the glider hits the ground is measured and then the velocity is computed from x/t .	