

## 2.3 Formulas

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 11 marks

### Objective

Build the skills to answer exam questions on **formulas** —writing formulas of ionic compounds, balancing **equations** 方程式 (including **ionic equations** 离子方程式), and finding **empirical** 实验式 and **molecular** 分子式 formulas.

**You must be able to:**

- write formulas of ionic compounds from ionic charges and oxidation numbers
- write and balance equations (including ionic equations) with state symbols
- calculate empirical and molecular formulas from data

### 1 Worked examples

#### ■ Ionic formulas



$$A_r = \frac{(75 \times 35) + (25 \times 37)}{100} = 35.5$$

*Formulae build from relative atomic masses*

The total + charge balances the total – charge. Charges from the group: Group 1 +1, 2 +2, 13 +3, 15 –3, 16 –2, 17 –1. Learn:  $\text{NO}_3^-$ ,  $\text{CO}_3^{2-}$ ,  $\text{SO}_4^{2-}$ ,  $\text{OH}^-$ ,  $\text{NH}_4^+$ . E.g. iron(III) oxide =  $\text{Fe}_2\text{O}_3$  (two  $\text{Fe}^{3+}$  balance three  $\text{O}^{2-}$ ).

#### ■ Equations and ionic equations

A balanced equation has the same atoms on both sides; add **state symbols** (s, l, g, aq). An **ionic equation** shows only what changes (no **spectator ions** 旁观离子):  $\text{Ag}^+(\text{aq}) + \text{Cl}^-(\text{aq}) \rightarrow \text{AgCl}(\text{s})$ .

#### ■ Empirical formula

Divide each element's mass (or %) by its  $A_r \rightarrow$  moles; divide by the smallest; round to whole numbers. **Example.** 40.0% C, 6.7% H, 53.3% O: moles 3.33 : 6.7 : 3.33  $\rightarrow$  1 : 2 : 1  $\rightarrow \text{CH}_2\text{O}$ . With  $M_r$ , scale up to the **molecular formula**.

## 2 Practice

---

**2.1** Write the formula of (a) calcium nitrate and (b) aluminium sulfate. [2]

---

---

**2.2** Write the ionic equation for the reaction of silver ions with chloride ions to form silver chloride. [1]

---

## 3 Exam-style questions

---

**3.1** What is the formula of iron(III) sulfate? [1]

- **A**  $\text{FeSO}_4$
- **B**  $\text{Fe}_2\text{SO}_4$
- **C**  $\text{Fe}_2(\text{SO}_4)_3$
- **D**  $\text{Fe}_3(\text{SO}_4)_2$

---

**3.2** A compound has empirical formula  $\text{CH}_2$  and  $M_r = 42$ . Its molecular formula is: [1]

- **A**  $\text{CH}_2$
- **B**  $\text{C}_2\text{H}_4$
- **C**  $\text{C}_3\text{H}_6$
- **D**  $\text{C}_4\text{H}_8$

---

**3.3** Balance this equation and add state symbols:  $\text{Mg} + \text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2$ . [2]

---

---

**3.4** A compound contains 2.4 g of carbon, 0.4 g of hydrogen and 3.2 g of oxygen ( $A_r$ : C 12, H 1, O 16).

(a) Calculate its empirical formula. [3]

(b) The  $M_r$  of the compound is 60. Deduce its molecular formula. [1]

---

## 4 Go further

---

You are now ready for the real exam questions on this subtopic. Open the **2.3 Formulas** past-paper sheet in the Library, or try these in **Practice mode**:

- 9701/11 N25 —Q17 (formulas and equations)
- 9701/21 N25 —Q3 (formulas, structured)

## Solutions

---

**2.1** (a)  $\text{Ca}(\text{NO}_3)_2$ ; (b)  $\text{Al}_2(\text{SO}_4)_3$ .

**2.2**  $\text{Ag}^+(\text{aq}) + \text{Cl}^-(\text{aq}) \rightarrow \text{AgCl}(\text{s})$ .

**3.1 C.** Two  $\text{Fe}^{3+}$  balance three  $\text{SO}_4^{2-} \rightarrow \text{Fe}_2(\text{SO}_4)_3$ .

**3.2 C.** Empirical mass 14;  $42/14 = 3 \rightarrow \text{C}_3\text{H}_6$ .

**3.3**  $\text{Mg}(\text{s}) + 2\text{HCl}(\text{aq}) \rightarrow \text{MgCl}_2(\text{aq}) + \text{H}_2(\text{g})$ .

**3.4** (a) moles:  $\text{C} = 2.4/12 = 0.20$ ,  $\text{H} = 0.4/1 = 0.40$ ,  $\text{O} = 3.2/16 = 0.20$ ; divide by 0.20  $\rightarrow 1 : 2 : 1$ ; empirical formula  $\text{CH}_2\text{O}$ .

(b) empirical mass 30;  $60/30 = 2 \rightarrow \text{C}_2\text{H}_4\text{O}_2$ .