

9.1 Periodicity of physical properties of Period 3

Name: _____ Class: _____ Date: _____

Total: 10 marks

Objective


Build the skills to answer exam questions on the **physical properties of Period 3**—the trends in **atomic radius** 原子半径, **melting point** 熔点 and **electrical conductivity** 导电性, explained by structure and bonding.

You must be able to:


- describe the trends in atomic/ionic radius, melting point and conductivity across Period 3
- explain the melting point and conductivity trends in terms of structure and bonding

1 Worked examples

■ Trends across Period 3



Atomic radius decreases across the period: rising nuclear charge pulls the same outer shell inwards



- **Na, Mg, Al** —**giant metallic**: m.p. rises (more delocalised electrons, smaller ions); conduct well.
- **Si** —**giant covalent**: highest m.p. (strong covalent bonds); barely conducts.
- **P, S, Cl, Ar** —**simple molecular**: low m.p. (weak forces); do not conduct.

2 Practice

2.1 Describe the trend in atomic radius across Period 3. [1]

2.2 State which Period 3 element has the highest melting point and what type of structure it has. [2]

3 Exam-style questions

3.1 Why do Na, Mg and Al conduct electricity well? [1]

- **A** they are simple molecular
 - **B** they have delocalised electrons (giant metallic)
 - **C** they have covalent networks
 - **D** they have low melting points
-

3.2 Why does silicon have the highest melting point in Period 3? [1]

- **A** it is a metal
 - **B** strong covalent bonds throughout a giant structure must be broken
 - **C** it has the most delocalised electrons
 - **D** only weak forces hold it together
-

3.3 Explain why the melting point increases from sodium to aluminium. [3]

3.4 Explain why the melting point of sulfur (S) is higher than that of phosphorus (P).[2]

4 Go further

You are now ready for the real exam questions on this subtopic. Open the **9.1 Periodicity of physical properties** past-paper sheet in the Library, or try these in **Practice mode**:

- 9701/11 N25 —Q16 (periodicity)
- 9701/12 N25 —Q17 (physical trends)
- 9701/22 N25 —Q2 (Period 3, calculation)

Solutions

2.1 it decreases across the period.

2.2 silicon; giant covalent / giant molecular.

3.1 B. Giant metallic structures have delocalised electrons that conduct.

3.2 B. Silicon is a giant covalent structure with strong bonds throughout.

3.3 from Na to Al each atom releases more delocalised electrons ($1 \rightarrow 3$); and the metal ions get smaller with higher charge; so the metallic bonding is stronger, needing more energy to melt.

3.4 sulfur exists as larger S₈ molecules with more electrons than P₄; so it has stronger London (van der Waals) forces, giving a higher melting point.