

25.2 Partition coefficients

Name: _____ Class: _____ Date: _____

Total: 9 marks

KEY WORDS partition coefficient 分配系数 • solvent 溶剂 • solute 溶质 • polarity 极性

Objective


Build the skills to answer exam questions on **partition coefficients** 分配系数 — what K_{pc} is, calculating it, and the factors that affect it.

You must be able to:


- state what a partition coefficient is
- calculate and use a partition coefficient
- explain how solute and solvent polarity affect its value

1 Worked examples

■ Partition coefficient



A solute shaken with two immiscible solvents distributes between them in a fixed ratio



Chromatography separates by partition

The **partition coefficient** K_{pc} is the ratio of the concentrations of a solute in two immiscible solvents at equilibrium (the solute in the same physical state in both):

$$K_{pc} = \frac{[\text{solute in solvent 1}]}{[\text{solute in solvent 2}]}$$

A solute dissolves better in the solvent of **similar polarity** (“like dissolves like”), so the value depends on the polarities of the solute and the two solvents.

2 Practice

2.1 State what a partition coefficient measures. [1]

2.2 State the rule that decides which solvent a solute prefers. [1]

3 Exam-style questions

3.1 A non-polar solute is shaken with water and hexane (a non-polar solvent). It will mostly be found in: [1]

A	B
C	D

- A the water
- B the hexane
- C equally in both
- D neither

3.2 The partition coefficient depends on:

[1]

A	B
C	D

A the temperature only

B the polarities of the solute and the two solvents

C the volume of the container

D the colour of the solute

3.3 A solute is shaken with equal volumes of two immiscible solvents. At equilibrium its concentration is 0.80 mol dm^{-3} in solvent A and 0.20 mol dm^{-3} in solvent B.

(a) Calculate the partition coefficient $K_{\text{pc}} = \frac{[\text{A}]}{[\text{B}]}$.

[1]

(b) State, with a reason, which solvent the solute dissolves in better.

[2]

3.4 Explain why a polar solute has a higher concentration in water than in hexane.

[2]