

Week 32

A-Level Chemistry

Homework bundle for this week

本周作业合集

exercises.lol

Contents 目录

Exercise sheet 20.1	2
Past-paper questions 20.1	6

20.1 Addition polymerisation

Name: _____ Class: _____ Date: _____

Total: 10 marks

KEY WORDS repeat unit 重复单元 • monomer 单体 • addition polymerisation 加成聚合 • polymer 聚合物
 • non-biodegradable 不可生物降解

Objective


Build the skills to answer exam questions on **addition polymerisation** 加成聚合 — drawing **repeat units** 重复单元, finding **monomers** 单体, and the problems of disposal.

You must be able to:

- describe addition polymerisation (poly(ethene), PVC)
- deduce the repeat unit from a monomer, and the monomer from a polymer
- explain the difficulty of disposing of poly(alkene)s

1 Worked examples

■ Addition polymerisation



Many unsaturated monomers join into one long chain, with no other product

3 Exam-style questions

3.1 Which feature must a monomer have to undergo addition polymerisation? [1]

- **A** an -OH group
 - **B** a $\text{C}=\text{C}$ double bond
 - **C** a benzene ring
 - **D** an ionic bond
-

3.2 Burning PVC is a particular problem because it releases: [1]

- **A** carbon dioxide only
 - **B** toxic hydrogen chloride
 - **C** water vapour
 - **D** nitrogen
-

3.3 Propene is $\text{CH}_3\text{CH}=\text{CH}_2$.

(a) Draw the repeat unit of poly(propene). [2]

(b) A section of a polymer is $\text{-(CH}_2\text{CHCl)}_n\text{-}$. Draw the monomer it was made from. [1]

3.4 Explain why addition polymers are described as non-biodegradable. [2]

Solutions

2.1 the small part that is repeated again and again along the polymer chain.

2.2 non-biodegradable (microbes cannot break them down); combustion releases harmful/toxic gases.

3.1 B. The monomer needs a C=C double bond.


3.2 B. Burning PVC releases toxic hydrogen chloride.

3.3 (a) $-(\text{CH}_2\text{CH}(\text{CH}_3))_n-$ drawn with bonds out at each end.

(b) chloroethene, $\text{CH}_2=\text{CHCl}$.

3.4 the C–C backbone is strong and unreactive, so microbes/enzymes cannot break it down, and it persists in the environment.


32 A small section of a polymer produced from two monomers is shown.







What are the two monomers?

- A** but-1-ene and propene
- B** but-2-ene and propene
- C** ethene and pent-2-ene
- D** methylpropene and propene


39 A section of an addition polymer is shown.



Which monomer is used to make this polymer?




39 PMMA is a rigid polymer. The repeat unit of PMMA is shown.




Which monomer is used to make PMMA?


A



B



C



D

