


32 A small section of a polymer produced from two monomers is shown.



What are the two monomers?

- A** but-1-ene and propene
B but-2-ene and propene
C ethene and pent-2-ene
D methylpropene and propene

40 The purity of a compound can be determined using infrared spectroscopy.

The table gives the characteristic infrared absorption frequencies for some selected bonds.

bond	functional groups containing the bond	characteristic infrared absorption range (in wavenumbers)/ cm^{-1}
C—O	hydroxy, ester	1040–1300
C=C	aromatic compound, alkene	1500–1680
C=O	amide carbonyl, carboxyl ester	1640–1690 1670–1740 1710–1750
C≡N	nitrile	2200–2250
C—H	alkane	2850–2950
N—H	amine, amide	3300–3500
O—H	carboxyl hydroxy	2500–3000 3200–3650

Propan-2-ol is made by hydration of propene. A sample of the product is obtained.

Which feature of the infrared spectrum of the product would show that **no** propene remains in the product?

- A** absorption in the 2900 cm^{-1} region
B strong absorption below 1000 cm^{-1}
C the lack of absorption at or near 1250 cm^{-1}
D the lack of absorption at or near 1550 cm^{-1}

Important values, constants and standards

molar gas constant	$R = 8.31\text{ J K}^{-1}\text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4\text{ C mol}^{-1}$
Avogadro constant	$L = 6.02 \times 10^{23}\text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19}\text{ C}$
molar volume of gas	$V_m = 22.4\text{ dm}^3\text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0\text{ dm}^3\text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14}\text{ mol}^2\text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18\text{ kJ kg}^{-1}\text{ K}^{-1}$ ($4.18\text{ J g}^{-1}\text{ K}^{-1}$)

The Periodic Table of Elements

Group																		
1	2	Key										13	14	15	16	17	18	
		atomic number atomic symbol element name relative atomic mass																
3 Li lithium 6.9	4 Be beryllium 9.0	5 B boron 10.8	6 C carbon 12.0	7 N nitrogen 14.0	8 O oxygen 16.0	9 F fluorine 19.0	10 Ne neon 20.2	11 Na sodium 23.0	12 Mg magnesium 24.3	13 Al aluminum 27.0	14 Si silicon 28.1	15 P phosphorus 31.0	16 S sulfur 32.1	17 Cl chlorine 35.5	18 Ar argon 39.9			
19 K potassium 39.1	20 Ca calcium 40.1	21 Sc scandium 45.0	22 Ti titanium 47.9	23 V vanadium 50.9	24 Cr chromium 52.0	25 Mn manganese 54.9	26 Fe iron 55.8	27 Co cobalt 58.9	28 Ni nickel 58.7	29 Cu copper 63.5	30 Zn zinc 65.4	31 Ga gallium 69.7	32 Ge germanium 72.6	33 As arsenic 74.9	34 Se selenium 78.0	35 Br bromine 79.9	36 Kr krypton 83.8	
37 Rb rubidium 85.5	38 Sr strontium 87.6	39 Y yttrium 88.9	40 Zr zirconium 91.2	41 Nb niobium 92.9	42 Mo molybdenum 95.9	43 Tc technetium —	44 Ru ruthenium 101.1	45 Rh rhodium 102.9	46 Pd palladium 106.4	47 Ag silver 107.9	48 Cd cadmium 112.4	49 In indium 114.8	50 Sn tin 118.7	51 Sb antimony 121.8	52 Te tellurium 127.6	53 I iodine 126.9	54 Xe xenon 131.3	
55 Cs caesium 132.9	56 Ba barium 137.3	57–71 lanthanoids					72 Hf hafnium 178.5	73 Ta tantalum 180.9	74 W tungsten 183.8	75 Re rhenium 186.2	76 Os osmium 190.2	77 Ir iridium 192.2	78 Pt platinum 195.1	79 Au gold 197.0	80 Hg mercury 200.6	81 Tl thallium 204.4	82 Pb lead 207.2	
87 Fr francium —	88 Ra radium —	89–103 actinoids					104 Rf rutherfordium —	105 Db dubnium —	106 Sg seaborgium —	107 Bh bohrium —	108 Hs hassium —	109 Mt meitnerium —	110 Ds darmstadtium —	111 Rg roentgenium —	112 Cn copernicium —	113 Nh nihonium —	114 Fl flerovium —	

③

lanthanoids

actinoids

57	La	58	Ce	59	Pr	60	Nd	61	Pm	62	Sm	63	Eu	64	Gd	65	Tb	66	Dy	67	Ho	68	Er	69	Tm	70	Yb	71	Lu
lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbium	thulium	ytterbium	lutetium															
138.905	140.12	132.905	144.24	144.91	150.36	151.96	157.25	158.92	162.50	164.93	171.96	173.05	174.96	177.07	178.49	180.94	187.75	188.90	190.48	192.22	193.22	194.33	195.08	196.23	197.04	198.08	198.90	199.08	
Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr															
actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium															
227.03	232.04	231.04	238.03	237.05	244.06	243.06	247.07	247.07	251.08	252.08	257.10	259.10	261.10	262.11	267.12	271.10	272.11	273.12	277.10	281.10	283.10	285.11	286.10	287.10	289.10	291.10	293.10	294.10	

④

- 3 (a) A bottle labelled **FA 5** is thought to contain hydrated zinc sulfate. It would therefore contain zinc ions and sulfate ions as well as water of crystallisation.
- (i) Devise and carry out tests to investigate whether zinc ions, sulfate ions and water of crystallisation are present.

Record the tests you carry out and the observations you see in the space provided.

- (ii) Use your observations in (a)(i) to complete Table 3.1 to show whether each species is present in **FA 5**.

Use a tick (✓) if the species is present.

Use a cross (X) if the species is **not** present.

Table 3.1

Zn ²⁺	
SO ₄ ²⁻	
H ₂ O	

[1]

- (b) You are provided with solid **FA 6**.

- (i) Heat a few crystals of **FA 6** in a hard-glass test-tube until no further gas is evolved. Record all your observations.

Leave the test-tube until it is cool.

Keep the cooled residue for use in (b)(ii).

.....
.....
..... [2]

- (ii) To the cooled residue from (b)(i), add approximately 3 cm depth of distilled water and stir. Filter the solution formed into a test-tube.

The colour of the solution is

[1]

- (c) You are provided with aqueous solutions **FA 7** and **FA 8** and with solid **FA 9**.

FA 7 is an aqueous solution of **FA 6**.

FA 7, **FA 8** and **FA 9** contain compounds which all have one metal that is the same but which may be in different oxidation states.

- (i) Carry out the following tests on **FA 7**, **FA 8** and **FA 9** and record your observations in Table 3.2. For each test use a 1 cm depth of a solution or a spatula measure of solid.

Table 3.2

test	observations		
	FA 7	FA 8	FA 9
Test 1 Add hydrogen peroxide.			
Test 2 Add aqueous sodium hydroxide, then leave to stand.			
Test 3 Add aqueous iron(II) sulfate.			

[4]

- (ii) Suggest the identity of the metal in **FA 6/FA 7**, **FA 8** and **FA 9**.

The metal is

[1]

- (iii) Complete Table 3.3 to suggest the oxidation state of the metal in **FA 6/FA 7** and **FA 8**.

Table 3.3

	FA 6/FA 7	FA 8
oxidation state		

[1]

[Total: 15]

Qualitative analysis notes**1 Reactions of cations**

cation	reaction with	
	NaOH(aq)	NH ₃ (aq)
aluminium, Al ³⁺ (aq)	white ppt. soluble in excess	white ppt. insoluble in excess
ammonium, NH ₄ ⁺ (aq)	no ppt. ammonia produced on warming	–
barium, Ba ²⁺ (aq)	faint white ppt. is observed unless [Ba ²⁺ (aq)] is very low	no ppt.
calcium, Ca ²⁺ (aq)	white ppt. unless [Ca ²⁺ (aq)] is very low	no ppt.
chromium(III), Cr ³⁺ (aq)	grey-green ppt. soluble in excess giving dark green solution	grey-green ppt. insoluble in excess
copper(II), Cu ²⁺ (aq)	pale blue ppt. insoluble in excess	pale blue ppt. soluble in excess giving dark blue solution
iron(II), Fe ²⁺ (aq)	green ppt. turning brown on contact with air insoluble in excess	green ppt. turning brown on contact with air insoluble in excess
iron(III), Fe ³⁺ (aq)	red-brown ppt. insoluble in excess	red-brown ppt. insoluble in excess
magnesium, Mg ²⁺ (aq)	white ppt. insoluble in excess	white ppt. insoluble in excess
manganese(II), Mn ²⁺ (aq)	off-white ppt. rapidly turning brown on contact with air insoluble in excess	off-white ppt. rapidly turning brown on contact with air insoluble in excess
zinc, Zn ²⁺ (aq)	white ppt. soluble in excess	white ppt. soluble in excess

2 Reactions of anions

anion	reaction
carbonate, CO ₃ ²⁻	CO ₂ liberated by dilute acids
chloride, Cl ⁻ (aq)	gives white ppt. with Ag ⁺ (aq) (soluble in NH ₃ (aq))
bromide, Br ⁻ (aq)	gives cream/off-white ppt. with Ag ⁺ (aq) (partially soluble in NH ₃ (aq))
iodide, I ⁻ (aq)	gives pale yellow ppt. with Ag ⁺ (aq) (insoluble in NH ₃ (aq))
nitrate, NO ₃ ⁻ (aq)	NH ₃ liberated on heating with OH ⁻ (aq) and Al foil
nitrite, NO ₂ ⁻ (aq)	NH ₃ liberated on heating with OH ⁻ (aq) and Al foil; decolourises acidified aqueous KMnO ₄
sulfate, SO ₄ ²⁻ (aq)	gives white ppt. with Ba ²⁺ (aq) (insoluble in excess dilute strong acids); gives white ppt. with high [Ca ²⁺ (aq)]
sulfite, SO ₃ ²⁻ (aq)	gives white ppt. with Ba ²⁺ (aq) (soluble in excess dilute strong acids); decolourises acidified aqueous KMnO ₄
thiosulfate, S ₂ O ₃ ²⁻ (aq)	gives off-white/pale yellow ppt. slowly with H ⁺

3 Tests for gases

gas	test and test result
ammonia, NH ₃	turns damp red litmus paper blue
carbon dioxide, CO ₂	gives a white ppt. with limewater
hydrogen, H ₂	'pops' with a lighted splint
oxygen, O ₂	relights a glowing splint

1 (a) Solutions of Group 2 hydrogencarbonates, $M(\text{HCO}_3)_2$, decompose on heating to give the corresponding metal carbonate, carbon dioxide and water.

(i) Write an equation for the decomposition of strontium hydrogencarbonate, $\text{Sr}(\text{HCO}_3)_2$.
 [1]

(ii) The thermal stability of Group 2 carbonates increases down the group.

Explain this trend.

.....

 [2]

(b) The hydroxides and fluorides of Group 2 elements show similar trends in solubility.

Describe the trend in the solubility of the fluorides of calcium, strontium and barium.

Explain your answer.

.....
 least soluble most soluble
 explanation

 [4]

(c) (i) Define enthalpy change of hydration, ΔH_{hyd} .

.....

 [1]

(ii) State the main factors that affect the magnitude of enthalpy change of hydration.

Explain your answer.

.....

 [2]

(d) Table 1.1 shows various energy changes.

Table 1.1

energy change	value / kJ mol^{-1}
lattice energy of MgF_2	–2957
enthalpy change of hydration, ΔH_{hyd} , of Mg^{2+}	–1926
enthalpy change of hydration, ΔH_{hyd} , of F^-	–505

Use data from Table 1.1 to calculate the enthalpy change of solution, ΔH_{sol} , for $\text{MgF}_2(\text{s})$.

It may be helpful to draw a labelled energy cycle. Show your working.

ΔH_{sol} of $\text{MgF}_2(\text{s}) = \dots\dots\dots \text{kJ mol}^{-1}$ [2]

- (e) Mercury(I) fluoride, Hg_2F_2 , is sparingly soluble in water.

The cation in Hg_2F_2 exists as the diatomic ion Hg_2^{2+} with a covalent Hg–Hg bond.

- (i) Write the expression for the solubility product, K_{sp} , of Hg_2F_2 . Include the units.

$$K_{\text{sp}} =$$

units [2]

- (ii) The solubility of Hg_2F_2 is $9.20 \times 10^{-3} \text{ mol dm}^{-3}$ at 298 K.

Calculate the value of K_{sp} of Hg_2F_2 at 298 K.

$$K_{\text{sp}} = \dots\dots\dots [1]$$

[Total: 15]

- 2 (a) Iron can form stable ions in the +2 and +3 oxidation states.

Explain why transition elements have variable oxidation states.

..... [1]

- (b) Aqueous solutions of iron(II) salts contain the complex ion $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$.

Define complex ion.

..... [1]

- (c) $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$ can be converted into $[\text{Fe}(\text{H}_2\text{O})_4(\text{OH})_2]$.

- (i) Suggest a suitable reagent for this conversion. State the type of reaction.

reagent

type of reaction [1]

- (ii) $[\text{Fe}(\text{H}_2\text{O})_4(\text{OH})_2]$ is a green precipitate that turns brown on standing in air.

Table 2.1 shows electrode potentials for some electrode reactions.

Table 2.1


electrode reaction	$E^\ominus / \text{V}$
$\text{Fe}(\text{H}_2\text{O})_3(\text{OH})_3 + \text{H}_2\text{O} + \text{e}^- \rightleftharpoons \text{Fe}(\text{H}_2\text{O})_4(\text{OH})_2 + \text{OH}^-$	–0.56
$\text{O}_2 + 2\text{H}_2\text{O} + 4\text{e}^- \rightleftharpoons 4\text{OH}^-$	+0.40

Use the information in Table 2.1 to explain why $[\text{Fe}(\text{H}_2\text{O})_4(\text{OH})_2]$ turns brown on standing in air.

Include an equation for this reaction.

..... [3]

(d) The complex $[\text{Co}(\text{NH}_3)_6]^{2+}$ reacts with hydrogen peroxide as shown.



Calculate $\Delta G^\ominus$, in kJ mol^{-1} , for reaction 1.

$\Delta G^\ominus = \dots\dots\dots \text{kJ mol}^{-1}$ [2]

[Total: 8]


3 (a) Solid manganese(IV) oxide, MnO_2 , catalyses the decomposition of hydrogen peroxide.



State the type of catalysis for this reaction. Explain your answer.

.....
..... [1]

(b) Hydrogen peroxide reacts with iodide ions in acidic conditions as shown.



The initial rate of this reaction is investigated with different concentrations of H_2O_2 , I^- and H^+ .
The results obtained are shown in Table 3.1.

Table 3.1

experiment	$[\text{H}_2\text{O}_2]/\text{mol dm}^{-3}$	$[\text{I}^-]/\text{mol dm}^{-3}$	$[\text{H}^+]/\text{mol dm}^{-3}$	initial rate/ $\text{mol dm}^{-3} \text{ s}^{-1}$
1	0.0450	0.0300	0.0125	2.42×10^{-3}
2	0.0225	0.0600	0.0125	2.42×10^{-3}
3	0.0225	0.120	0.0125	4.84×10^{-3}
4	0.0450	0.120	0.0500	9.68×10^{-3}

(i) Use the information in Table 3.1 to deduce the rate equation for this reaction.

Explain your reasoning.

.....
.....
.....
.....
.....
.....
..... [4]

(ii) Use your rate equation from (b)(i) and the data from Experiment 1 to calculate the rate constant, k , for this reaction. Include the units of k .

$k = \frac{14}{\dots\dots\dots}$ units [2]

- (c) The rate of the thermal decomposition of azomethane, $\text{CH}_3\text{N}=\text{NCH}_3$, is investigated.




Fig. 3.1 shows the results obtained. The reaction is first order with respect to $\text{CH}_3\text{N}=\text{NCH}_3$.




Fig. 3.1

- (i) Use Fig. 3.1 to calculate **two** half-lives, $t_{1/2}$, to show that the reaction is first order.

.....

 [2]

- (ii) Use your answer to (c)(i) to calculate the rate constant, k , for the decomposition of azomethane.

$$k = \dots\dots\dots \text{s}^{-1} [1]$$

- (d) Describe the effect of increasing temperature on the rate constant and on the rate of a reaction.

.....

 [1]

[Total: 11]

- 8 (a) In the electrophilic substitution of arenes, different substituents can direct to different ring positions.

- (i) Describe the directing effect of the $-\text{NO}_2$ group. Explain your answer.

.....
 [1]

- (ii) The nitration of arenes uses a mixture of concentrated HNO_3 and concentrated H_2SO_4 to generate the NO_2^+ electrophile.

Write an equation for the formation of the NO_2^+ electrophile.

..... [1]

- (b) Carbon-carbon bond formation is an important reaction in organic synthesis.

Fig. 8.1 shows the synthesis of compound **Q** from benzene in two reaction steps.




Fig. 8.1

- (i) Draw the structure of compound **P** in the box in Fig. 8.1.

[1]

- (ii) Suggest reagents and conditions for reactions 1 and 2 in Fig. 8.1.

reaction 1

reaction 2 [2]

(c) Separate samples of $\text{C}_6\text{H}_5\text{Br}$ and $\text{C}_6\text{H}_5\text{CH}_2\text{Br}$ are added to warm $\text{AgNO}_3(\text{aq})$.

State the expected observations, if any. Explain your answer.

C₆H₅Br with AgNO₃(aq)

$\text{C}_6\text{H}_5\text{CH}_2\text{Br}$ with $\text{AgNO}_3(\text{aq})$

explanation

[3]

(d) Acyl bromides, RCOBr , react readily with H_2O .

The mechanism of this reaction is similar to that of the reaction of H_2O with acyl chlorides, RCOCl .

(i) Name the mechanism of this reaction.

..... [1]

(ii) Complete the mechanism in Fig. 8.2 for the reaction of RCOBr with H_2O .

Include all relevant lone pairs of electrons, curly arrows, charges and dipoles.

Draw the structure of the intermediate.




Fig. 8.2

[4]

[Total: 13]

9 Compound **X** is made from benzene by the route shown in Fig. 9.1.




Fig. 9.1

(a) Describe the bonding in benzene, C_6H_6 .

Your answer should include:

- the hybridisation of the six carbon atoms
- the types of bond between the carbon atoms
- the orbitals that overlap to produce the bonds between the carbon atoms
- the type of bond between the carbon atoms and the hydrogen atoms
- the orbitals that overlap to produce the bonds between the carbon atoms and the hydrogen atoms.

[3]

(b) Describe the reagents and conditions required for step 1 in Fig. 9.1.

[1]

(c) In step 1 of Fig. 9.1 benzene reacts with $^+\text{CH}_3$.

Complete Fig. 9.2 to show the mechanism for this reaction, including:

- the movement of electron pairs using curly arrows
- the structure of the intermediate involved.




Fig. 9.2

[3]

(d) Describe the reagents and conditions required for step 2 of Fig. 9.1.

.....
..... [2]

(e) Identify the reagents required for step 3 of Fig. 9.1. Compound **W** is the product of this step.

..... [1]

(f) Name compound **W**.

..... [1]


(g) The reagents commonly used for step 4 will **not** reduce the $-\text{COOH}$ group.

Identify the reagents and conditions required for step 4 of Fig. 9.1.

..... [1]

(h) Benzene can also be used as a starting material to make compound **Y**.

compound **Y**



Describe how the route described in Fig. 9.1 (repeated below) can be changed to give compound **Y** instead of compound **X**.

Explain your answer.

.....
.....
.....
..... [2]




Fig. 9.1

[Total: 14]

Important values, constants and standards

molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4 \text{ C mol}^{-1}$
Avogadro constant	$L = 6.02 \times 10^{23} \text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19} \text{ C}$
molar volume of gas	$V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ (4.18 J g ⁻¹ K ⁻¹)

The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1 H hydrogen 1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Key																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		atomic number atomic symbol name relative atomic mass																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3	4													5	6	7	8	9	10	11	12	13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Li lithium 6.9	Be beryllium 9.0													B boron 10.8	C carbon 12.0	N nitrogen 14.0	O oxygen 16.0	F fluorine 19.0	Ne neon 20.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
11	12													Al aluminium 27.0	Si silicon 28.1	P phosphorus 31.0	S sulfur 32.1	Cl chlorine 35.5	Ar argon 39.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Na sodium 23.0	Mg magnesium 24.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89–103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000