

11.3 Structured Programming

Name: _____ Class: _____ Date: _____

Total: 17 marks

KEY WORDS procedure 过程 • parameters 参数 • pass by reference 传引用 • pass by value 传值
• function 函数

Objective

Build the skills to answer exam questions on **structured programming** 结构化编程 — procedures, functions and parameters.

You must be able to:

- define and **call** a **procedure** and a **function**
- use **parameters**, including **by value** and **by reference**
- use the terms argument, parameter, return value, **local/global**

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ Procedure vs function

A **procedure** does an action and returns **nothing**; a **function** returns a **value** used in an expression.


```
PROCEDURE Greet(Name : STRING)
    OUTPUT "Hello, ", Name
ENDPROCEDURE
CALL Greet("Ada")

FUNCTION Square(x : INTEGER) RETURNS INTEGER
    RETURN x * x
ENDFUNCTION
Result ← Square(5) + 1      // Result = 26
```

■ Parameters: by value or by reference


A **parameter** is the variable that **receives** input; the value the caller supplies is the **argument**.

pass by value (a copy)




change a → X stays 5

pass by reference (BYREF)




change a → X changes too

procedure



returns **no** value

function



now y holds 25

Procedures and functions structure a program

Swap must use **BYREF** so the new values stay in the caller:

```
PROCEDURE Swap(BYREF a : INTEGER, BYREF b : INTEGER)
  DECLARE temp : INTEGER
  temp ← a
  a ← b
  b ← temp
ENDPROCEDURE
```

■ Local, global, and when to use a subroutine

A **local** variable lives only inside its subroutine; a **global** is visible everywhere (prefer locals). Use a subroutine when logic **repeats**, has a **clear purpose**, or to **test** a part on its own.

2 Practice

Now apply the methods above.

2.1 State **one** difference between a **procedure** and a **function**. [1]

2.2 Define a procedure `Greet(Name)` that outputs "Hello, " followed by the name. [2]

2.3 Define a function `Cube(x)` that returns `x` cubed. [2]

2.4 State the difference between an **argument** and a **parameter**. [2]

3 Exam-style questions

3.1 Write a **function** `MaxOf(a, b)` that returns the larger of two integers. [3]

3.2 Explain **pass by value** and **pass by reference**, and state which one a **Swap** procedure must use, and why. [4]

3.3 State **two** benefits of using subroutines in a large program. [2]

3.4 State what is meant by a **local variable**. [1]
