

6.2 Linear combinations of random variables

Name: _____ Class: _____ Date: _____

Total: 14 marks

KEY WORDS expectation 期望 • variance 方差

Objective


Build the skills to answer exam questions on **linear combinations of random variables** 随机变量的线性组合 — the expectation and variance rules, and combining independent normal (or Poisson) variables.

You must be able to:

- use $E(aX + b) = aE(X) + b$, $\text{Var}(aX + b) = a^2\text{Var}(X)$
- use $E(aX + bY) = aE(X) + bE(Y)$, $\text{Var}(aX + bY) = a^2\text{Var}(X) + b^2\text{Var}(Y)$
- recognise that a linear combination of independent normals is normal

1 Worked examples

- Mean and variance rules



If X is normal then so is $aX + b$; variances add for independent variables (means always add)

X has mean 5, variance 4: $E(3X - 1) = 3(5) - 1 = 14$; $\text{Var}(3X - 1) = 3^2(4) = 36$.

Watch the signs: $\text{Var}(X - Y) = \text{Var}(X) + \text{Var}(Y)$ (variances **add**).

2 Practice

2.1 X has mean 10 and variance 9. Find $E(2X + 5)$. [2]

2.2 For independent X, Y with $\text{Var}(X) = 4$, $\text{Var}(Y) = 9$, find $\text{Var}(X + Y)$. [1]

3 Exam-style questions

3.1 X has variance 5. Then $\text{Var}(4X)$ is: [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** 20
B 80
C 9
D 5

3.2 Independent variables have $X \sim N(20, 3^2)$ and $Y \sim N(15, 4^2)$.

(a) Find the distribution of $X - Y$. [3]

(b) Find $P(X - Y > 2)$. [3]

3.3 The mass of a tin is $X \sim N(500, 4^2)$ g. Four tins are packed in a box of mass $N(100, 2^2)$ g, all independent. Find the mean and standard deviation of the total mass of a packed box. [4]
