

22.4 Energy levels in atoms and line spectra

Name: _____ Class: _____ Date: _____

Total: 25 marks

KEY WORDS emission spectrum 发射光谱 • energy level 能级 • discrete 分立

• absorption spectrum 吸收光谱 • electron 电子

Objective


Build the skills to answer exam questions on **energy levels** and line spectra.**You must be able to:**


- explain **discrete energy levels** and line spectra
- use $hf = E_2 - E_1$

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ Energy levels

An atom's electrons can only sit at **discrete** energy levels (written **negative**, with 0 for a free electron):



Line spectra from atomic energy levels

When an electron **drops** from E_2 to a lower E_1 , it emits a photon:

$$hf = E_2 - E_1.$$

Because the levels are **discrete**, only certain photon energies (wavelengths) appear — an **emission spectrum** is a set of **bright lines** on a dark background (a fingerprint of the element). An **absorption spectrum** is dark lines on a bright background.

2 Practice

Now apply the methods above.

2.1 State what is meant by **discrete** energy levels. [1]

2.2 Write the equation linking photon frequency to two energy levels. [1]

2.3 State why the energy levels are written as **negative** values. [1]

2.4 State what an **emission spectrum** looks like. [1]

3 Exam-style questions

3.1 An **emission** line spectrum consists of: [1]

A	B
C	D

A a continuous range of colours

B dark lines on a bright background

C bright lines on a dark background

D a single colour only

3.2 An electron drops from an energy level of -3.4 eV to -13.6 eV. Calculate the **energy** of the emitted photon, in eV and in joules. [3]

3.3 Calculate the **wavelength** of the photon emitted in question 3.2. [3]

3.4 Explain why only **certain** wavelengths appear in an emission spectrum. [2]

3.5 The lowest four energy levels of a hydrogen atom are at -13.6 eV, -3.40 eV, -1.51 eV and -0.85 eV. Take $h = 6.63 \times 10^{-34}$ J s, $c = 3.00 \times 10^8$ m s $^{-1}$ and 1 eV = 1.60×10^{-19} J.

(a) Use the **photon model** to explain how the existence of sharp **spectral lines** shows that the atom has discrete energy levels. [3]

(b) **Calculate** the energy of the ground state in **joules**. [1]

(c) **Show that** the energy difference between the $n = 1$ and $n = 2$ levels is 10.2 eV. [1]

(d) **Complete** the table for transitions **down to the ground state**. [3]

transition	energy difference / eV	wavelength of photon / nm
$n = 2 \rightarrow n = 1$	10.2	_____
$n = 3 \rightarrow n = 1$	_____	_____
$n = 4 \rightarrow n = 1$	_____	_____

(e) **State and explain** whether these three photons are visible to the eye. [2]

(f) **Explain** why the energies of the levels are given as **negative** numbers. [2]