

6.1 Stress and strain

Name: _____ Class: _____ Date: _____

Total: 27 marks

KEY WORDS young modulus 杨氏模量 • spring constant 劲度系数 • stress 应力
• extension 伸长量 • strain 应变

Objective

Build the skills to answer exam questions on **stress and strain** — Hooke's law, the spring constant, and the Young modulus.

You must be able to:


- use **Hooke's law** $F = kx$ and find k from a graph
- define and use **stress**, **strain** and the **Young modulus**
- describe the experiment to measure the **Young modulus** of a wire


1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ Hooke's law and spring constant

For small loads, **extension is proportional to load**: $F = kx$, so the **spring constant** $k = F/x$ (unit N m^{-1}). On a force–extension graph the **gradient is k** in the straight region, up to the **limit of proportionality**:





$$E = \frac{\sigma}{\epsilon} = \frac{F/A}{\Delta L/L} \quad (\text{Hooke's law region only})$$

The stress-strain graph for a material

Worked example. A spring extends 4.0 cm under a 2.0 N load: $k = F/x = 2.0/0.040 = 50 \text{ N m}^{-1}$.

■ Stress, strain, Young modulus

$$\text{stress } \sigma = \frac{F}{A} \text{ (Pa)}, \quad \text{strain } \epsilon = \frac{x}{L} \text{ (no unit)}, \quad E = \frac{\sigma}{\epsilon} \text{ (Pa)}.$$

Young modulus experiment (wire): measure the original length L and diameter ($\rightarrow$ area A); add known loads; measure the extension x (e.g. with a marker and ruler/travelling microscope); plot stress against strain; E is the gradient of the straight part.

2 Practice

Now apply the methods above.

2.1 State Hooke's law.

[1]

2.2 A spring extends 4.0 cm when a 2.0 N load is hung from it. Find the **spring constant**.

[2]

2.3 Define **stress** and **strain**. [2]

2.4 State the unit of the **Young modulus**. [1]

3 Exam-style questions

3.1 In the straight region, the **gradient** of a force–extension graph gives the: [1]

A	B
C	D

A Young modulus

B spring constant

C stress

D strain

3.2 A wire of length 2.0 m and cross-sectional area $1.0 \times 10^{-6} \text{ m}^2$ stretches by 1.0 mm under a 100 N load. Calculate (a) the stress, (b) the strain, (c) the Young modulus. [4]

3.3 Describe an experiment to measure the **Young modulus** of a metal wire. [4]

3.4 Explain what is meant by the **limit of proportionality**. [1]

3.5 A wire has length L , cross-sectional area A , Young modulus E and resistivity ρ .

(a) **Define** the **Young modulus** of a material. [1]

(b) **State** an expression, in terms of some or all of L , A , E and ρ , for the resistance R_0 of the wire. [1]

(c) **Show that** the spring constant k_0 of the wire is given by $k_0 = \frac{EA}{L}$. [2]

(d) The wire is now stretched by a steadily increasing force F , staying within its limit of proportionality. In the space below, **sketch** two graphs: the variation with F of the **resistance** R of the wire, and the variation with F of its **spring constant** k . **Label** each graph and its axes. [3]

(e) A copper wire of diameter 1.6 mm has a resistance of 0.034 Ω . The resistivity of copper is $1.7 \times 10^{-8} \Omega \text{ m}$. **Show that** the length of the wire is about 3.8 m. [2]

(f) The Young modulus of copper is 1.3×10^{11} Pa. **Determine** the spring constant of this wire. [2]