

1(a)	work done per unit mass
	work (done in) moving mass from infinity (to the point)
1(b)(i)	evidence of addition of 3.4×10^6 to 1.7×10^6 or 6.8×10^6
	$GM \times 122 / (5.1 \times 10^6)$ or $GM \times 122 / (10.2 \times 10^6)$
	$6.67 \times 10^{-11} \times M \times 122 \times [(5.1 \times 10^6)^{-1} - (10.2 \times 10^6)^{-1}] = 5.1 \times 10^8$
	leading to $M = 6.4 \times 10^{23}$ kg
1(b)(ii)	$\phi = (-) (6.67 \times 10^{-11} \times 6.4 \times 10^{23}) / (3.4 \times 10^6)$
	$= -1.3 \times 10^7 \text{ J kg}^{-1}$
1(c)(i)	Mars takes (just under) 25 hours to rotate once on its axis
1(c)(ii)	orbit is equatorial or orbit is in same direction as direction of rotation of Mars

1(a)	work done per unit mass
	work (done in) moving mass from infinity (to the point)
1(b)(i)	evidence of addition of 3.4×10^6 to 1.7×10^6 or 6.8×10^6
	$GM \times 122 / (5.1 \times 10^6)$ or $GM \times 122 / (10.2 \times 10^6)$
	$6.67 \times 10^{-11} \times M \times 122 \times [(5.1 \times 10^6)^{-1} - (10.2 \times 10^6)^{-1}] = 5.1 \times 10^8$
	leading to $M = 6.4 \times 10^{23}$ kg
1(b)(ii)	$\phi = (-) (6.67 \times 10^{-11} \times 6.4 \times 10^{23}) / (3.4 \times 10^6)$
	$= -1.3 \times 10^7 \text{ J kg}^{-1}$
1(c)(i)	Mars takes (just under) 25 hours to rotate once on its axis
1(c)(ii)	orbit is equatorial or orbit is in same direction as direction of rotation of Mars

2(a)	<u>sketch:</u> line from $x = R$ to $x = 4R$ entirely in the negative ϕ region
	curve with continuously decreasing magnitude and with gradient of continuously decreasing magnitude, starting at $(R, \pm\phi)$
	line passing through $(2R, \pm\frac{1}{2}\phi)$ <u>and</u> $(4R, \pm\frac{1}{4}\phi)$
2(b)	horizontal straight line from $t = 0$ to $t = 24$ hours
	line starting at $(0, -\phi)$
2(c)	straight line with non-zero gradient from 0 to d
	line with negative gradient from $(0, V)$ to $(d, 0)$