

Revision Sheet 复习练习卷

A-Level Physics · Unit 7 Waves

14 vocabulary items · 21 marks of exam questions (9 questions)

Part 1 · Vocabulary review answer key. Section A wants the exact English spelling.

Question	Answer	Marks
1	wave	1
2	transverse wave	1
3	progressive wave	1
4	amplitude	1
5	wavelength	1
6	period	1
7	frequency	1
8	phase difference	1
9	cathode-ray oscilloscope	1
10	time-base	1
11	intensity	1
12	source	1
13	electromagnetic wave	1
14	polarising filter	1

Question 15 (Answer: C)

- The pitch heard is lower than the pitch emitted, so the aircraft must be moving away.
- $f_o = f_s v / (v + v_s)$, so $20.0 = 30.0 \times 330 / (330 + v_s)$.
- $330 + v_s = 495$, giving $v_s = 165 \text{ m s}^{-1}$ away from the observer.

Question 16 (Answer: A)

- The pulse travels there and back, so the one-way time is $3960/2 = 1980 \text{ s}$.
- $d = ct = 3.0 \times 10^8 \times 1980 = 5.94 \times 10^{11} \text{ m}$.
- The options are in kilometres, so that is $5.94 \times 10^8 \text{ km}$ – C is the same figure left in metres.

Question 17 (Answer: D)

- In a transverse wave a particle moves fastest as it passes through zero displacement.
- At a crest or a trough it is momentarily at rest before reversing.
- So the fastest particle is the one sitting on the axis, not the one at the largest displacement.

Question 18 (Answer: A)

- In a longitudinal wave the particles oscillate along the direction of travel, so their displacement is to the left or right.
- A snapshot "at one instant in time" is plotted against distance, not against time.
- So the axes are distance and displacement of particles to the right.

Question 19 (Answer: D)

- Electromagnetic waves are transverse.
- In free space they all travel at the same speed, $c = 3.0 \times 10^8 \text{ m s}^{-1}$, whatever the wavelength.
- Only inside a medium does the speed start to depend on wavelength.

Multiple Choice Answers

Q20: D

Multiple Choice Answers

Q21: B

22(a)	sketch: approximately horizontal line above horizontal dashed line from $t = 0$ to $t = t_1$ and approximately horizontal line below horizontal dashed line from $t = t_1$ to $t = t_2$
22(b)	$I = P / A$
	$A = \pi \times 0.028^2$ or $\pi \times 2.8^2$ (2.46×10^{-3} or 24.6)
	$P = 4.7 \times 10^{-3} \times 2.46 \times 10^{-3}$ $= 1.2 \times 10^{-5} \text{ W}$

23(a)(i)	(two) waves travelling (at same speed) in opposite directions overlap
	waves (of the same type) have same frequency/wavelength
23(a)(ii)	phase difference = 0
23(b)(i)	$f_o = f_s v / v - v_s$
	$543 = f \times 334 / (334 - 13)$
	$f = 522 \text{ Hz}$
23(b)(ii)	(the speed is) decreasing
23(c)(i)	$I \propto A^2$
	$I_T / I_0 = \cos^2 20^\circ$ or $A_T / A_0 = \cos 20^\circ$
	ratio = 0.94
23(c)(ii)	angle = 140°