

5.11 Solving Optimization Problems

Name: _____ Class: _____ Date: _____

Total: 17 marks

KEY WORDS critical points 临界点 • objective function 目标函数 • local maximum 极大值
 • optimization 最优化 • point of inflection 拐点

Objective

Build the skills to answer exam questions on **solving optimization problems** — carrying the setup through to a justified maximum or minimum.

You must be able to:

- differentiate the **objective function** 目标函数 and solve $f'(x) = 0$ for the **critical points** 临界点
- justify** that a critical point is a maximum or minimum (sign of f' , or the second-derivative test, or the closed-interval candidates)
- give the answer the question asks for, with units

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ The full optimization method

Maximize the pen area $A(y) = 40y - 2y^2$ on $0 < y < 20$.

- Differentiate: $A'(y) = 40 - 4y$.
- Solve $A'(y) = 0$: $y = 10$.
- Justify: $A''(y) = -4 < 0$, so $y = 10$ gives a **maximum**.
- Answer: $x = 40 - 2(10) = 20$, so $A = 20 \times 10 = 200 \text{ m}^2$.

■ Justifying with the first-derivative sign

If the second derivative is awkward, test the sign of f' on each side of the critical point. Here $A'(9) = +4 > 0$ and $A'(11) = -4 < 0$: f rises then falls, so the critical point is a **maximum**. A justification is **required** for full marks.

■ Minimizing a cost

A can's surface area is $S(r) = 2\pi r^2 + \frac{710}{r}$. Then $S'(r) = 4\pi r - \frac{710}{r^2}$. Setting $S' = 0$: $4\pi r^3 = 710$, so $r = \left(\frac{710}{4\pi}\right)^{1/3} \approx 3.84$ cm. Since $S''(r) = 4\pi + \frac{1420}{r^3} > 0$, this is a **minimum**.

2 Practice

Now apply the methods above.

2.1 For $A(y) = 40y - 2y^2$, find $A'(y)$ and solve $A'(y) = 0$. [2]

2.2 The area function is $A = 12x - x^2$. Find the width x that maximizes the area, and **justify** it is a maximum. [3]

2.3 A function $C(x) = x^2 + \frac{16}{x}$ models a cost for $x > 0$. Find the x that minimizes C . [3]

3 Exam-style questions

3.1 A critical point of f has $f'(c) = 0$ and $f''(c) < 0$. The point is a [1]

A	B
C	D

A local minimum

B local maximum

C point of inflection

D endpoint

3.2 A rectangular field of area $A = x(200 - x)$ m² is enclosed, where $0 < x < 200$.

(a) Find the value of x that maximizes A . [2]

(b) Justify that your value gives a maximum. [1]

(c) State the maximum area. [1]

3.3 An open box is made from card, with volume $V(x) = 150x - \frac{1}{4}x^3$ for $0 < x < \sqrt{600}$.

(a) Show that $V'(x) = 150 - \frac{3}{4}x^2$. [1]

(b) Find the value of x that maximizes the volume, and justify it. [3]