

8.7 Volumes with Cross Sections: Squares and Rectangles

Name: _____ Class: _____ Date: _____

Total: 15 marks

KEY WORDS cross sections 横截面 • cross-sectional area 横截面积

Objective

Build the skills to answer exam questions on **volumes by cross sections (squares and rectangles)** — integrating a slice's area.

You must be able to:

- write the **side length** of a slice as the gap between two curves
- integrate the **cross-sectional area** 横截面积: $V = \int_a^b A(x) dx$
- handle a square ($A = s^2$) or a rectangle cross section

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ Volume as an integral of area

A solid whose cross section perpendicular to the x -axis has area $A(x)$ has volume

$$V = \int_a^b A(x) dx.$$

“Integrate the cross-sectional area” is the whole method.

■ Square cross sections

If each cross section is a **square** with side equal to the gap between $y = f(x)$ (top) and $y = g(x)$ (bottom), then $s = f(x) - g(x)$ and

$$V = \int_a^b (f(x) - g(x))^2 dx.$$

■ **A worked square-section volume**

Base bounded by $y = \sqrt{x}$ and the x -axis on $[0, 4]$, square cross sections: $s = \sqrt{x}$, so

$$V = \int_0^4 (\sqrt{x})^2 dx = \int_0^4 x dx = 8.$$

■ **Rectangle cross sections**

A rectangle of height = $k \times$ (base) has area $A = k s^2$ if height is proportional to the side; otherwise use the stated width and height. Always write $A(x)$ first, then integrate.

2 Practice

Now apply the methods above.

2.1 A slice has area $A(x) = x^2$. Write the volume integral over $[0, 3]$. [1]

2.2 A solid has square cross sections with side $s = 2x$ on $[0, 2]$. Find its volume. [3]

2.3 Evaluate $\int_0^1 (1 - x)^2 dx$. [2]

3 Exam-style questions

3.1 The volume of a solid with cross-sectional area $A(x)$ is [1]

A	B
C	D

A $\int_a^b \sqrt{A(x)} \, dx$

B $\int_a^b A(x) \, dx$

C $\pi \int_a^b A(x) \, dx$

D $\int_a^b A(x)^2 \, dx$

3.2 The base of a solid is the region between $y = 4 - x^2$ and the x -axis. Cross sections perpendicular to the x -axis are squares.

(a) Write the side length s as a function of x . [1]

(b) Set up the volume integral (with limits). [2]

3.3 The base of a solid is bounded by $y = x$ and $y = x^2$. Cross sections perpendicular to the x -axis are squares with side equal to the gap between the curves. Set up and evaluate the volume. [5]