

7 Solving simple differential equations

– Part 2

Name: _____ Class: _____ Date: _____

Recall

In Part A you met differential equations. Now solve simple ones:

- Solving means finding the function from its rate of change.
- One special kind describes things that grow by a fixed percentage – like money or populations.

Each idea has a worked example before the Practice.

New ideas


■ 1 Solving by integrating

If $\frac{dy}{dx}$ is given, integrate to find y .

Worked example. $\frac{dy}{dx} = 3x^2$ integrates to $y = x^3 + C$.

■ 2 A family of curves

The constant C gives a **family** of solution curves; one extra fact (a known point) picks out the right one.



■ 3 Exponential growth

A very common equation is $\frac{dy}{dt} = ky$ – “the rate of growth is proportional to how much there is”. Its solution is exponential growth, $y = Ce^{kt}$.

■ 4 Where it appears

This models populations, money earning interest, and radioactive decay (with a negative k) – anything that grows or shrinks by a fixed proportion.

Watch out: exponential growth ($\frac{dy}{dt} = ky$) means the quantity grows **faster and faster** as it gets bigger, because the rate depends on the current amount. It is not steady, straight-line growth.

Practice

Try these in order. The methods are all above.

2.1 State how you solve $\frac{dy}{dx} = f(x)$ for y .

[1]

2.2 Solve $\frac{dy}{dx} = 2x$. [2]

2.3 Solve $\frac{dy}{dx} = 4x^3$. [2]

2.4 State the type of growth described by $\frac{dy}{dt} = ky$. [1]

2.5 Give two real situations modelled by exponential growth or decay. [2]