

9.9 Cell Potential and Free Energy

Name: _____ Class: _____ Date: _____

Total: 12 marks

KEY WORDS cell potential • anode • cathode

Objective

Build the skills to answer exam questions on **cell potential and free energy**.

You must be able to:

- calculate $E_{\text{cell}}^{\circ} = E_{\text{cathode}}^{\circ} - E_{\text{anode}}^{\circ}$
- use $\Delta G^{\circ} = -nFE_{\text{cell}}^{\circ}$
- link a positive E_{cell}° to a favorable cell

1 Key knowledge and worked examples

Study these first. Each one shows the method for a question type used later – follow the steps and you can do the Practice and Exam-style questions yourself.

■ Standard cell potential

$$E_{\text{cell}}^{\circ} = E_{\text{cathode}}^{\circ} - E_{\text{anode}}^{\circ}$$

using standard reduction potentials. A **positive** E_{cell}° means a favorable (galvanic) cell.

■ A worked cell potential

 Cu^{2+} ($E^{\circ} = +0.34$) as cathode, Zn^{2+} ($E^{\circ} = -0.76$) as anode:

$$E_{\text{cell}}^{\circ} = 0.34 - (-0.76) = +1.10 \text{ V.}$$

■ Linking to free energy

$$\Delta G^{\circ} = -nFE_{\text{cell}}^{\circ}$$

where n is moles of electrons transferred and $F = 96\,500 \text{ C/mol}$. A **positive** E° gives a **negative** ΔG° – favorable.

■ A worked ΔG

For $n = 2$, $E^{\circ} = 1.10 \text{ V}$: $\Delta G^{\circ} = -(2)(96\,500)(1.10) = -2.12 \times 10^5 \text{ J} = -212 \text{ kJ}$.

2 Practice

Now apply the methods above.

2.1 Write E_{cell}° in terms of the electrode potentials. [1]2.2 For cathode $+0.80 \text{ V}$ and anode -0.44 V , find E_{cell}° . [2]2.3 A cell has a positive E_{cell}° . Is it galvanic or electrolytic? [1]

3 Exam-style questions

3.1 A galvanic (favorable) cell has an E_{cell}° that is [1]
☐

- A positive
B negative
C zero
D undefined

3.2 A cell has $E_{\text{cathode}}^{\circ} = +0.34 \text{ V}$ and $E_{\text{anode}}^{\circ} = -0.76 \text{ V}$, with $n = 2$.(a) Find E_{cell}° . [2](b) Find ΔG° (use $F = 96\,500 \text{ C/mol}$). [3]
3.3 Explain why a positive E_{cell}° corresponds to a negative ΔG° . [2]