

2.2 Intramolecular Force and Potential Energy

Name: _____ Class: _____ Date: _____

Total: 9 marks

KEY WORDS bond length 键长 • potential energy 势能 • bond energy 键能 • ionic bond 离子键

Objective

Build the skills to answer exam questions on **intramolecular force and potential energy** — the Coulombic picture of a bond.

You must be able to:

- read a **potential-energy vs distance** 势能-距离 curve for two atoms
- identify the **bond length** 键长 (minimum) and **bond energy** 键能 (well depth)
- link stronger bonds to deeper, narrower wells

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ The potential-energy curve

As two atoms approach, attraction lowers the energy until repulsion of the nuclei takes over. The curve has a **minimum**: that distance is the **bond length**, and the depth of the well below zero is the **bond energy** (energy to separate the atoms).

■ Reading the curve

- The x -position of the minimum = bond length.
- The depth of the minimum = bond energy (how strongly bonded).
- To the left of the minimum, energy rises steeply — nuclei repel.

■ Comparing bonds

A **stronger** bond has a **deeper** well (larger bond energy) and usually a **shorter** bond length. A triple bond is deeper and shorter than a double, which is deeper and shorter than a single.

■ Coulomb's law link

Bond strength grows with the product of the charges and shrinks with distance ($E \propto \frac{q_1 q_2}{r}$). Smaller, more highly charged ions bond more strongly.

2 Practice

Now apply the methods above.

2.1 On a potential-energy curve, what does the position of the minimum represent? [1]

2.2 What does the depth of the well represent? [1]

2.3 Two bonds A and B have well depths 400 and 250 kJ/mol. Which is stronger? [1]

3 Exam-style questions

3.1 On a potential-energy vs distance curve, the bond length is the distance where the energy is [1]

A	B
C	D

A zero

B maximum

C minimum

D infinite

3.2 Two diatomic molecules have potential-energy curves. Molecule X has its minimum at 110 pm with depth 500 kJ/mol; molecule Y at 130 pm with depth 300 kJ/mol.

(a) Which has the shorter bond? [1]

(b) Which has the stronger bond? [1]

(c) State the relationship between bond length and bond strength suggested here. [1]

3.3 Using Coulomb's law, explain why the ionic bond in MgO (ions 2+ and 2−) is stronger than in NaCl (ions 1+ and 1−). [2]