

4.6 Introduction to Titration

Name: _____ Class: _____ Date: _____

Total: 14 marks

KEY WORDS acid 酸 • titration 滴定 • base 碱 • equivalence point 等当点

Objective

Build the skills to answer exam questions on **titration** — finding an unknown concentration.

You must be able to:

- use $\text{mol} = M \times V$ and the reaction's mole ratio
- find an unknown concentration from titration data
- identify the **equivalence point** 等当点

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ The titration idea

A solution of known concentration (the **titrant**) is added until it exactly reacts with the unknown — the **equivalence point**, often shown by an indicator's color change (**endpoint**).

■ The calculation route

1. moles of titrant = $M \times V$;
2. moles of unknown = (moles of titrant) $\times$ mole ratio;
3. concentration of unknown = moles $\div$ its volume.

■ A worked 1:1 titration

25.0 mL of HCl is neutralized by 20.0 mL of 0.100 M NaOH (1:1). Moles NaOH = $0.100 \times 0.0200 = 0.00200$; so moles HCl = 0.00200; $[\text{HCl}] = \frac{0.00200}{0.0250} = 0.0800 \text{ M}$.

■ Watch the mole ratio

For $\text{H}_2\text{SO}_4 + 2\text{NaOH}$, one acid needs **two** base — include the 1 : 2 ratio, or the answer is off by a factor of two.

2 Practice

Now apply the methods above.

2.1 Find the moles in 30.0 mL of 0.200 M NaOH. [2]

2.2 In a 1:1 titration, 0.0030 mol of base neutralizes how many moles of acid? [1]

2.3 What is the equivalence point? [1]

3 Exam-style questions

3.1 At the equivalence point of an acid-base titration, [1]

A	B
C	D

A the acid is in excess

B the moles of acid and base have exactly reacted (per the ratio)

C the base is in excess

D nothing has reacted

3.2 25.0 mL of an unknown HCl solution is neutralized by 18.0 mL of 0.150 M NaOH (1:1).

(a) Find the moles of NaOH used. [2]

(b) Find the concentration of the HCl. [3]

3.3 20.0 mL of H_2SO_4 is neutralized by 25.0 mL of 0.200 M NaOH. Using $\text{H}_2\text{SO}_4 + 2\text{NaOH} \rightarrow \text{products}$, find the concentration of the acid. [4]