

# 6.8 Enthalpy of Formation

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 13 marks

**KEY WORDS** standard enthalpy of formation 生成焓

## Objective

Build the skills to answer exam questions on **enthalpy of formation**.**You must be able to:**

- use standard enthalpies of formation  $\Delta H_f^\circ$
- apply  $\Delta H_{\text{rxn}} = \sum \Delta H_f^\circ(\text{products}) - \sum \Delta H_f^\circ(\text{reactants})$
- know that  $\Delta H_f^\circ$  of an element is zero

## 1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

### ■ Standard enthalpy of formation

 $\Delta H_f^\circ$  is the enthalpy change to make **1 mole** of a compound from its elements in their standard states. For an **element** in its standard state,  $\Delta H_f^\circ = 0$ .

### ■ The formula

$$\Delta H_{\text{rxn}}^\circ = \sum \Delta H_f^\circ(\text{products}) - \sum \Delta H_f^\circ(\text{reactants}),$$

weighting each by its coefficient.

### ■ A worked calculation

For  $\text{CH}_4 + 2\text{O}_2 \rightarrow \text{CO}_2 + 2\text{H}_2\text{O}$ , with  $\Delta H_f^\circ$ :  $\text{CH}_4 = -75$ ,  $\text{CO}_2 = -394$ ,  $\text{H}_2\text{O} = -286$ ,  $\text{O}_2 = 0$ :

$$\Delta H = [(-394) + 2(-286)] - [(-75) + 0] = -966 + 75 = -891 \text{ kJ.}$$

### ■ Don't forget coefficients

Multiply each  $\Delta H_f^\circ$  by the species' coefficient before summing — a common lost mark.

## 2 Practice

---

Now apply the methods above.

**2.1** What is  $\Delta H_f^\circ$  of an element in its standard state? [1]

---

**2.2** Write the formula for  $\Delta H_{\text{rxn}}$  from formation enthalpies. [1]

---

**2.3** For products summing to  $-500$  and reactants to  $-200$  kJ, find  $\Delta H_{\text{rxn}}$ . [2]

---

---

## 3 Exam-style questions

---

**3.1** The standard enthalpy of formation of  $\text{O}_2(g)$  is [1]

|   |   |
|---|---|
| A | B |
| C | D |

**A**  $-286$  kJ/mol

**B**  $0$

**C**  $+286$  kJ/mol

**D** unknown

**3.2** For  $2\text{H}_2 + \text{O}_2 \rightarrow 2\text{H}_2\text{O}$ ,  $\Delta H_f(\text{H}_2\text{O}) = -286$  kJ/mol.

(a) State  $\Delta H_f$  of  $\text{H}_2$  and  $\text{O}_2$ . [1]

(b) Find  $\Delta H_{\text{rxn}}$ . [3]

**3.3** For  $\text{C}_2\text{H}_4 + 3\text{O}_2 \rightarrow 2\text{CO}_2 + 2\text{H}_2\text{O}$ , with  $\Delta H_f$ :  $\text{C}_2\text{H}_4 = +52$ ,  $\text{CO}_2 = -394$ ,  $\text{H}_2\text{O} = -286$ , find  $\Delta H_{\text{rxn}}$ . [4]