

4.13 Implementing 2D Array Algorithms

Name: _____ Class: _____ Date: _____

Total: 9 marks

KEY WORDS 2d array 二维数组 • array 数组

Objective

Build the skills to answer exam questions on **implementing 2D array algorithms**.

You must be able to:

- sum, count, or search the elements of a **2D array** 二维数组
- find the maximum or minimum across a whole 2D array
- process a single **row** or a single **column**

1 Worked examples

Study these first. Each one shows the method for a question type used later.

■ Summing a 2D array

Use nested loops and accumulate a total:

```
int sum = 0;
for (int r = 0; r < g.length; r++)
    for (int c = 0; c < g[0].length; c++)
        sum += g[r][c];
```

■ One row or column

To process a single **row** *r*, loop over *g[r]*. To process a single **column** *c*, fix *c* and loop the **row** index.

2 Practice

2.1 Describe how to sum every element of a 2D array. [1]

2.2 State how to process a single row *r* of a 2D array *g*. [1]

2.3 For `int[] [] g = {{1, 2}, {3, 4}};`, find the sum of all elements. [2]

3 Exam-style questions

3.1 To find the maximum across a whole 2D array, you [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** sum all the elements
 - B** track the largest value over all elements
 - C** sort the rows
 - D** count the elements

3.2 To sum a single column, you fix the [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** row index
 - B** column index
 - C** both indices
 - D** neither index

3.3 `int[] [] g = {{2, 4}, {6, 8}};`

- (a) State the sum of all elements. [1]
- (b) State the sum of row 0. [1]
- (c) State the sum of column 1. [1]