
AP Computer Science Principles

Name: _____ Score: _____

1. A variable is best described as:

- ☐ a kind of error
- ☐ the program's output
- ☐ a permanent number that never changes
- ☐ a named box that stores one value at a time

2. Data abstraction helps a programmer by:

- ☐ hiding detail so complexity is easier to manage
- ☐ adding more variables
- ☐ making programs run on more computers
- ☐ removing all the data

3. A string is:

- ☐ a true/false value
- ☐ a single number
- ☐ an ordered sequence of characters
- ☐ a kind of loop

4. A conditional statement runs a block of code:

- ☐ always, every time
- ☐ in a random order
- ☐ only when its condition is true
- ☐ never

5. Repeating a block of code with a loop is called _____.

6. A list stores:

- ☐ an ordered collection of elements under one name
- ☐ one number only
- ☐ a program's output
- ☐ a single true/false value

7. To run a procedure's instructions from elsewhere, you _____ it by name.

8. Writing every function from scratch is safer than using a well-tested library.

☐ True ☐ False

9. Which are benefits of a simulation over a real trial? (Select all that apply)

☐ it is always perfectly accurate

☐ speed and scale

☐ lower cost

☐ reduced risk

Tick every correct option.

10. Undecidable and merely inefficient (slow) mean the same thing.

☐ True ☐ False

AP Computer Science Principles

1. **a named box that stores one value at a time**

The name is the label; the box holds the current value.

2. **hiding detail so complexity is easier to manage**

Grouping data under one name hides needless detail.

3. **an ordered sequence of characters**

Order matters, so "abc" $\neq$ "cba".

4. **only when its condition is true**

The condition decides whether the block runs.

5. **iteration**

Iteration lets a short program do a lot of work.

6. **an ordered collection of elements under one name**

Many values, one name, in a fixed order.

7. **call**

After the call finishes, the program continues where it left off.

8. **False**

False. A well-chosen library's code has already been tested by many users, so reusing it saves time and usually reduces bugs.

9. **speed and scale; lower cost; reduced risk**

A model is never perfectly accurate – that is its limitation.

10. **False**

Inefficient can be solved slowly; undecidable cannot be solved for every case at all.