

Question 2: Analyze an Environmental Problem and Propose a Solution**10 points**

- (a) Pesticide use has advantages, disadvantages, and unintended consequences on human health. **Describe** one benefit to human health that can result from the use of pesticides. **1 point**

Accept one of the following:

- Control disease vectors, such as mosquitos, ticks, rats, mice that can spread diseases to humans/between humans.
- Reduce exposure to stinging insects that carry disease.
- Increased food production leads to decreased famine/increased availability of food, improving human health.

Total for part (a) 1 point

- (b) **Identify** one way chemical pesticides can enter the human body. **1 point**

Accept the following:

- Inhalation/Breathing (in aerosols and powders)
- Drinking water contaminated by runoff (from farms, yards, golf courses, etc.)
- Consumption of food (pesticide residue on or in food eaten by consumers)
- Dermal absorption/through skin during application of pesticide

Total for part (b) 1 point

- (c) (i) **Identify** the year when the pesticide was most effective at reducing the size of the pest population. **1 point**

- 1975

- (ii) **Describe** the change in the number of crop insect pests in the cotton fields over time. **1 point**

Accept one of the following:

- From 1960 to 2015 the number of pests captures increased from 700 to 1100.
- The number of pests was high before the pesticide was used, then it dropped dramatically after the first application and then increased again over time.
- The number of pests went from 2 captured in 1975 to 1100 captures in 2015.

- (iii) **Explain** how the change in the cotton-crop pesticide effectiveness between the initial application in 1975 and the latest application in 2015 illustrates genetic resistance in pests, based on the data in the table. **1 point**

Accept one of the following:

- Over time the number of pests that are killed decreases (more pests are found in traps), and more pesticide has to be applied (increased grams per hectare) because the pests that are resistant to the pesticide survive and reproduce, passing along resistance to the pesticide.
- The data in the table illustrates the pesticide treadmill, where each year more pesticide has to be applied, and fewer pests die because following the application only pests with resistance to the pesticide survive and reproduce.
- Pesticide effectiveness following the initial application in 1975 decreased over time. Regardless of whether application quantities were constant (1975-1985) or increased (1990-2015), the number of pests captured steadily increased because an increasing number of surviving pests had genetic resistance to the pesticide.

Total for part (c) 3 points

- (d) **Describe** TWO effects of pesticide use, other than death, on nontarget wildlife. **2 points**

Accept two of the following:

- The pesticide may contaminate soil/water having a negative impact on organisms.
- The pesticide may bioaccumulate in the body of the organisms.
- The pesticide may biomagnify in the food web/chain of the organisms.
- There may be an increase in the population of non-target organisms unaffected by the pesticide that will have new areas of habitat available to them.
- There could be a decrease in predator species, so prey species will grow rapidly.
- Endocrine disruption leading to reproductive/development abnormalities.
- Chemicals disrupt signaling/communication in bees.
- Lead to thinning of eggshells/developmental abnormalities in organisms.
- Eliminates food supply; disrupts food chain for other species.

Total for part (d) 2 points

- (e) (i) Crop rotation is often used to reduce pesticide use. **Describe** the process of crop rotation. **1 point**

Accept one of the following:

- The process of growing different crops in succession on the same piece of land.
- The process of growing different crops in the same area during different seasons.
- The process of harvesting one crop followed by the planting of a different crop in the same area.

-
- (ii) **Propose** one reasonable method, other than crop rotation, to reduce the use of pesticides in agricultural practices while still maintaining a high crop yield. **1 point**

Accept one of the following:

- Use integrated pest management to control the insect crop pest.
- Use a method of pest control that employs a variety of biological, physical, and chemical methods to control the insect crop pest.
- Reduce stubble/crop residues in fallow fields that can harbor the insect crop pest.
- Apply the pesticide when the insect crop pest is most susceptible.
- Use intercropping rather than a monoculture to reduce the amount of habitat for the pests.
- Use pest-resistant genetically modified organisms.

-
- (iii) **Justify** how the method proposed in (e)(ii) would provide a benefit to humans. **1 point**

Accept one of the following:

- Reduction in pesticide residue in food/reduction of pesticide ingested by humans.
- Economic benefits to humans including:
 - Less money spent on pesticides
 - Increased profit for farmers from crops
 - Less equipment required/less labor required to spray fields with pesticides
- Reduction in the number of workers exposed to pesticides/Improved health in agricultural workers from reduced pesticide exposure.

Total for part (e) 3 points

Total for question 2 10 points