

Chickadees are a K-selected species of bird that eat insects and spiders. Spiders consume insects, and many insects consume plants as shown in the following food chain.

Plants → Insects → Spiders

Chickadee habitat includes forests and residential yards. Residential yards often contain nonnative plants, which do not naturally exist in an area, but were introduced by humans.

Scientists measured the average number of insects and spiders as related to the percentage of nonnative plants (Figure 1). The scientists also measured the chickadees' average population growth rate (Figure 2) to determine the impact of nonnative plants on chickadee populations.

Figure 1. Percentage of Nonnative Plants and Average Number of Individual Spiders and Insects





Figure 2. Chickadee Population Average Growth Rate and Percentage of Nonnative



1. Respond to parts A, B, C, D, E, F, G, and H, and all subparts.

- A. **Describe** one reproductive strategy used by a K-selected species such as the chickadee.
- B. Based on the information provided, **explain** how a decrease in spider populations could affect a lower trophic level.
- C. Based on the data in Figure 1, **identify** the number of spiders per sample at 25% nonnative plants.
- D. Based on the data in Figure 1, **describe** the trend in the number of insects per sample in relation to the percentage of nonnative plants.
- E. Scientists hypothesized that the population of chickadees would be stable or growing with fewer than 25% nonnative plants. **Describe** one way that the data in Figure 2 support this hypothesis.
- F. Insect biodiversity is important to maintain ecosystem health. A group of students was interested in learning about factors that affect ant biodiversity. They located two study sites near their school: a frequently mowed urban park and an unmowed grassland. The students used traps designed to collect ants. They loaded 10 of these traps with the same food and placed them randomly at different locations within each site. Students collected the traps after 24 hours and counted the number of different ant species in each trap to determine species richness.
- Identify** a likely scientific question for the students' investigation of ant diversity.
 - Identify** the dependent variable in the students' investigation.
- G. The data from the student investigation of ant diversity are shown in the following table. An "X" in the table indicates that the species was present at that site.

Ant Species Present in an Urban Park and Unmowed Grassland

Site	Species A	Species B	Species C	Species D	Species E	Species F
Urban park	X			X	X	
Grassland	X	X	X	X		X

- Explain** why the ant community of the unmowed grassland would be more likely to recover from a disturbance, such as a flood or fire, than the ant community in the mowed urban park would.
 - Explain** how the results of the investigation could have been altered if students had measured ant biodiversity at a paved playground rather than in the grassland.
- H. Habitat fragmentation has impacts on a variety of species. Paved roads can lead to habitat fragmentation.
- Describe** one effect that a paved road in a forest can have on animal species such as deer or bears.

There is a natural climate phenomenon that occurs in the equatorial Pacific Ocean because of periodic fluctuations in sea surface conditions and atmospheric circulation. This phenomenon happens every few years, resulting in shifts in temperature and precipitation in many parts of the world.

Figure 1 shows temperature and precipitation patterns associated with one phase of this phenomenon in the equatorial Pacific Ocean. Figure 2 shows the associated temperature and precipitation patterns that occur over North America.

Figure 1. Effects of Changes in Sea Surface Conditions in Equatorial Pacific Ocean





Figure 2. Polar Jet Stream and Climate Conditions in North America

2. Respond to parts A, B, C, D, E, F, G, H, I, and J.

- Identify** the sea surface condition for the eastern equatorial area of the Pacific Ocean illustrated in Figure 1.
- Based on the information in Figure 1, **identify** the climate phenomenon associated with the sea surface conditions shown in the equatorial area of the Pacific Ocean.
- Based on the information in Figure 2, **describe** a difference in climate patterns between the regions A and B.
- Increases in regional precipitation can lead to increased flooding in certain locations. **Describe** one reason why there is an increased risk of flooding in urban areas during extended periods of precipitation.
- Propose** a realistic solution a city could implement to decrease the risk of flooding in urban areas.
- Justify** the solution proposed in part E by providing an additional advantage other than a reduction in the risk of flooding.
- Terrestrial biomes are primarily determined by temperature and precipitation patterns. **Describe** one difference between the climate of a temperate seasonal forest and that of a savanna.
- Droughts are one environmental problem that can affect the frequency and severity of forest fires. **Identify** the ecological process that occurs following a forest fire that leaves the soil intact.
- Describe** one way burning forests contribute to atmospheric pollution.
- Describe** one sustainable forestry practice that could be used to reduce the occurrence or severity of forest fires.

3. Respond to parts A, B, C, D, E, F, and G.

A. One major environmental problem is air pollution. Air pollution can come from natural or anthropogenic sources. Motor vehicles can be a source of particulate matter (PM) and other pollutants.

Identify an anthropogenic source of particulate matter, other than from motor vehicles.

B. One way to reduce pollutants associated with motor vehicles is to use a vapor recovery nozzle. **Describe** one way a vapor recovery nozzle is used to reduce atmospheric pollution.

C. Acid rain is another air pollutant linked to motor vehicles. Over the past few years, there has been an increase in the number of people working from home, so fewer people are commuting to work in their personal vehicles.

Explain how a decrease in the number of people commuting to work in their personal vehicles could lead to a reduction in acid rain.

D. The average gas mileage for a small gasoline-powered sport utility vehicle (SUV) is 22 miles per gallon (mpg) in the city. The average gas mileage for a small hybrid SUV is 36 mpg in the city. One commuter sells their gasoline-powered SUV and replaces it with a hybrid SUV.

Calculate the percent change in gas mileage between the gasoline-powered SUV and the hybrid SUV based on the data provided. **Show** your work.

E. Both the gasoline-powered SUV and the hybrid SUV have 14-gallon gas tanks. As stated in part D, the average gas mileage for a small gasoline-powered sport utility vehicle (SUV) is 22 miles per gallon (mpg) in the city. The average gas mileage for a small hybrid SUV is 36 mpg in the city.

Calculate how many more miles the owner can drive in the hybrid SUV in the city than they could have driven in the gasoline-powered SUV. **Show** your work.

F. In addition to vehicles, buildings such as schools often have high energy consumption. The primary sources of energy use in many buildings are heating, cooling, and lighting.

Propose a realistic solution that schools could implement to decrease energy use for heating and cooling, other than a reduction in the amount of time the school building is occupied.

G. The school plans to upgrade its lighting to save money and reduce both its electricity use and its ecological footprint. The sustainability committee proposes that the school reduce its electricity use by switching to energy-efficient light-emitting diode (LED) bulbs. The school building uses 2.8×10^4 bulbs. The LED bulbs would each use 0.0085 kilowatts per hour. Each bulb would be used for an average of 2,340 hours per year.

Calculate the energy use in the school building in kilowatts per year using LED light bulbs. **Show** your work.

STOP
END OF EXAM

1. Respond to parts A, B, C, D, E, F, G, H, and I, and all subparts.

A. Based on the data in the graph, **identify** the number of Common Tern breeding pairs in 1995.

B. Based on the data in the graph, **describe** the trend in the number of Common Tern breeding pairs from 1995 to 2008.

C. A group of students hypothesized that sea level rise will lead to an increase in Common Tern populations. **Describe** one way that the data in the graph refute this hypothesis.

D. **Explain** how climate change can lead to sea level rise.

E. Wading birds are a group of large-bodied birds that inhabit coastal wetlands all over the world. Researchers monitored the number of wading bird species at four coastal locations experiencing rising sea levels over a 5-year period. The data are shown in the following table.

Sea Level Rise and Number of Wading Bird Species at Four Coastal Locations

Year	Increase in Sea Level (m)	Location A	Location B	Location C	Location D
1	0.05	1	5	3	4
2	0.08	2	4	3	6
3	0.10	6	7	5	5
4	0.12	5	7	7	7
5	0.15	7	8	9	8

i. **Identify** a hypothesis that researchers are likely investigating in the wading bird study.

ii. **Identify** the dependent variable in this study.

F. One year after the completion of the study of wading bird species described in Part E, locations A and B experienced an increase in the concentration of PCBs, known to be a persistent organic pollutant, running off into the water.

If the researchers repeated their study, **explain** how this environmental change could affect the results of the study.

G. **Describe** a regulating ecosystem service that can be provided by wetlands.


H. Since 1990, there has been an increase in urbanization around the coastal wetlands that wading bird communities inhabit. Most of these bird species eat fish and locate prey visually while walking through shallow water. An increase in sediment was discovered in a wetland located near an urban area.

Explain how increased sediment might lead to a change in the size of the wading bird populations.

I. **Describe** an environmental problem, other than an increase in sediment, that can occur in wetlands that is associated with increased urbanization and development.


Serengeti National Park is located in Tanzania, Africa. The park is located in a valley along a tectonic plate boundary called the East African Rift. Figure 1 shows the East African Rift and other plate boundaries near the east coast of Africa.

Figure 1. Tectonic Plate Movement near East Coast of Africa



Serengeti National Park contains a variety of tropical habitats but is dominated by wideopen lands that include a variety of grass species with scattered trees and shrubs. Most grass growth occurs after the March through May rainy season. Many of the park's herbivores, such as wildebeest and zebra, migrate through the park in an annual cycle following the growth of new grass (Figure 2).

Figure 2. Annual Migration of Wildebeest in Serengeti National Park



2. Respond to parts A, B, C, D, E, F, G, H, I, and J.

- A. Based on the information in Figure 1, **identify** the type of plate boundary that runs beneath Serengeti National Park.
- B. Based on the information provided, **identify** the dominant biome within the Serengeti.
- C. Wildebeest give birth to their young when new grasses are growing. Based on the information in Figure 2, **identify** the location in the Serengeti where wildebeest are most likely to give birth.
- D. The Serengeti has two primary types of grasses: long and short. The two grass types provide similar levels of nutrition for animals. Wildebeest primarily consume long grasses, while other herbivores such as gazelle consume the short grasses. These two similar species coexist in Serengeti National Park.
Explain why resource partitioning allows for the coexistence of the wildebeest and the gazelle in the Serengeti.
- E. The Tanzanian government plans to build a highway across the northern portion of the Serengeti, as shown in Figure 2.
Describe one way the planned highway shown in Figure 2 could negatively affect the wildebeest population in the Serengeti.
- F. **Propose** a solution to the negative effect created by the planned highway described in part E.
- G. Many organisms live in grasslands. One weed species, the spotted knapweed, was introduced at one location in North America in the 1890s and is currently found throughout the rangelands of the western United States. The spotted knapweed poses several environmental problems in North America. Farmers often use crop rotation to control populations of pests like the spotted knapweed. A more traditional method of controlling pests involves spraying pesticides.
Describe a characteristic of an invasive species, such as the spotted knapweed, that allows them to outcompete native species.
- H. **Justify** the use of crop rotation as an environmental solution by providing an additional advantage, other than controlling pest populations.
- I. **Describe** an environmental problem associated with controlling pest populations with large amounts of pesticide.
- J. **Propose** a solution to controlling pests, other than pesticides or crop rotation.

The local government of a newly built town has contracted with an electrical company to provide energy to the town. The company generates electricity primarily through the burning of coal and has built a new power plant for the town. A nearby deposit of coal was discovered close to the surface. To access the coal, the company decides to remove the overburden and vegetation over the deposit.

3. Respond to parts A, B, C, D, E, F, and G.

- A. **Identify** a type of surface mining the company could use to access the coal.
- B. **Describe** an environmental problem associated with surface mining.
- C. The town is located downwind of the new coal-burning power plant.
Describe an environmental problem the town could experience as a result of the electricity generation at the coal-burning power plant.
- D. The local government is concerned about the environmental consequences of using coal to generate electricity for the town.
Propose a realistic solution the local government could enact that would reduce the negative environmental consequences of using coal to generate electricity.
- E. Burning one pound of coal produces an average of 0.88 kilowatt-hours (kWh) of electricity. An average household in the United States uses 1.064×10^4 kWh of electricity each year.
Calculate how many pounds of coal would need to be burned to generate enough electricity to power a town with 11,000 houses for a year. **Show** your work.
- F. Researchers are concerned about the impact of noise pollution on songbirds in a forest near the power plant. Since the power plant was installed, bird species richness has declined from 7.5 species per hectare to 6.0 species per hectare.
Calculate the percent change in bird species per hectare since the power plant was installed. **Show** your work.
- G. The town has been growing since it was built and had a growth rate of 5.38% in 2022, with a population of 26,250.
Assuming that the growth rate remains constant, **calculate** the year in which the population will reach 52,500. **Show** your work.

STOP
END OF EXAM