

Question 2: Analyze an Environmental Problem and Propose a Solution 10 points

(a) Based on the information in the diagram, **identify** the temperature range of the water through which the majority of the adult manatee's daily movement occurs. 1 point

- 13–19°C

(b) Large groups of manatees are often observed in shallow waters near the waste water released by the electrical power plant during the winter. Based on the information in the diagram, **identify** a characteristic of the power plant waste water that would attract the manatees. 1 point

Accept one of the following:

- The waste water/It is warm.
- The waste water/It is between 24–26°C.

(c) Based on the information in the diagram, **describe** a potential negative impact of the waste water released by the power plant on other aquatic species. 1 point

Accept one of the following:

- Warming of the water near where the waste water/it is released reduces the amount of dissolved oxygen available for aquatic organisms to use/breathe.
- Warming of the water near where the waste water/it is released could impact the survival/health of species with a range of tolerance for the original/lower water temperatures.
- Warming of the water near where the waste water/it is released could alter/affect the timing of reproductive cycles for aquatic species.

(d) (i) **Describe** a characteristic of the manatees that increases their vulnerability to the recent decline of seagrasses. 1 point

Accept one of the following:

- They eat seagrass/are herbivores, so they would have less food/starve.
- They require a lot of energy to survive, so they would have less food/starve.
- They inhabit warm water, so they would need to travel to colder waters/further to find food/seagrass.
- They have a low reproductive/maturation rate, so they would take longer to recover from loss of food source.

(d) (ii) **Describe** the change in energy flow through the trophic levels that occurs when there is a significant loss of seagrasses. 1 point

Accept one of the following:

- Less energy will flow/is available to organisms in higher trophic levels.
- Less energy from the Sun is stored by producers.

Total for part (d) 2 points

(e) (i)	Propose a solution to reduce nutrient or sediment pollution in an estuary that is surrounded by urban development.	1 point
	Accept one of the following:	
	• Replace existing pavement with permeable pavement. • Add vegetation where it will intercept runoff. • Reduce fertilizer use in the area. • Install barriers/Construct fences where they will intercept runoff. • Improve wastewater treatment plants in the area.	
(e) (ii)	Justify the solution proposed in part (e)(i) by providing an additional advantage of reduced nutrients in an estuary, other than one related to manatees.	1 point
	Accept one of the following:	
	• Reduces eutrophication. • Increases biodiversity/species richness. • Improves water clarity. • Increases ecotourism. • Reduces cost of water treatment. • Increases profits for commercial fisherman.	
	Total for part (e)	2 points
(f)	Describe how summertime weather conditions can increase the frequency of photochemical smog.	1 point
	Accept one of the following:	
	• Sunlight is more intense/there is more sunlight in summer, and more primary pollutants/nitrogen oxides/NO_x react in sunlight. • Summertime temperatures are warmer than other seasons, and chemical reactions occur more quickly in warmer temperatures. • Trees release more VOCs in summer leading to more reactions that form photochemical smog.	
(g)	Identify one ecological problem that results from exposure to photochemical smog.	1 point
	Accept one of the following:	
	• Causes respiratory problems/eye irritation in animals. • Reduces photosynthesis. • Slows/Inhibits/Stunts plant growth. • Increases the susceptibility of plants to pests and disease.	

(h) **Describe** a potential disadvantage of using hydrogen fuel cells to power automobiles. **1 point**

Accept one of the following:

- High cost to manufacture automobiles that use hydrogen fuel cells.
- Obtaining hydrogen requires a lot of energy/may consume more energy than the hydrogen fuel can produce.
- Hydrogen is explosive/flammable (may catch fire).
- Lack of infrastructure (such as fueling stations) for hydrogen fuel.
- Obtaining hydrogen often uses fossil fuels.
- Hydrogen must be obtained by separating it from natural gas or water.

Total for question 2 10 points

2018

AP Environmental Science: 2018

AP[®]

 **CollegeBoard**

AP Environmental Science

Scoring Guidelines

2018 SCORING GUIDELINES

Question 1

Read the following article from the *Fremont Daily Times* and answer the questions that follow.

(a) The students want to reduce the school's carbon footprint.

(i) **Define** carbon footprint.

(1 point for correct definition of carbon footprint)

- The amount of carbon dioxide and/or other carbon compounds released to the environment by a product, process, or activity
- A measurement of the amount of carbon released by human activities

(ii) **Identify** one way the school's heating system is likely adding to the school's carbon footprint.

(1 point for correct identification of a way the school's heating system is adding to its carbon footprint)

- The burning/combustion of fossil fuels releases carbon dioxide
- The incomplete combustion of fossil fuels releases carbon monoxide

(iii) **Describe** one realistic way to reduce the contributions of the heating system to the school's carbon footprint

(1 point for correct description of a realistic way to reduce the contributions of the heating system)

- Switch to renewables (solar, wind, etc.)/switch to a more efficient fossil fuel (natural gas, propane)/switch to a provider that uses nuclear energy.
- Decrease the temperature/thermostat in the school during the winter/program thermostat to lower energy consumption during certain times.
- Purchase credits through environmental agencies for carbon-offsetting projects.
- Increase insulation or implement other efficiency/design methods to reduce energy demand (green roof, double paned glass, south-facing windows for passive solar heating, change air filters, etc.).

(b) **Identify** TWO environmental benefits of a living green roof, such as that suggested by Councilperson Fassler.

(2 points; 1 point for each correct identification of an environmental benefit of a green roof)

- Insulation/reduced use of fossil fuels for heating and/or cooling
- Habitat for wildlife and/or plants/increases biodiversity
- Area to grow crops/production of food locally
- Reduction in the number of heat islands in the environment/urban heat island mitigation
- Photosynthesis/carbon capture/CO₂ storage/oxygen release
- Stormwater treatment/runoff reduction
- Filters particulates, VOCs, O₃ from air

2018 SCORING GUIDELINES**Question 1 (continued)**

- (c) **Describe** TWO practices the cafeteria's food service could use to decrease the environmental impacts of Fremont High School.

(2 points; 1 point for each correct description of a practice that decreases the environmental impact of the school)

- Offer more vegetarian options/serve fewer animal products, etc. to reduce impact from meat production.
- Use some locally sourced food to reduce transportation.
- Grow food at the school to reduce transportation.
- Compost food waste to reduce the amount disposed in landfills.
- Donate leftover food to reduce food waste.
- Use energy-friendly practices (LED lighting, serve more cold-cut sandwiches, etc.) to decrease energy use.
- Purchase bulk packaged items to reduce material waste.
- Use recyclable food containers/don't use disposable straws/food containers/trays to reduce material waste.
- Install a water fountain/stop selling single-serving water bottles to reduce material waste.
- Use reusable take-out containers/offer savings or credit for reusing containers to reduce material waste.
- Allow students to choose appropriate portions to reduce food waste.
- Purchase organic foods to reduce pesticide use.
- Use gray water to irrigate landscaping to reduce potable water use.

- (d) **Discuss** TWO benefits of using native plants for landscaping at Fremont High School.

(2 points; 1 point for each correct discussion of benefits of using native plants)

- Native plants require less pesticides because they are better adapted to their environment.
- Native plants require less fertilizer because they are better adapted to their environment.
- Native plants require less irrigation water because they are better adapted to their environment.
- Native plants increase biodiversity by providing native habitat areas.
- Native plants support native food webs/native food production by providing native habitat areas.
- Native plants reduce the amount of land available for the establishment/spread of invasive species.
- Native plants save the school money by requiring less water/fertilizer/pesticides/upkeep.

2018 SCORING GUIDELINES

Question 1 (continued)

- (e) During the renovation, the carpeting must be replaced. **Discuss** one environmental benefit of using flooring made of plant material, such as cork or bamboo, instead of carpet made of synthetic fibers.

(1 point for correct discussion of benefits of using flooring made of plant material)

- Plant-based material is more easily compostable/is biodegradable/can be reused/repurposed, unlike carpet.
- Plant-based material is from a renewable resource making it more sustainable than carpet. Plant-based material is a carbon sink/reservoir, so growing plant materials removes CO₂ from the atmosphere, unlike carpet.
- Plant-based materials require less fossil fuels/toxic chemicals for production than synthetic fibers found in carpets.
- Plant-based materials produce less indoor pollutants (off-gas pollutants/VOCs/release toxins) than carpet.
- Plant-based materials harbor fewer pathogenic vectors/diseases/allergens (fleas, ticks, dust mites, mold spores, etc.) than carpets.
- Plant-based material when cultivated provides habitat for native species.

2018 SCORING GUIDELINES

Question 2

An offshore wind farm project using turbines to generate electricity is to be built along the Atlantic coast of the United States. It will be located about 13 km from the coast in water with an average depth of 10 m.

- (a) **Describe** one environmental benefit associated with an offshore wind project.

(1 point for correct description of an environmental benefit associated with an offshore wind project)

- Reduced environmental damage from decreased reliance on fossil fuels, such as:
 - Less habitat/ecosystem destruction due to less exploration and extraction (less mining or drilling, etc.)
 - Less air/soil/water pollution (less exhaust emissions, pipeline leaks, tanker leaks) due to less transportation of fossil fuels
 - Less air pollution (no/fewer particulates, VOCs, NO_x, SO_x, CO₂, or greenhouse gases) due to less fossil fuel combustion
- Reduced environmental damage from decreased reliance on nuclear power, such as:
 - No risk of radioactive releases with accidents
 - No hazardous/radioactive wastes to store
 - Less exploration/ extraction/processing for uranium ore
- Increased aquatic habitat/artificial reefs for barnacles, sponges, other invertebrates, fish

2018 SCORING GUIDELINES

Question 2 (continued)

(b) **Identify** and **describe** one potential economic effect of an offshore wind project.

(2 points; 1 point for correct identification of a potential economic effect and 1 point for correct description of an identified economic effect. The description point cannot be earned without correct identification of a potential economic effect.)

Identify one potential economic effect	Describe one potential economic effect
Job creation (+)	Jobs will be created in construction, operation, maintenance, etc.
Additional income (+)	- Local municipalities receive more taxes (income, sales, property) paid by utility and workers - Wind power company will make money/profits in the long run
Decreased electricity costs (+)	Electrical production costs will be lower, which will reduce electricity rates for consumers
Less reliance on foreign energy resources (+)	Transportation costs to deliver fuels will be reduced
High initial construction/ high maintenance costs (-)	- Local taxes/fees/rates will increase to support construction costs associated with building of facility - Parts and personnel must be transported off-shore for construction, repairs and maintenance
Decreased property value (-)	Property values will decrease in coastal areas due to unfavorable aesthetics
Loss of income (-)	- Turbines negatively affect the aesthetics, which negatively impacts tourism, fishing, whale watching, etc. - Local fishing opportunities will be disrupted - Less revenue for fossil fuel companies as demand decreases
Job loss (-)	Jobs will be lost in the traditional energy production sectors (coal, nuclear)
Subsidies cost (-)	State subsidies to offset cost of building offshore and transmission lines to coast will increase; costs may be recovered with increased taxes

2018 SCORING GUIDELINES

Question 2 (continued)

- (c) **Describe** one additional way, other than wind power, that oceans can provide renewable energy for the generation of electricity.

(1 point for correct description of energy source from ocean)

- Use of tidal movement/currents to turn turbines
- Utilize a device designed to capture energy from wave motion
- Harness the solar energy absorbed by the oceans/use natural thermal gradient in tropical and temperate oceans to create electricity (OTEC — Ocean Thermal Energy Conversion)
- Harvest algae and convert to biofuel

The project will consist of 200 wind turbines, each with a capacity of 4 megawatts (MW). Each turbine costs \$1.2 million to build. Electrical demand in the area to be served by the project is expected to be 2.0×10^6 MWh per year.

- (d) **Calculate** how much electricity (in MWh) the wind project needs to generate per year in order to provide 80% of the annual electrical demand in the service area. Show all work.

(2 points; 1 point for the correct setup and 1 point for the correct answer)

$$(0.80) \times (2.0 \times 10^6 \text{ MWh}) = 1.6 \times 10^6 \text{ MWh}$$

- (e) Customers in the service area pay \$0.20/kWh for electricity. **Calculate** how much revenue will be produced if the wind turbines provide 80% of the annual electrical demand in the service area. Show all work.

(2 points; 1 point for the correct setup and 1 point for the correct answer)

$$1.6 \times 10^6 \text{ MWh} \times \frac{\$(2 \times 10^{-1})}{\text{kWh}} \times \frac{1 \times 10^3 \text{ kWh}}{1 \text{ MWh}} = \$3.2 \times 10^8 = \$320,000,000 = \$320 \text{ million}$$

- (f) Assuming all turbines are operating, **calculate** how many hours the wind turbines must operate to provide 80% of the annual electrical demand in the service area. Show all work.

(2 points; 1 point for the correct setup and 1 point for the correct answer)

$$1.6 \times 10^6 \text{ MWh} \times \frac{1 \text{ turbine}}{4 \text{ MW}} \times \frac{1}{2 \times 10^2 \text{ turbines}} = 2 \times 10^3 \text{ hr} = 2,000 \text{ hours}$$

2018 SCORING GUIDELINES

Question 3

An Arctic food web includes the following organisms.

- (a) Refer to the diagram above to complete the following table.

(3 points; 1 point for correct identification of each organism in the table)

	Organism from Arctic food web
(i) Identify a primary producer	Diatom (phytoplankton)
(ii) Identify a primary consumer	Krill (zooplankton)
(iii) Identify a secondary consumer	Cod or seal

- (b) Other than showing which organisms are consumed by others, **describe** what is indicated by the direction of the arrows in the diagram.

(1 point for correct description of what is indicated by the direction of the arrows)

- Shows the flow of energy among trophic levels
- Shows the flow of matter through trophic levels

As the amount of sea ice has decreased, larger expanses of the Arctic Ocean are now completely free of sea ice for several weeks each summer. Ringed seals, the preferred prey of polar bears, come to holes in the sea ice to breathe.

- (c) **Describe** how the change in sea ice habitat is affecting polar bears' ability to hunt and feed.

(1 point for correct description of how the change in sea ice habitat affects ability to hunt and feed)

- Decreasing area of hunting ground (area of ice used for hauling out/fewer seal breathing holes/seals are a less available food source because of more open water) makes it more difficult for polar bears to get food
- Increasing area/distance between hunting ground means the polar bears have to exert more energy to swim to find food/physical exhaustion from swimming results in less energy available for hunting
- Increasing physiological stress (dehydration, exhaustion, cub mortality, etc.) because polar bears are not physiologically adapted to warmer temperatures
- Increasing the time between successful kills results in bears spending more time waiting/hunting for prey

2018 SCORING GUIDELINES**Question 3 (continued)**

- (d) **Explain** how melting sea ice leads to a feedback loop that increases Arctic warming.

(2 points; 1 point for correct explanation of the connection between melting ice and the increased absorption of sun's energy and 1 point for correct explanation that increased absorption of sun's energy leads to increased melting of ice. For the second point the student must complete the positive feedback loop.)

- Melting of sea ice leads to a decrease in albedo, or reflectivity, leads to water surfaces absorbing more of the sun's energy.

AND

- Increasing absorption of sun's energy warms the water surface further, which leads to further ice melt (completes positive feedback loop).

- (e) Many species, including some whales and birds, will travel thousands of kilometers during annual migrations.

- (i) **Provide** one reason a species may migrate a long distance.

(1 point for a correct reason why a species may migrate a long distance)

- Limited food/water supply leads to migration to locations with more food/water supply
- Food supply migrates and species follow prey
- More hospitable climate during certain seasons
- Availability of mates/breeding/birthing occurs in different location
- Protection of offspring from predators

2018 SCORING GUIDELINES

Question 3 (continued)

- (ii) The North Atlantic right whale migrates between subtropical and polar waters annually. Nearly 50 percent of right whale deaths are due to human activities. **Describe** one commercial activity, other than whaling, that may result in the death of right whales.

(1 point for correct description of one commercial activity, other than whaling)

- (iii) **Describe** one strategy that could reasonably be implemented to decrease right whale deaths caused by the commercial activity you described in part (ii).

(1 point for correct strategy linked to activity in (ii))

Description of commercial activity	Description of one strategy
- Fishing nets entangle whales as by-catch. - Fishing gear can accidentally trap.	- Require change of fishing method (location, timing, or materials) that traps whales to reduce the number of whales trapped in nets/gear - Fines for discarded fishing gear (long-line gear, ropes for hauling pots up, etc.) so less gear is discarded reducing the number of whales trapped in gear
Ships and whales use the same channels, which can increase number of ship strikes.	- Improved navigational technology to spot whales that are close to ships in order to avoid collisions - Increased education of ship captains and crews about whale habitat/migration routes/feeding behaviors in order to reduce ship collisions with whales - Expansion of low-speed navigational zones around ports to reduce ship collisions with whales
Noise pollution from seismic surveys/sonar/engine noise can disrupt a whale's internal navigational system.	- Reduction of seismic survey activity/sonar use in coastal areas to reduce exposure to noise pollution - Installation of quieter motors to reduce or eliminate noise pollution

2018 SCORING GUIDELINES

Question 4

In many parts of the world, biomass like peat, wood, and animal waste is burned indoors for cooking and home heating. Combustion of these fuels releases harmful household air pollutants that pose a health threat to billions of people, mostly in less developed countries.

(a) Air pollutants are released during the burning of biomass indoors for cooking and heating.

- (i) **Identify** TWO air pollutants released during the burning of biomass indoors for cooking and heating.

(2 points; 1 point for each correct identification of an air pollutant released during the burning of biomass)

- (ii) **Identify** a specific human respiratory illness that one of the pollutants you identified may cause.

(1 point for correct identification of a specific respiratory illness linked to identified pollutant)

Identification of TWO air pollutants	Identification of a specific human respiratory illness linked to identified pollutant
• Carbon monoxide (CO)	• CO poisoning
• Particulate matter (PM)	• Asthma • Chronic obstructive pulmonary disease (COPD) • Emphysema • Bronchitis • Lung cancer
• Nitrogen oxides (NO _x)	• Pneumonia • Asthma
• Sulfur oxides (SO _x)	• Bronchitis • Emphysema • Asthma
• Trace metals, such as lead, mercury, arsenic, and cadmium	• Bronchitis
• Methane (CH ₄)	• Bronchitis
• Volatile organic compounds (VOCs)	• Bronchitis • Asthma

2018 SCORING GUIDELINES

Question 4 (continued)

- (b) **Identify** one realistic approach, other than banning the practice of burning biomass indoors, which could be used to reduce the impact of biomass combustion indoors on human respiratory health. **Describe** how this approach could reduce the incidence of respiratory illness.

(2 points; 1 point for correct identification of a realistic approach to reducing the impact and 1 point for correct description of reduction of illness linked to identified approach)

Identify one realistic approach	Describe how this approach would reduce the incidence of respiratory illness
Ventilate through structural change (chimney construction, opening windows and doors)	Removes some or all of the air pollution from indoors/transfers pollutants out of the home, leading to less respiratory illness
Switch to cleaner-burning/more efficient cooking stove	Requires less fuel to be burned releasing fewer air pollutants into the home, leading to less respiratory illness
Switch to a different energy source (solar, natural gas, biogas, electric)	Produces less or no indoor air pollutants, leading to less respiratory illness
Cook outdoors	Move the source of the air pollutant outside/leads to less or no concentrated air pollution inside, leading to less respiratory illness

In 2016 approximately four million people died from illnesses attributed to household air pollutants from burning biomass indoors. More than 10 percent of these deaths occurred in children under the age of five in less developed countries.

- (c) **Discuss** one reason children under the age of five are at a greater risk than adults for illnesses linked to household air pollutants.

(1 point for correct discussion of why children under the age of five are at a greater risk)

- Children have an underdeveloped or less-developed immune systems leading to a greater risk of illness following exposure.
- Children have a lower body mass leading to a higher relative dose of air pollution.
- Children spend more time indoors leading to higher exposure to air pollution.
- Children have smaller respiratory systems (narrow airways) so mild inflammation may cause more severe respiratory distress.

2018 SCORING GUIDELINES

Question 4 (continued)

In more developed countries, indoor air pollution is also a problem. Common indoor air pollutants in developed countries include:

- asbestos
- radon
- mold

(d) Choose TWO of the three common indoor air pollutants (asbestos, radon, or mold) listed above and complete the following table.

(i) **Identify** a source for each indoor air pollutant

(2 points; 1 point for correct identification of a source of each indoor air pollutant chosen)

(ii) **Describe** a method for reducing exposure to each of the two pollutants you chose.

(2 points; 1 point for correct description of method of reduction for each indoor air pollutant chosen)

	Identification of a source	Description of a method for reducing exposure
Asbestos	• Building materials (cement, floor tiles, ceiling panels, drywall, popcorn ceiling) • Insulation • Naturally occurring in soil and rocks in a dirt-floor basement or crawlspace	• Safely remove asbestos-containing materials/abatement • Encapsulate/cover and seal materials/construct temporary enclosure • Leave undisturbed
Radon	• Soil, rocks, Earth's crust • Gas from uranium containing rocks • Gas penetrates foundation	• Seal floors, walls, and joints • Install structural exhaust venting • Install subfloor depressurizing system
Mold	• Water from flooding, natural disasters, or leaks • Poorly vented or maintained damp environments	• Replace or repair damaged surfaces/structures • Clean and/or disinfect affected areas • Dehumidify or ventilate inside air • Improve drainage (from roof or yard, sump pump the basement)