

Chickadees are a K-selected species of bird that eat insects and spiders. Spiders consume insects, and many insects consume plants as shown in the following food chain.

Plants → Insects → Spiders

Chickadee habitat includes forests and residential yards. Residential yards often contain nonnative plants, which do not naturally exist in an area, but were introduced by humans.

Scientists measured the average number of insects and spiders as related to the percentage of nonnative plants (Figure 1). The scientists also measured the chickadees' average population growth rate (Figure 2) to determine the impact of nonnative plants on chickadee populations.

Figure 1. Percentage of Nonnative Plants and Average Number of Individual Spiders and Insects





Figure 2. Chickadee Population Average Growth Rate and Percentage of Nonnative



1. Respond to parts A, B, C, D, E, F, G, and H, and all subparts.

- A. **Describe** one reproductive strategy used by a K-selected species such as the chickadee.
- B. Based on the information provided, **explain** how a decrease in spider populations could affect a lower trophic level.
- C. Based on the data in Figure 1, **identify** the number of spiders per sample at 25% nonnative plants.
- D. Based on the data in Figure 1, **describe** the trend in the number of insects per sample in relation to the percentage of nonnative plants.
- E. Scientists hypothesized that the population of chickadees would be stable or growing with fewer than 25% nonnative plants. **Describe** one way that the data in Figure 2 support this hypothesis.
- F. Insect biodiversity is important to maintain ecosystem health. A group of students was interested in learning about factors that affect ant biodiversity. They located two study sites near their school: a frequently mowed urban park and an unmowed grassland. The students used traps designed to collect ants. They loaded 10 of these traps with the same food and placed them randomly at different locations within each site. Students collected the traps after 24 hours and counted the number of different ant species in each trap to determine species richness.
- Identify** a likely scientific question for the students' investigation of ant diversity.
 - Identify** the dependent variable in the students' investigation.
- G. The data from the student investigation of ant diversity are shown in the following table. An "X" in the table indicates that the species was present at that site.

Ant Species Present in an Urban Park and Unmowed Grassland

Site	Species A	Species B	Species C	Species D	Species E	Species F
Urban park	X			X	X	
Grassland	X	X	X	X		X

- Explain** why the ant community of the unmowed grassland would be more likely to recover from a disturbance, such as a flood or fire, than the ant community in the mowed urban park would.
 - Explain** how the results of the investigation could have been altered if students had measured ant biodiversity at a paved playground rather than in the grassland.
- H. Habitat fragmentation has impacts on a variety of species. Paved roads can lead to habitat fragmentation.
- Describe** one effect that a paved road in a forest can have on animal species such as deer or bears.

There is a natural climate phenomenon that occurs in the equatorial Pacific Ocean because of periodic fluctuations in sea surface conditions and atmospheric circulation. This phenomenon happens every few years, resulting in shifts in temperature and precipitation in many parts of the world.

Figure 1 shows temperature and precipitation patterns associated with one phase of this phenomenon in the equatorial Pacific Ocean. Figure 2 shows the associated temperature and precipitation patterns that occur over North America.

Figure 1. Effects of Changes in Sea Surface Conditions in Equatorial Pacific Ocean







Figure 2. Polar Jet Stream and Climate Conditions in North America

- | | |
|--|-----------------------------------|
| | Increased chance of precipitation |
| | Decreased chance of precipitation |
| | Cooler than average |
| | Warmer than average |

2. As the human population continues to grow, the demand for animal protein is expected to double by 2050. Animal protein can be obtained from conventional livestock and other sources. The production of all animal protein has environmental costs, as shown in the following graphs. In Figure 1, global warming potential (GWP) is measured in kilograms of carbon dioxide equivalent ($\text{kg CO}_2\text{-eq.}$). Carbon dioxide equivalent is a measure of the warming effect of a gas relative to that of carbon dioxide. In Figure 2, land use is measured in meters squared (m^2).

Global Warming Potential and Land Use from Animal Protein Production



- (a) Based on the data in the graphs, **identify** the amount of land required to produce 1 kilogram of chicken protein.

Mealworms, the larvae of the darkling beetle, consume grains and decaying plant material. Darkling beetles are an *r*-selected species, and the entire mealworm can be consumed by humans for protein.

- (b) Based on the information provided, **identify** the type of survivorship curve exhibited by the darkling beetle.
- (c) **Explain** why the reproductive strategy of the darkling beetle is an advantage for using mealworms as an alternative protein source for the rapidly growing human population.

An individual's diet choices affect greenhouse gas emissions and land use.

- (d) Based on the data in the graphs, **explain** whether producing 1 kilogram of chicken protein or 1 kilogram of pork protein would cause less environmental damage.

Cattle emit methane from fermentation in their digestive systems. The other animals do not emit methane.

- (e) Based on the data in the graphs, **explain** why the production of 1 kilogram of beef protein has a different impact on global warming than the production of 1 kilogram of protein from any of the other animals studied would have.


Agricultural practices can have negative impacts on rivers and streams.

- (f) **Describe** how water quality can be altered by cattle grazing that occurs near a stream or river.
- (g) **Propose** a solution to reduce the negative impacts on waterways that result from cattle grazing, while still allowing cattle to graze.
- (h) Crop production can cause soil erosion. **Describe** a sustainable agricultural practice used to reduce soil erosion.
- (i) **Justify** the use of the sustainable practice described in part (h) by describing an additional advantage, other than the reduction of soil erosion.
- (j) Crop production around the world is affected by climate change. **Describe** how crop production could be negatively affected by climate change.

Begin your response to this question at the top of a new page in the separate Free Response booklet and fill in the appropriate circle at the top of each page to indicate the question number.

2. The diagram shows the movement of one adult manatee over a 12-hour period across an active shipping channel during the winter. Manatees are large, aquatic, herbivorous mammals that primarily eat seagrass. Manatees can travel several miles to graze. Manatees mature slowly, have low biotic potential, and inhabit warm coastal waters. They cannot survive in water below 20°C for extended periods of time.

Satellite Track and Water Temperature Log of the Movement of One Adult Manatee Over a 12-Hour Period



- (a) Based on the information in the diagram, **identify** the temperature range of the water through which the majority of the adult manatee's daily movement occurs.
- (b) Large groups of manatees are often observed in shallow waters near the waste water released by the electrical power plant during the winter. Based on the information in the diagram, **identify** a characteristic of the power plant waste water that would attract the manatees.
- (c) Based on the information in the diagram, **describe** a potential negative impact of the waste water released by the power plant on other aquatic species.
- (d) Seagrass beds have declined significantly over the last several years. In 2021 manatee mortality was three times higher than the previous five-year average.
- (i) **Describe** a characteristic of the manatees that increases their vulnerability to the recent decline of seagrasses.
 - (ii) **Describe** the change in energy flow through the trophic levels that occurs when there is a significant loss of seagrasses.

(e) Research has shown increased nutrient and sediment runoff can cause seagrass beds to decline.

(i) **Propose** a solution to reduce nutrient or sediment pollution in an estuary that is surrounded by urban development.

(ii) **Justify** the solution proposed in part (e)(i) by providing an additional advantage of reduced nutrients in an estuary, other than one related to manatees.

Urban areas have a heavy dependence on automobiles and often experience photochemical smog.

(f) **Describe** how summertime weather conditions can increase the frequency of photochemical smog.

(g) **Identify** one ecological problem that results from exposure to photochemical smog.

A potential solution to reduce photochemical smog in urban areas with high automobile traffic is to replace gasoline-powered cars with cars powered by hydrogen fuel cells.

(h) **Describe** a potential disadvantage of using hydrogen fuel cells to power automobiles.


Begin your response to this question at the top of a new page in the separate Free Response booklet and fill in the appropriate circle at the top of each page to indicate the question number.

2. Populations of large terrestrial animals, such as African elephants and snow leopards, are in decline around the world. Many of these large animals are now on the verge of extinction.

ESTIMATED AFRICAN
ELEPHANT POPULATION
ON THE AFRICAN
CONTINENT

Year	Population
1970	2,000,000
1980	1,300,000
1990	600,000
1995	550,000
2000	400,000
2005	550,000
2010	650,000
2015	600,000

- (a) Using the data provided in the table above, **plot** the elephant population data as points on the grid below, placing the independent variable on the x -axis. Clearly **label** the axes.



- (b) **Calculate** the percent loss of elephants in Africa from 1970 to 2000. Show all work.
- (c) The International Union for Conservation of Nature (IUCN) estimates that the elephant population will decline by 20 percent between 2015 and 2022. Use this estimate to **calculate** how many elephants will be left in Africa in 2022. Show all work.
- (d) Most large terrestrial mammals are K-strategists. **Identify** one characteristic of a K-strategist and **explain** how the characteristic you identified can make these mammals prone to extinction.
- (e) **Identify** and **discuss** TWO conservation strategies that could be implemented to prevent the extinction of large terrestrial mammals, such as the African elephant or snow leopard.

ENVIRONMENTAL SCIENCE**SECTION II****Time—90 minutes****4 Questions**

Directions: Answer all four questions, which are weighted equally; the suggested time is about 22 minutes for answering each question. Write all your answers on the pages following the questions in this book. Where calculations are required, clearly show how you arrived at your answer. Where explanation or discussion is required, support your answers with relevant information and/or specific examples.

1. Read the following article from the *Fremont New Tribune*.

Fremont New Tribune**May 2, 2016**

As another winter concludes, biologists are alarmed by the continued spread of white nose syndrome (WNS) in bats. WNS is a fungal disease that is decimating bat populations across eastern North American forests, with mortality rates reaching up to 100 percent at many sites. WNS has been found in at least 25 states in the United States and 5 Canadian provinces.

The fungus (*Pseudogymnoascus destructans*) grows well in cool conditions such as those found in caves and has been observed as white patches on the muzzles, noses, ears, and wings of many cave-dwelling bats. WNS has caused significant population declines for several bat species, including once-numerous species such as the little brown bat (*Myotis lucifugus*).

Little brown bats hunt using echolocation by emitting up to 200 high-frequency calls per second when pursuing their prey. When healthy, the little brown bat can live up to ten years and have one or two offspring (called pups) each year.

"Little brown bats provide tremendous value to the United States economy every year by the essential services they provide to farmers and other people. We need to understand how this deadly disease spreads and attempt to help reduce its impact on the little brown bat and other bat species," said Dr. Duke Serach of the Fremont office of the United States Fish and Wildlife Service. Dr. Serach concluded with, "It may yet be possible to save the little brown bats, but the remaining population will be alarmingly small."

- (a) Diseases can devastate populations; however, most diseases do not drive their host to extinction. **Provide** one explanation for why diseases seldom cause extinction.
- (b) Dr. Serach suggests that even if the impact of WNS on little brown bat populations can be reduced and the extinction of the species avoided, the bat populations are likely to remain alarmingly small.
- (i) **Describe** TWO threats (other than WNS) to the survival of the bat species if the total number of bats becomes very small.
 - (ii) If the little brown bat species does not become extinct and can potentially recover, the rate of recovery is likely to be slow. **Discuss** one aspect of bat biology that might slow the recovery of little brown bat populations to pre-WNS numbers.
- (c) Bats are found in ecosystems around the world. **Describe** TWO ways in which other organisms in an ecosystem could be affected by a decline in a bat population.
- (d) The Eastern deciduous forest in which the little brown bats live is an important ecosystem. **Identify** TWO ecosystem services that forests provide, and **explain** how each service benefits human society.

WNS is an emerging disease in bats. Humans are also subject to emerging diseases, such as Ebola. A recent study suggests that the number of emerging infectious diseases affecting human populations has been steadily increasing in recent decades.

- (e) **Provide** a likely reason for the increase in emerging infectious diseases affecting human populations. Include an explanation for the reason you provided.