


The following information applies to parts A, B, C, D, and E.

Climate change can affect both terrestrial and marine organisms. Researchers studying the effect of climate change on bird distribution mapped elevation zones at which five bird species lived within a tropical mountain range. Birds are distributed in part according to climate-related adaptations. Researchers modeled where the birds would most likely live in the future based on climate change predictions.

The results of this study are shown in the following diagram. Each unique shape in the diagram represents a different bird species, labeled A through E. Current distribution is shown on the left side of the figure, and predicted future distribution is shown on the right.

**The following information applies to parts F, G, and H.**

Some organisms such as birds can move in response to environmental changes, while other organisms such as corals cannot. Researchers studying the effect of climate change on marine organisms conducted two experiments involving photosynthetic algae that have a symbiotic relationship with corals.

In Experiment 1, the researchers placed photosynthetic algal colonies living in corals in three different saltwater tanks. The temperature of Tank 1 was set to 27°C, the average temperature at which most corals live. Water circulation in each tank mimicked natural ocean currents. After 30 days, the researchers counted the number of bleached corals. The tank setups are shown in the following list.

- Tank 1: 27°C and no sediment
- Tank 2: 32°C and no sediment
- Tank 3: 37°C and no sediment

In Experiment 2, the researchers used the same photosynthetic algae living in corals but modified the conditions of the tanks as shown in the following list. Water circulation kept the sediment in the tanks suspended. After 30 days, the researchers counted the number of bleached corals.

- Tank 1: 27°C and no sediment
- Tank 2: 27°C and moderate sediment
- Tank 3: 27°C and high sediment

1. Respond to parts A, B, C, D, E, F, G, H, I, and J.

Part A

Based on the information in the diagram, **identify** the elevation zone that has the highest species richness for the current distribution.

Part B

Describe a climate condition at high elevations that is different than it is at low elevations.

Part C

A predator at low elevations currently feeds on Species C and D. Based on the information in the diagram, **describe** what could happen to the predator species in the future in response to the predicted changes in the prey community.

Part D

Species C is considered a generalist, while Species E is considered a specialist. **Explain** why Species C and E are predicted to respond differently to climate change.

Part E

Based on the information in the diagram, **explain** why the bird community at low elevations in the future would be less likely to recover from natural disruptions than the current low-elevation bird community.

Part F

Identify the independent variable in Experiment 1.

Part G

Identify a likely scientific question for Experiment 1.

Part H

In Experiment 2 the temperature of the tanks was held constant, while the amount of sediment was varied. **Explain** how this modification could affect the results of this experiment.

Part I

Changes in climate also affect Arctic ecosystems. One impact of climate change is the loss of ice and snow in polar regions. **Describe** a positive feedback loop that results from the loss of ice and snow in polar regions.

Part J

Describe one problem that Arctic species, such as polar bears or ringed seals, face because of warming in polar regions.

There is a natural climate phenomenon that occurs in the equatorial Pacific Ocean because of periodic fluctuations in sea surface conditions and atmospheric circulation. This phenomenon happens every few years, resulting in shifts in temperature and precipitation in many parts of the world.

Figure 1 shows temperature and precipitation patterns associated with one phase of this phenomenon in the equatorial Pacific Ocean. Figure 2 shows the associated temperature and precipitation patterns that occur over North America.

Figure 1. Effects of Changes in Sea Surface Conditions in Equatorial Pacific Ocean





Figure 2. Polar Jet Stream and Climate Conditions in North America

-  Increased chance of precipitation
-  Decreased chance of precipitation
-  Cooler than average
-  Warmer than average

2. Respond to parts A, B, C, D, E, F, G, H, I, and J.

- A. **Identify** the sea surface condition for the eastern equatorial area of the Pacific Ocean illustrated in Figure 1.
- B. Based on the information in Figure 1, **identify** the climate phenomenon associated with the sea surface conditions shown in the equatorial area of the Pacific Ocean.
- C. Based on the information in Figure 2, **describe** a difference in climate patterns between the regions A and B.
- D. Increases in regional precipitation can lead to increased flooding in certain locations. **Describe** one reason why there is an increased risk of flooding in urban areas during extended periods of precipitation.
- E. **Propose** a realistic solution a city could implement to decrease the risk of flooding in urban areas.
- F. **Justify** the solution proposed in part E by providing an additional advantage other than a reduction in the risk of flooding.
- G. Terrestrial biomes are primarily determined by temperature and precipitation patterns. **Describe** one difference between the climate of a temperate seasonal forest and that of a savanna.
- H. Droughts are one environmental problem that can affect the frequency and severity of forest fires. **Identify** the ecological process that occurs following a forest fire that leaves the soil intact.
- I. **Describe** one way burning forests contribute to atmospheric pollution.
- J. **Describe** one sustainable forestry practice that could be used to reduce the occurrence or severity of forest fires.