

Question 1: Design an Investigation**10 points**

(a) Based on the information in the diagram, **identify** the zone with the lowest level of dissolved oxygen. **1 point**

- Zone C/C

(b) Based on the information in the diagram, **describe** the relationship between biological oxygen demand and dissolved oxygen. **1 point**

Accept one of the following:

- As biological oxygen demand increases, dissolved oxygen decreases.
- As biological oxygen demand decreases, dissolved oxygen increases.
- As dissolved oxygen increases, biological oxygen demand decreases.
- As dissolved oxygen decreases, biological oxygen demand increases.

(c) Based on the information in the diagram, **identify** the zone where there is likely point-source water pollution discharged into the stream. **1 point**

- Zone B/B

(d) **Identify** the dependent variable in the researchers' investigation. **1 point**

Accept one of the following:

- The number of macroinvertebrate species
- Macroinvertebrate diversity
- Macroinvertebrate species richness

(e) **Identify** a testable hypothesis for the researchers' investigation. **1 point**

Accept one of the following:

- As dissolved oxygen levels increase, the number of macroinvertebrate species increases.
- As dissolved oxygen levels decrease, the number of macroinvertebrate species increases.
- There is a direct/inverse relationship between dissolved oxygen levels and the number of macroinvertebrate species.
- There is no relationship between biological oxygen demand and macroinvertebrate biodiversity.

-
- (f) **Describe** the reason the researchers selected zone A to serve as the control in the investigation. **1 point**
- Accept one of the following:
- Zone A/A/It is upstream from the source of pollution/organic waste/discharge/change.
 - Zone A/A/It would not be affected by the source of pollution/organic waste/discharge/change.
 - Zone A/A/It has levels of dissolved oxygen that are not impacted by the source of pollution/organic waste/discharge/change.
-
- (g) **Explain** how the modification to collect data in the winter months could alter the results of the investigation. **1 point**
- Accept one of the following:
- Cold water will have more dissolved oxygen, which could increase the number of species.
 - Colder water may be below the range of tolerance for some of the organisms, which could decrease the number of species.
 - Lower light levels in the winter decrease plant activity/photosynthesis, which lowers dissolved oxygen levels, which could decrease the number of species.
-
- (h) **Describe** the effect that the introduction of raw sewage into the stream could have on the population of bacteria in the stream. **1 point**
- Accept one of the following:
- Raw sewage contains nutrients that could increase the population of bacteria.
 - Raw sewage contains bacteria that could increase the population size.
-
- (i) **Identify** an abiotic factor other than dissolved oxygen and organic pollution that could also influence the population size of bacteria in the stream. **1 point**
- Accept one of the following:
- Temperature
 - pH
 - Light/Sunlight
 - Turbidity/Sediment
 - Salinity
 - Nitrate/Phosphate
-

-
- (j) **Explain** how persistent organic pollutants can affect higher trophic levels in an aquatic food web. **1 point**
- Accept one of the following:
- Persistent organic pollutants/Pollutants can bioaccumulate in the tissues of organisms at higher trophic levels because they consume prey that have accumulated the pollutants.
 - Persistent organic pollutants/Pollutants can accumulate/concentrate in the tissues of organisms at higher trophic levels because they consume prey that have accumulated the pollutants.
 - Persistent organic pollutants/Pollutants can bioaccumulate in organisms at higher trophic levels because of higher fat content in their tissues.
 - Organisms at higher trophic levels can experience neurological toxicity because persistent organic pollutants bioaccumulate.
-

Total for question 1 10 points

Question 1: Design an Investigation**10 points**

- (a) (i) **Identify** the area with the greatest nest success rate, based on the information in the diagram. **1 point**

Accept one of the following:

- Area A
- Site/area upstream from the factory

- (ii) **Identify** the dependent variable in the study. **1 point**

- Turtle nesting success

- (iii) Based on the information provided, **identify** a likely scientific question for the study. **1 point**

Accept one of the following:

- Does mercury content in the turtle's habitat affect common snapping turtle nest success?
- Does mercury content in the turtle's habitat affect the location/site of common snapping turtle nests?

- (iv) **Describe** why researchers measured mercury levels in locations upstream from the factory. **1 point**

Accept one of the following:

- The upstream locations acted as a control group in the study.
- The site was used to compare with the high mercury turtle nests downstream.

- (v) There are plans to remove trees and other vegetation along the riverbank. **Explain** how this modification could affect the location and number of successful turtle nests in Area B. **1 point**

Accept one of the following:

- With more open area closer to the river, turtles don't have to travel as far to build nests, leading to exposure to higher levels of mercury near the river, decreasing the number of successful nests.
- With less vegetation to remove the mercury/heavy metals/endocrine disruptors/pesticides, there will be increased concentrations in the soil, decreasing the number of successful nests.
- Soil erosion along the stream would increase, which would make it more difficult for turtles to build nests there and decrease the number of successful nests.
- With less vegetation and reduced shade, the soil temperature will increase/moisture will decrease, decreasing the number of successful nests.

Total for part (a) 5 points

(b) (i) Describe how a persistent pollutant, such as mercury, can negatively affect an organism. **1 point**

Accept one of the following:

- The mercury/persistent pollutant could bioaccumulate in the tissues of organisms because the pollutants do not easily break down and can accumulate over time.
- Mercury is a neurotoxin, which can disrupt an animal's nervous system/neuron functioning.
- The mercury/persistent pollutant disrupts regular functioning of an animal's brain/kidneys/liver/immune system/reproductive system and can lead to death.

(ii) Describe how a persistent pollutant, such as mercury, can negatively affect an ecosystem. **1 point**

Accept one of the following:

- A toxin can biomagnify in the food chain impacting top predators that will have a very high concentration of the pollutant.
- The death of top predators in a food chain leads to a trophic cascade.
- Reproductive success of individual organisms can decrease from exposure to the pollutant, altering the ecosystem's food webs/trophic levels and decreasing its stability/resulting in a decline in biodiversity.

(iii) Researchers measured methylmercury in a location downstream from the factory. Explain how methylmercury could be present in the stream. **1 point**

- Mercury is likely released into the stream by the factory as a waste product. Bacteria/microorganisms in the water/sediments then convert the mercury into methylmercury.

(iv) Researchers claimed that the soil nearest to the river has higher levels of mercury than the field has, and those elevated levels have affected the nesting success for turtles. Explain how the pattern shown in the diagram supports or refutes this claim. **1 point**

Accept one of the following:

- The nests near the river in Area B where there is mercury are not successful, but the nests further away are successful. This supports the claim that the high concentration in the soil negatively affects the nesting success.
- There are fewer total nests/successful nests in Area B closer to the river than in Area A indicating that the mercury in the soil has negatively affected the nesting success. This supports the claim.

Total for part (b) 4 points

-
- (c) The turtle study was conducted in an agricultural area. **Describe** how a specific agricultural practice changes the soil in an area. **1 point**

Accept one of the following:

- Tilling/plowing softens/loosens soils and/or removes organic matter or leads to erosion.
- Monocropping removes nutrients and/or moisture from soil.
- Use of synthetic fertilizers disrupts the soil chemistry in areas used for agriculture.
- Irrigation can lead to waterlogging, erosion, and/or salinization of soils.
- Slash and burn removes vegetation and upper organic layers of the soil/adds nutrients to the soil.
- Use of industrialized machinery (harvesters, plows, planters) compacts soil.
- Use of polycultures/cover cropping with nitrogen-fixing plants can add nutrients to soil.
- Use of manure/organic fertilizer can increase moisture content of the soils.

Total for part (c) 1 point

Total for question 1 10 points

Question 2: Analyze an Environmental Problem and Propose a Solution**10 points**

- (a)** Pesticide use has advantages, disadvantages, and unintended consequences on human health. **Describe** one benefit to human health that can result from the use of pesticides. **1 point**

Accept one of the following:

- Control disease vectors, such as mosquitos, ticks, rats, mice that can spread diseases to humans/between humans.
- Reduce exposure to stinging insects that carry disease.
- Increased food production leads to decreased famine/increased availability of food, improving human health.

Total for part (a) 1 point

- (b)** **Identify** one way chemical pesticides can enter the human body. **1 point**

Accept the following:

- Inhalation/Breathing (in aerosols and powders)
- Drinking water contaminated by runoff (from farms, yards, golf courses, etc.)
- Consumption of food (pesticide residue on or in food eaten by consumers)
- Dermal absorption/through skin during application of pesticide

Total for part (b) 1 point

- (c) (i)** **Identify** the year when the pesticide was most effective at reducing the size of the pest population. **1 point**

- 1975

- (ii)** **Describe** the change in the number of crop insect pests in the cotton fields over time. **1 point**

Accept one of the following:

- From 1960 to 2015 the number of pests captures increased from 700 to 1100.
- The number of pests was high before the pesticide was used, then it dropped dramatically after the first application and then increased again over time.
- The number of pests went from 2 captured in 1975 to 1100 captures in 2015.

-
- (iii) **Explain** how the change in the cotton-crop pesticide effectiveness between the initial application in 1975 and the latest application in 2015 illustrates genetic resistance in pests, based on the data in the table. **1 point**

Accept one of the following:

- Over time the number of pests that are killed decreases (more pests are found in traps), and more pesticide has to be applied (increased grams per hectare) because the pests that are resistant to the pesticide survive and reproduce, passing along resistance to the pesticide.
- The data in the table illustrates the pesticide treadmill, where each year more pesticide has to be applied, and fewer pests die because following the application only pests with resistance to the pesticide survive and reproduce.
- Pesticide effectiveness following the initial application in 1975 decreased over time. Regardless of whether application quantities were constant (1975-1985) or increased (1990-2015), the number of pests captured steadily increased because an increasing number of surviving pests had genetic resistance to the pesticide.

Total for part (c) 3 points

- (d) **Describe** TWO effects of pesticide use, other than death, on nontarget wildlife. **2 points**

Accept two of the following:

- The pesticide may contaminate soil/water having a negative impact on organisms.
- The pesticide may bioaccumulate in the body of the organisms.
- The pesticide may biomagnify in the food web/chain of the organisms.
- There may be an increase in the population of non-target organisms unaffected by the pesticide that will have new areas of habitat available to them.
- There could be a decrease in predator species, so prey species will grow rapidly.
- Endocrine disruption leading to reproductive/development abnormalities.
- Chemicals disrupt signaling/communication in bees.
- Lead to thinning of eggshells/developmental abnormalities in organisms.
- Eliminates food supply; disrupts food chain for other species.

Total for part (d) 2 points

- (e) (i) Crop rotation is often used to reduce pesticide use. **Describe** the process of crop rotation. **1 point**

Accept one of the following:

- The process of growing different crops in succession on the same piece of land.
 - The process of growing different crops in the same area during different seasons.
 - The process of harvesting one crop followed by the planting of a different crop in the same area.
-

-
- (ii) **Propose** one reasonable method, other than crop rotation, to reduce the use of pesticides in agricultural practices while still maintaining a high crop yield. **1 point**

Accept one of the following:

- Use integrated pest management to control the insect crop pest.
- Use a method of pest control that employs a variety of biological, physical, and chemical methods to control the insect crop pest.
- Reduce stubble/crop residues in fallow fields that can harbor the insect crop pest.
- Apply the pesticide when the insect crop pest is most susceptible.
- Use intercropping rather than a monoculture to reduce the amount of habitat for the pests.
- Use pest-resistant genetically modified organisms.

-
- (iii) **Justify** how the method proposed in (e)(ii) would provide a benefit to humans. **1 point**

Accept one of the following:

- Reduction in pesticide residue in food/reduction of pesticide ingested by humans.
- Economic benefits to humans including:
 - Less money spent on pesticides
 - Increased profit for farmers from crops
 - Less equipment required/less labor required to spray fields with pesticides
- Reduction in the number of workers exposed to pesticides/Improved health in agricultural workers from reduced pesticide exposure.

Total for part (e) 3 points

Total for question 2 10 points