

Question 2: Analyze an Environmental Problem and Propose a Solution

10 points

A **Identify** the sea surface condition for the eastern equatorial area of the Pacific Ocean illustrated in Figure 1. **Point 01**

Acceptable identification point:

- (Ocean water) cooler than average

B Based on the information in Figure 1, **identify** the climate phenomenon associated with the sea surface conditions shown in the equatorial area of the Pacific Ocean. **Point 02**

Acceptable identification point:

- La Niña

C Based on the information in Figure 2, **describe** a difference in climate patterns between the regions A and B. **Point 03**

Examples of acceptable responses may include the following:

- Region A has an increased chance of precipitation, while Region B has a decreased chance of precipitation.
- Region A will be wetter, while Region B will be drier.

D **Describe** one reason why there is an increased risk of flooding in urban areas during extended periods of precipitation. **Point 04**

Examples of acceptable responses may include the following:

- Impervious/paved surfaces increase runoff/reduce infiltration/reduce absorption.
- Parking lots/roads/buildings/sidewalks increase runoff/reduce infiltration/reduce absorption.
- There is less vegetation and, therefore, less infiltration/absorption.

E **Propose** a realistic solution a city could implement to decrease the risk of flooding in urban areas. **Point 05**

Examples of acceptable responses may include the following:

- Use permeable pavement
- Plant vegetation/establish parks/create rain gardens/build green roofs
- Install retention ponds/stormwater basins

- F** **Justify** the solution proposed in part E by providing an additional advantage other than a reduction in the risk of flooding. **Point 06**

Examples of acceptable responses may include the following:

Solution from part E	Justification of solution with additional advantages
Use permeable pavement	- Increased recharge of nearby aquifers/groundwater - Decreased pollution in runoff
Plant vegetation/establish parks/create rain gardens/build green roofs	- Vegetation absorbs pollutants - Vegetation stores carbon dioxide/produces oxygen - Decreased erosion - Increased/restored habitat for wildlife - Increased biodiversity - Helps reduce urban heat island effect - Aesthetic enjoyment/improved quality of life - Creates jobs (in landscaping/park maintenance)
Install retention ponds/stormwater basins	- Decreased pollution in runoff - Increased habitat/biodiversity

- G** **Describe** one difference between the climate of a temperate seasonal forest and that of a savanna. **Point 07**

Examples of acceptable responses may include the following:

- Temperate seasonal forests have a cooler climate than a savanna.
- Temperate seasonal forests have a stronger/colder winter than a savanna.
- Temperate seasonal forests have four distinct seasons while savannas do not.
- Temperate seasonal forests receive more annual precipitation than savannas.
- Temperate forests receive precipitation throughout the year while savannas have a rainy season/dry season.

- H** **Identify** the ecological process that occurs following a forest fire that leaves the soil intact. **Point 08**

Acceptable identification point:

- Secondary succession

I	Describe one way burning forests contribute to atmospheric pollution.	Point 09
	Acceptable description point: • Burning of trees releases CO₂/CO/NO_x/particulate matter/VOCs.	
J	Describe one sustainable forestry practice that could be used to reduce the occurrence or severity of forest fires.	Point 10
	Examples of acceptable responses may include the following: • Prescribed burns can remove excess fuel/dead leaves/underbrush. • Brush removal can remove excess fuel/dead leaves/underbrush. • Selective cutting can create a fire break. • In agroforestry, ground crops that might otherwise be fuel can be harvested/removed.	

Question 2: Analyze an Environmental Problem and Propose a Solution **10 points**

(a) Based on the data in the graph, **identify** the year with the highest percentage of forest. **1 point**

- 1700

(b) Based on the data in the graph, **describe** the relationship between the land use changes in the wild grasslands and grazing from 1700 to 1950. **1 point**

Accept one of the following:

- The percentage/amount of wild grasslands has decreased, and the percentage/amount of grazing (land) has increased.
- The two variables have an inverse relationship.

(c) **Identify** an environmental problem associated with overgrazing by livestock. **1 point**

Accept one of the following:

- Loss of vegetation
- Soil erosion
- Desertification
- Sedimentation/turbidity in waterways
- Soil compaction

(d) A student hypothesized that the change in the percentage of forest from 1700 to 2018 has decreased atmospheric carbon dioxide concentrations. **Explain** whether the hypothesis is supported or refuted based on the data in the graph. **1 point**

- The hypothesis is refuted/disproved/not supported. The percentage of forest has decreased, so the amount of photosynthesis/carbon sequestration has decreased.

(e) **Describe** a water-related environmental problem associated with urbanization. **1 point**

Accept one of the following:

- Increased runoff/flooding because urban areas have more impermeable surfaces.
- Decreased groundwater/saltwater intrusion because urban areas have many people/groundwater is overused.
- Increased water pollution because precipitation/runoff can carry contaminants/pollutants/waste.
- Destruction of aquatic habitats from increased development/land use changes.

- (f) **Describe** a potential response to mitigate the environmental problem identified in part (e). **1 point**

Accept one of the following:

Environmental problem identified in part (e)	Potential response to mitigate environmental problem
Increased runoff/flooding	• Use permeable road/parking lot materials. • Set aside green spaces/parks/conservation areas. • Construct green roofs/rain gardens/storm water retention ponds/basins.
Decreased groundwater/saltwater intrusion	• Use permeable road/parking lot materials. • Establish groundwater conservation/management plans. • Set aside green spaces/parks/conservation areas in recharge zones. • Construct green roofs/rain gardens/storm water retention ponds/basins.
Increased water pollution	• Encourage walking/biking or other methods of transportation. • Reduce use of home pesticides/fertilizers. • Reduce use of road salts/de-icing chemicals • Pick up trash and litter along waterways. • Dispose of toxic chemicals (for example, used oil and household cleaners).
Destruction of aquatic habitats from increased development/land use changes	• Create conservation areas/preserves/wetlands to protect aquatic habitats. • Restore degraded aquatic habitats.

- (g) **Explain** why there are fewer bobcats present on the farmland now compared to several decades ago. **1 point**

Accept one of the following:

- Loss of forest habitat has led to a decrease in resources/food/shelter/ mates/migration.
- Trapping/hunting has reduced the bobcat population.

(h) **Describe** a disadvantage of introducing only a small population of bobcats. **1 point**

Accept one of the following:

- Small populations have lower genetic diversity.
- Genetic bottlenecks can lead to inbreeding/passing on negative traits.
- Small populations are more vulnerable to diseases/disturbances like wildfire.
- Small populations do not control small mammals/pests as well as large populations.
- Small populations are less likely to survive.

(i) **Propose** a solution to improve the chances that the bobcat reintroductions will be successful in reestablishing wild populations. **1 point**

Accept one of the following:

- Increase connectivity/build habitat corridors (so bobcats can safely mate/find food/build dens).
- Restore/reforest/preserve areas of bobcat habitat.

(j) **Justify** the solution proposed in part (i) by describing an additional advantage, other than reestablishing the bobcat population near the farms. **1 point**

Accept one of the following:

Solution proposed in part (i)	Justification of the proposed solution by stating an advantage
Increase connectivity/build habitat corridors (so that bobcats can safely mate/find food/build dens)	• Habitat corridors can be used by other species. • Habitat corridors would increase biodiversity/population of other species. • Habitat corridors can attract other species that might be beneficial for farmers (such as predators of pests and/or pollinator species). • Habitat corridors could help decrease road kills/the frequency of car accidents with wildlife.
Restore/reforest/preserve areas of bobcat habitat	• Restored habitat can be used by other species. • Restoration/reforestation/preservation could increase diversity/improve air quality/improve water quality. • An increase in the number of trees will improve aesthetic value/enhance tourism/reduce erosion/serve as a carbon sink.

Total for question 2 10 points

AP[®] Environmental Science 2016 Scoring Guidelines

© 2016 The College Board. College Board, Advanced Placement Program, AP, AP Central, and the acorn logo are registered trademarks of the College Board.

Visit the College Board on the Web: www.collegeboard.org.

AP Central is the official online home for the AP Program: apcentral.collegeboard.org.

2016 SCORING GUIDELINES

Question 1

Read the following article from the *Fremont New Tribune*.

- (a) Diseases can devastate populations; however, most diseases do not drive their host to extinction. **Provide** one explanation for why diseases seldom cause extinction.

(1 point for a correct explanation for why diseases seldom cause extinction)

- Genetic diversity in wild populations enables some resistant organisms to survive and reproduce.
- Disease organisms often co-evolve with their hosts, allowing the host to evolve adaptations that resist the disease.
- Disease organisms/pathogens that cause the extinction of their host population jeopardize their own survival.
- Initial deaths thin (reduce density of) populations and make the disease less likely to spread.

- (b) Dr. Serach suggests that even if the impact of WNS on little brown bat populations can be reduced and the extinction of the species avoided, the bat populations are likely to remain alarmingly small.

- (i) **Describe** TWO threats (other than WNS) to the survival of the bat species if the total number of bats becomes very small.

(2 points: 1 point for each description of a threat. Only the first two descriptions can earn a point.)

- Difficulty finding mates when populations are small, widely dispersed, or have a skewed sex ratio
- Competition from other species with a similar niche (e.g., nesting sites, food)
- Problems associated with a reduction of genetic diversity (small gene pool, lack of hybrid vigor, diseases that affect one will affect all members of the population, bottle-neck, etc.)
- Susceptibility to reduced fitness as a result of decreased protection by the group (e.g., not enough individuals to create heat, less protection by group members, increase in probability of becoming prey without the advantage conferred by group size)
- Increased vulnerability to environmental disturbances (need to name specific disturbance)

- (ii) If the little brown bat species does not become extinct and can potentially recover, the rate of recovery is likely to be slow. **Discuss** one aspect of bat biology that might slow the recovery of little brown bat populations to pre-WNS numbers.

(1 point for a correct discussion of a correct aspect of bat biology that might slow their recovery)

- | | |
|---|---|
| <ul style="list-style-type: none"> • Low fecundity/ few babies per year • Long generation times in bats | <ul style="list-style-type: none"> • Advanced age at first reproduction • Increased parental care |
|---|---|

- (c) Bats are found in ecosystems around the world. **Describe** TWO ways in which other organisms in an ecosystem could be affected by a decline in a bat population.

(2 points: 1 point for each correct description. Only the first two descriptions can earn a point.)

2016 SCORING GUIDELINES

Question 1 (continued)

- Increase in bat food sources.
- Increase in West Nile and other insect-borne diseases
- Decrease in the spread of rabies
- Decrease in fungus that causes WNS
- Decrease in bat guano (tied to organism)
- Decline in plants pollinated or dispersed by bats
- Decline in bat predators due to decreased food supply.
- Increase in numbers of animals with similar food and habitat needs
- Causes a trophic cascade

(d) The Eastern deciduous forest, in which the little brown bats live, is an important ecosystem.

Identify TWO ecosystem services that forests provide, and **explain** how each service benefits human society.

(2 points: 1 point for each correct ecosystem service with an explanation of how the service benefits human society)

Acceptable responses may include the following:

Ecosystem Service	Benefit to Humans
Resource material (tree/forest)	Lumber, building materials, fuel, paper, food
Oxygen production	Human respiration
Soil formation/protection	Forestry, agriculture, flood control, water quality
Protection of water supplies	Drinking water, recreation, irrigation, fishing
Habitat (e.g. specify shade, temperature moderation, etc.)	Animals or plants desired by humans for fishing, hunting, food
Biodiversity	Food, medicine, gene diversity, breeding stock
Carbon sink (sequestering)	Slows climate change
Aesthetics/cultural/social	Connection with nature (inspiration for art, music, poetry, etc.), research, education, recreation, tourism

WNS is an emerging disease in bats. Humans are also subject to emerging diseases, such as Ebola. A recent study suggests that the number of emerging infectious diseases affecting human populations has been steadily increasing in recent decades.

(e) **Provide** a likely reason for the increase in emerging infectious diseases affecting human populations. Include an explanation for the reason you provided.

(2 points: 1 point for a correct reason for the increase in emerging infectious diseases. 1 point for a correct explanation of how the reason likely increases the emerging diseases affecting human populations.)

Acceptable responses may include the following:

2016 SCORING GUIDELINES**Question 1 (continued)**

Reason for Increase	Explanation
Climate change, global warming	Allows pathogens and disease vectors to survive in places that were previously too cold or dry
Increase in global travel	Increased likelihood of contracting/spreading disease
Increased exposure to animals (zoonotic)	Changes in agricultural practices increase rodents, etc; trade in exotic species, intrusion into wild habitats, urban sprawl
Increase in population density/distribution	Increased likelihood of contracting /spreading disease from others
Lack of vaccinations	Increase human susceptibility to disease, reduce herd immunity
Antibiotic resistance	New disease strains evolve
Decrease in medical care/public health	Poverty, war, migration, human behavior (refusing to use condoms/sharing needles/refusing aid)

SCORING GUIDELINES

Question 2

Use the data below to respond to the following. For each calculation, show all your work.

Calculate the weight (in tons) of rock waste produced globally each year when iron ore is converted to pig iron.

(1 point for the correct answer with work shown)

$$1.6 \text{ billion tons of iron ore} - 1.2 \text{ billion tons of pig iron} = 0.4 \text{ billion tons of waste}$$

OR

$$1.6 \times 10^9 - 1.2 \times 10^9 = 4 \times 10^8$$

Calculate the weight (in tons) of pig iron that could be produced if all of the estimated global iron ore reserves were used for pig iron production.

(2 points: 1 point for the correct setup and 1 point for the correct answer)

$$\frac{1.2 \text{ billion tons pig iron}}{1.6 \text{ billion tons iron ore}} \times 800 \text{ billion tons iron ore} = 600 \text{ billion tons iron}$$

OR

$$\frac{1.2}{1.6} = 0.75 \quad 0.75 \times 800 \text{ billion} = 600 \text{ billion} \quad \text{OR} \quad \frac{1.2}{1.6} = \frac{x}{800}$$

OR

$$\frac{1.2 \times 10^9}{1.6 \times 10^9} \times 8.0 \times 10^{11} = 6.0 \times 10^{11}$$

Calculate the weight (in tons) of the current global iron ore reserves that would be used to make steel if the current trends continue.

(1 point for the correct answer with work shown)

$$0.95 \times 800 \text{ billion tons of iron} = 760 \text{ billion tons iron ore used to make steel}$$

OR

$$0.95 \times 800 = 760 \text{ billion}$$

OR

$$9.5 \times 10^{-1} \times 8 \times 10^{11} = 7.6 \times 10^{11}$$

Calculate the weight (in tons) of coal that is conserved each year in North America by recycling steel.

(1 point for a correct answer with work shown)

$$\frac{0.7 \text{ fewer tons coal used}}{1 \text{ ton steel recycled}} \times 80 \text{ million tons steel recycled} = 56 \text{ million tons coal saved per year in North America}$$

OR

$$0.7 \times 80 = 56 \text{ million}$$

OR

$$7.0 \times 10^{-1} \times 8.0 \times 10^7 = 5.6 \times 10^7$$

SCORING GUIDELINES

Question 2 (continued)

Describe TWO environmental problems that are associated with abandoned coal mine sites.

(2 points: 1 point for each correct description of an environmental problem. Only the first two descriptions can earn a point.)

- Subsidence/sinkholes as shafts collapse
- Habitat destruction/slow to recover
- Stream/water quality degradation
- Acid mine drainage
- Heavy metal runoff
- Tailings alter landscape and drainage patterns
- Increased soil erosion
- Particulate/dust pollution
- Animals fall in
- Methane release
- Underground fires difficult to extinguish

Describe one method that can be used to mitigate one of the problems you identified in part (c).

(1 point for a correct description of a mitigation method for one of the two environmental problems described in part (c))

- Plant trees or other plants to restore cover/reduce erosion
- Fill in/fence off abandoned shafts to stop subsidence or reduce access
- Prevent acid mine drainage and leaching from sites using retaining ponds, berms, other BMPs
- Treat acid mine drainage with limestone
- Return tailings to excavation sites
- Recontour the land
- Place gravel on surface to reduce wind erosion

Discuss one reason why surface coal mining is generally less expensive than subsurface mining.

(2 points for correct identification of a reason linked with a discussion of why surface mining is less expensive)

Reason	Economic Discussion
Wages	Fewer workers needed above ground Workers paid less above ground
Healthcare	Workman's compensation Insurance
Safety	Increased likelihood below ground of ○ severe accidents ○ death ○ black lung
Legal costs	Lawsuits from injuries, accidents, rescues

SCORING GUIDELINES

Question 3

Municipal solid waste (MSW) is the trash collected from households and businesses.

(a) Use the data provided in the graph to respond to the following.

(i) **Explain** one probable cause (other than increased composting) for the change in per capita waste generation from 2000 to 2012.

(1 point for a correct explanation for the change in per capita generation from 2000 - 2012)

- People or businesses practicing one of the following: refuse, reduce, reuse, recycle, or repurpose.
- Lighter materials contribute to less MSW creation (e.g. plastic bottles not glass bottles)
- Less material used in products (newspapers smaller, aluminum cans less massive)
- Technology reduces waste generation (e.g., reading magazines online → less paper)
- Economic recession → less consumption → less MSW produced

(ii) **Calculate** the percent increase in total MSW generation from 1980 to 2012.

(1 point for the correct answer with work shown)

$$\frac{(250 \text{ million tons} - 150 \text{ million tons})}{150 \text{ million tons}} \times 100 = 66\% \text{ to } 67\%$$

(b) Two ways of managing MSW are incineration and disposal in landfills.

(i) **Identify** one disadvantage of waste incineration.

(1 point for a correct identification of a disadvantage of waste incineration)

- | | |
|---|---|
| • Specific air pollutant (e.g., CO, CO ₂ , dioxin, halogens, particulates, SO _x , NO _x) | • MSW supply and quality may be limited requiring additional fuel |
| • Ash disposal necessary | • Reduced quality of life and property value due to incinerator and supply trucks |
| • Incinerator is expensive to construct and/or operate | |

(ii) **Identify** one disadvantage of waste disposal in landfills.

(1 point for a correct identification of a disadvantage of waste disposal in landfills)

- | | |
|---|--|
| • Ground water, surface water, or soil contamination through some transport mechanism | • Release of methane or CO |
| • Reduced quality of life and property value due to landfill and supply trucks | • Odor source |
| | • Attracts vermin |
| | • Habitat destruction |
| | • Preclusion of other land uses |
| | • Explosion/seepage hazard from methane produced |

SCORING GUIDELINES

Question 3 (continued)

Trash incineration is one way to generate electricity from MSW. Electricity can also be generated from waste buried in landfills.

Describe the specific steps of a process used to produce electricity from waste buried in a landfill
(3 points – 1 point for each step in the process of generating electricity from landfill gas)

Step	Description of Step
Acquire fuel (chemical energy)	Methane collected or gathered
Use fuel (chemical → mechanical)	Fuel is combusted to produce steam or hot air
Generate electricity (mechanical → electricity)	Steam or hot air spins/turns/rotates a turbine/generator to generate/produce electricity

- (d) Many landfills do not accept used tires. As a result, the tires are often dumped in poorly regulated piles. **Describe** one human health problem associated with piles of discarded tires.
(1 point for a correct description of a human health problem associated with piles of discarded tires)
- Discarded tires provide habitat for mosquitoes/pests that can be disease vectors.
 - Tires may catch fire and release air pollutants that cause respiratory issues in humans.
- (e) Composting is one way to reduce the amount of waste that enters a landfill.
- (i) Other than reducing the volume of waste, **identify** one advantage of composting.
(1 point for a correct identification of an advantage of composting)
- The resulting compost can be used or sold as fertilizer or soil amendments.
 - Municipal composting facilities may provide jobs.
 - MSW may emit less foul odor if organic material is composted.
 - Tipping fees and trash removal costs may be reduced due to removal of dense compostable material.
- (ii) **Identify** one disadvantage of composting.
(1 point for a correct identification of a disadvantage of composting)
- Compost may attract undesirable animals (vermin).
 - Compost may emit foul odors or spontaneously combust.
 - Nutrients released from decomposing organic matter may run off into surface waters and cause water quality problems.
 - Compost may release methane.
 - Composting organic material requires a great investment of time and labor by humans.

2016 SCORING GUIDELINES

Question 4

Soil is a complex mixture of living organisms and organic material, along with minerals and other abiotic components. Soils help sustain life and provide ecosystem functions.

(a) **Describe** how TWO climate factors affect the rate of soil formation.

(2 points: 1 point for each correct description of how a climate factor affects the rate of soil formation. Only the first two descriptions can earn a point.)

Climate Factor		Effect
Temperature	High	Increases rates of biological activity (decomposition) and chemical activity – increases rates of soil formation
	Low	Decreases rates of biological activity (decomposition) – decreases rates of soil formation Increases the rate of weathering (frozen water expands, breaking rock) – increases the rate of soil formation
Precipitation/ Humidity	High	Increases biological activity and weathering – increases the rate of soil formation Increases erosion, runoff – decreases the rate of soil formation
	Low	Decreases biological activity and weathering – decreases the rate of soil formation
Wind		Can carry in particles – increases rates of accumulation Can hasten rates of soil erosion – decreases rates of accumulation

(Note: No point earned for merely identifying a climate factor.)

(b) As soils form, distinct layers known as horizons develop over time. One of these is the A horizon.

- (i) **Identify** one specific biotic component of the A horizon.
- (ii) **Identify** one abiotic component of the A horizon.

(2 points: 1 point for a correct identification of a specific biotic factor and 1 point for a correct identification of an abiotic factor.)

	Examples of components include:
Biotic	Humus, microorganisms, bacteria, earthworms, macroinvertebrates, roots, fungi, beetles, decomposers, insects
Abiotic	Sand, silt, clay, water, air, nutrients (N,P, K compounds), decomposing parent material, minerals, rocks, pebbles

2016 SCORING GUIDELINES

Question 4 (continued)

- (c) Nitrate levels exceeding the United States Environmental Protection Agency's primary drinking water standard have been found in the groundwater of areas with intensive agriculture.
- (i) **Identify** one agricultural practice that can lead to elevated nitrate levels in groundwater.
(1 point for a correct agricultural practice that leads to elevated nitrate levels in groundwater.)
- Application of fertilizer
 - Improper sealing of feedlots
 - Improper construction or maintenance of animal waste lagoons
- (ii) **Describe** how the practice you identified in (c)(i) leads to elevated nitrate levels in ground water.
(1 point for a correct description linked to the practice identified in part (c)(i).)
- Nitrates infiltrate/percolate/seep into ground water.
 - Nitrates entering surface waters that recharge aquifers (must connect surface with ground water).
- (d) Acid deposition has affected soil quality in many parts of the northeastern United States.
- (i) **Explain** one way acid deposition onto soil can affect plant health.
(1 point for a correct explanation of one way acid deposition onto soil can affect plant health.)
- Increased soil acidity may be outside of the optimal range of tolerance for the plant, resulting in poor plant growth or death.
 - Acid can leach cations/metal ions/nutrients from soil, making them less available to plants, thus decreasing growth.
 - Aluminum is released and can be toxic to plants.
 - Acid can diminish the ability of soil to buffer, leading to poor plant growth.
 - Increased soil acidity can damage plant root systems, stressing plants.
 - Sulfur and nitrogen from acid deposition can build up to levels toxic to plants (or can fertilize the soils).
- (ii) **Describe** one method for remediating soil affected by acid deposition.
(1 point for a correct description of a method of remediation.)
- Add crushed limestone / lime / marble dust / bone meal / crushed egg shells or oyster shells
- (e) Climate change is causing far-reaching ecosystem changes, including soil degradation in many of the world's biomes. **Describe** TWO ways that climate change can degrade soil.
(2 points: 1 point for each correct description of how a change in climate has resulted in soil degradation.)
- Increased global temperatures and decreased precipitation cause desertification.
 - Increased temperatures lead to increased evaporation of irrigation water, resulting in soil salinization.
 - Increased erosion and/or leaching can result from increased precipitation in certain areas.
 - Increased temperature can lead to faster breakdown of organic matter (less organic matter in the soil).
 - Increased temperatures and shifting climatic belts result in longer growing seasons, which can deplete nutrients from the soil.
 - Rising sea levels can result in flooding of coastal areas, leading to salinization of soil and increased soil erosion.
 - Increased temperatures can lead to soil desiccation.