

3.3 Potential Energy

Name: _____ Class: _____ Date: _____

Total: 11 marks

KEY WORDS potential energy 势能 • gravitational potential energy 重力势能
• elastic potential energy 弹性势能 • conservative force 保守力 • energy 能量

Objective

Build the skills to answer exam questions on **potential energy**.**You must be able to:**

- define **potential energy** 势能 as energy stored in the configuration of a system
- calculate **gravitational potential energy** 重力势能 with $\Delta U_g = mg \Delta h$
- calculate **elastic potential energy** 弹性势能 with $U_s = \frac{1}{2} k x^2$
- relate a **conservative force** 保守力 to the change in potential energy
- interpret a **potential energy versus position** graph

1 Worked examples

Study these first. Each one shows the method for a question type used later.

■ Gravitational potential energy

$\Delta U_g = mg \Delta h$. Lifting a 2.0 kg book 3.0 m (take $g = 10 \text{ m s}^{-2}$): $\Delta U_g = 2.0 \times 10 \times 3.0 = 60 \text{ J}$.

■ Elastic potential energy

$U_s = \frac{1}{2} k x^2$. A spring with $k = 200 \text{ N m}^{-1}$ compressed 0.10 m: $U_s = \frac{1}{2} (200)(0.10)^2 = 1.0 \text{ J}$.

■ Reading a potential-energy graph

A **minimum** of U is a point of **stable equilibrium**; the object oscillates about it. The steeper the curve, the larger the force ($F = -\text{slope}$).

2 Practice

2.1 Find the gravitational potential energy gained by lifting a 5.0 kg box 2.0 m (take $g = 10 \text{ m s}^{-2}$). [2]

2.2 A spring of constant 300 N m^{-1} is compressed 0.20 m. Find the elastic potential energy stored. [2]

2.3 State what a minimum on a potential-energy versus position graph tells you about the object there. [1]

3 Exam-style questions

3.1 The elastic potential energy stored in a spring is [1]

A	B
C	D

A kx B $\frac{1}{2} kx$ C $\frac{1}{2} kx^2$ D kx^2

3.2 Doubling the compression of a spring changes its stored potential energy by a factor of [1]

A	B
C	D

A 2

B 4

C $\frac{1}{2}$

D no change

3.3 A 0.30 kg ball is raised 1.5 m and then released from rest (take $g = 10 \text{ m s}^{-2}$).

(a) Find the gravitational potential energy at the top. [2]

(b) Using energy conservation, find its speed just before it lands. [2]