


Question 1: Version J**1. Part A**

A sample of n moles of a monatomic, ideal gas is in a large, sealed, thermally conducting container with fixed volume. A small sphere of mass m_S is in the container. The volume of the sphere is much less than the volume of the container.



The gas is initially in State X with pressure P and volume V , as shown in Figure 1.

Figure 1**State X**

Note: Figure not drawn to scale.

The sphere is initially in thermal equilibrium with the gas. The gas undergoes a heating process until the gas is in State Y with pressure $3P$ and the sphere is again in thermal equilibrium with the gas. The total energy transferred to the sphere during the heating process is Q_S .

- i. The graph in Figure 2 represents the number of atoms per unit speed as a function of atom speed for the gas when the gas is in State X. On Figure 3, **sketch** a curve that could represent the number of atoms per unit speed as a function of atom speed for the gas when the gas is in State Y.

Figure 2**State X****Figure 3****State Y**

- ii. **Derive** an expression for the change ΔT in temperature of the gas for the heating process that the gas undergoes as the gas changes from State X to State Y. Express your answer in terms of n , P , V , and physical constants, as appropriate. Begin your derivation by writing a fundamental physics principle or an equation from the reference information.
- iii. **Derive** an expression for the specific heat c_S of the sphere. Express your answer in terms of n , m_S , P , V , Q_S , and physical constants, as appropriate. Begin your derivation by writing a fundamental physics principle or an equation from the reference information.


Part B

An insulated container is filled with a liquid of mass m_L and specific heat c_L . The original sphere is submerged in the liquid. The sphere has mass m_S , where $m_S < m_L$, and specific heat c_S , where $c_S < c_L$. The initial temperature of the sphere is greater than the initial temperature of the liquid. Later, the liquid and the sphere reach thermal equilibrium. The absolute values of the changes in the temperatures of the liquid and the sphere are $|\Delta T_L|$ and $|\Delta T_S|$, respectively.

Indicate whether $|\Delta T_S|$ is greater than, less than, or equal to $|\Delta T_L|$. Include one of the following relationships in your response.

- $|\Delta T_S| > |\Delta T_L|$
- $|\Delta T_S| < |\Delta T_L|$
- $|\Delta T_S| = |\Delta T_L|$

Justify your answer. Your justification may include expressions/equations but must include conceptual reasoning beyond algebraic solutions.

Begin your response to **QUESTION 2** on this page.

Note: Figure not drawn to scale.

Figure 1

2. (12 points, suggested time 25 minutes)

In Experiment 1, shown in Figure 1, a sample of an ideal gas is contained in an insulated, sealed chamber with thin, rigid walls. The chamber contains a heater and sensors that measure the temperature and pressure of the gas. A student is asked to design an experiment to determine the number N of molecules of the gas contained in the chamber.


- (a) **Describe** a procedure for collecting data that would allow the student to determine an experimental value for N . Provide enough detail so that a student could replicate the experiment, including any steps necessary to reduce experimental uncertainty.

GO ON TO THE NEXT PAGE.


Continue your response to **QUESTION 2** on this page.

(b)

- i. On the following axes, **sketch** a curve or line to represent the expected relationship between the pressure P and the volume V of the gas while the heater is on. **Draw** an arrow on the curve or line to represent the direction of the resulting thermal process.




- ii. On the following axes, **sketch** a curve or line to represent the expected relationship between the internal energy U and the volume V of the gas while the heater is on. **Draw** an arrow on the curve or line to represent the direction of the resulting thermal process.



- iii. Briefly **justify** why the curve or line drawn in part (b)(ii) has the shape that you sketched.

GO ON TO THE NEXT PAGE.

Continue your response to **QUESTION 2** on this page.



Note: Figure not drawn to scale.

Figure 2

In Experiment 2, shown in Figure 2, a liquid-filled container that is completely wrapped with a material of uniform thickness 0.01 m is inside the sealed chamber that is filled with an ideal gas. The material has a total area of 0.06 m² in contact with the gas. The heater is turned on. As the temperature T_G of the gas increases, the following data for the temperature T_L of the liquid and the rate $\frac{Q}{\Delta t}$ of energy transfer are collected.

	T_G (K)	T_L (K)	$\frac{Q}{\Delta t} \left(\frac{\text{J}}{\text{s}} \right)$	
	295	295	0.0	
	371	303	26.3	
	425	308	43.1	
	475	313	60.0	
	528	323	75.0	

(c) The student is asked to determine an experimental value of the thermal conductivity k of the material used to wrap the container inside the sealed chamber.


GO ON TO THE NEXT PAGE.

Continue your response to **QUESTION 2** on this page.

i. **Indicate** what measured and/or calculated quantities could be graphed to yield a straight line that could be used to calculate an experimental value for the thermal conductivity k of the material. Use the blank columns in the table to list any calculated quantities you graph in addition to the data provided.

Vertical Axis: _____ Horizontal Axis: _____


ii. **Plot** the data points for the quantities indicated in part (c)(i) on the graph provided. Clearly scale and **label** all axes, including units, as appropriate.



iii. **Draw** the best-fit line for the data graphed in part (c)(ii).

(d) Using the best-fit line, **calculate** an experimental value for k .

GO ON TO THE NEXT PAGE.




3. (12 points, suggested time 25 minutes)

A group of students use the apparatus shown above to determine the thermal conductivity of a certain type of plastic. A hot plate is used to keep water in a container boiling at a temperature of 100°C . They place a slab of the plastic with area 0.025 m^2 and thickness 0.010 m above the container so that the bottom surface of the slab is at a temperature of 100°C . They put a large block of ice with temperature 0°C on top of the plastic slab. Some of the ice melts, and the students measure the amount of water collected during a time Δt . The students correctly calculate the amount of energy Q delivered to the ice and thus determine $Q/\Delta t$. They repeat this experiment several times, each time adding an identical slab to increase the total thickness L of plastic. Their results are shown in the table below.

Energy flow rate $Q/\Delta t$ (J/s)	97	53	31	27	18
Total thickness of plastic L (m)	0.010	0.020	0.030	0.040	0.050

- (a) The students want to create a graph to yield a straight line whose slope could be used to calculate the thermal conductivity of the plastic.

- i. Label the axes below to indicate a pair of quantities that could be graphed to yield a straight line. Include units for the quantities.



- ii. On the grid on the previous page, create a linear graph using the values for the quantities indicated in part (a)(i). Be sure to do the following.

- Add to the data table the values of any quantities to be plotted that are not already given.
- Scale the axes.
- Plot the data from the table.
- Draw a line that best represents the data.

- iii. Use the graph to calculate the thermal conductivity of the plastic.

- (b) Indicate one potential problem with the setup that could lead to an experimental value for the thermal conductivity that is different from the actual value. Use physics principles to explain the effect this problem could have on the experimental value.
- (c) The rectangle below represents a side view of the plastic slab. Draw a single arrow on the diagram representing the direction of the net flow of energy through the plastic.



Name:

AP Physics 2: 2019

- (d) Describe what occurs in the plastic at the microscopic level that explains the energy flow you indicated in part (c).
- (e) An extra plastic slab sits on a wood surface, with both the plastic slab and the wood surface at room temperature. A student touches each and finds that the plastic slab feels cooler than the wood surface. Explain what causes this observation.