

11.3 Resistance, Resistivity, and Ohm's Law

Name: _____ Class: _____ Date: _____

Total: 11 marks

KEY WORDS resistance 电阻 • resistivity 电阻率 • ohm's law 欧姆定律 • ohmic 欧姆性
• series 串联

Objective

Build the skills to answer exam questions on **resistance, resistivity, and Ohm's law**.

You must be able to:

- state **Ohm's law** 欧姆定律, $V = IR$, and identify ohmic behaviour
- relate **resistance** 电阻 to geometry, $R = \frac{\rho L}{A}$
- distinguish **resistivity** 电阻率 (a material property) from resistance (an object property)
- calculate **equivalent resistance** in series and parallel

1 Worked examples

Study these first. Each one shows the method for a question type used later.

■ Ohm's law

$V = IR$. A device is **ohmic** if R is constant (a straight I - V line).

■ Resistance and resistivity

$R = \frac{\rho L}{A}$: **resistivity** ρ is a property of the **material**; **resistance** R also depends on the length L and area A of the object.

■ Combining

Series: $R = R_1 + R_2 + \dots$; parallel: $\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$

2 Practice

2.1 A 12 V supply drives 3.0 A through a resistor. Find its resistance. [2]

2.2 State how doubling a wire's length changes its resistance (same material and area). [1]

2.3 State the difference between resistivity and resistance. [2]

3 Exam-style questions

3.1 Resistance relates to geometry by [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** $\frac{\rho A}{L}$
B $\frac{\rho L}{A}$
C $\frac{L}{\rho A}$
D ρLA

3.2 Resistivity is a property of the [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** object's shape
B material
C current
D voltage

3.3 A wire has resistivity $1.7 \times 10^{-8} \, \Omega \text{ m}$, length 2.0 m, and area $1.0 \times 10^{-6} \text{ m}^2$.

(a) Find its resistance. [2]

(b) The wire is stretched to twice its length (its volume unchanged, so its area halves). Find the new resistance. [2]