



PHYSICS C: ELECTRICITY AND MAGNETISM**SECTION II****Time—45 minutes****3 Questions**

Directions: Answer all three questions. The suggested time is about 15 minutes for answering each of the questions, which are worth 15 points each. The parts within a question may not have equal weight. Show all your work in this booklet in the spaces provided after each part.



Cutout View



Cross-Section View

Note: Figures not drawn to scale.

A nonconducting sphere of uniform volume charge density is surrounded by a thin concentric conducting spherical shell, as shown in the cutout view. The sphere has a charge of $-Q$ and the shell has a charge of $+3Q$. The radii of the inner sphere and spherical shell are R and $4R$, respectively, as shown in the cross-section view.

(a) Determine the charge on the outer surface of the shell.

GO ON TO THE NEXT PAGE.


Continue your response to **QUESTION 1** on this page.

- (b) Using Gauss's law, derive an expression for the electric field a distance r from the center of the sphere for $r < R$. Express your answer in terms of Q , R , r , and physical constants, as appropriate.
- (c) The magnitude of the electric field at $r = R$ is 8 N/C . Calculate the value of the electric field at $r = 2R$.
- (d) Derive an expression for the absolute value of the potential difference between the outer surface of the sphere and the inner surface of the shell. Express your answer in terms of Q , R , and physical constants, as appropriate.


GO ON TO THE NEXT PAGE.

(e)

i. On the following axes that include regions I, II, and III, sketch a graph of the electric field E as a function of the distance r from the center of the sphere.



ii. On the following axes that include regions I, II, and III, sketch a graph of the electric potential V as a function of the distance r from the center of the sphere.



GO ON TO THE NEXT PAGE.