

3.3 Potential Energy

Name: _____ Class: _____ Date: _____

Total: 15 marks

KEY WORDS potential energy 势能 • elastic potential energy 弹性势能
 • gravitational potential energy 重力势能 • kinetic energy 动能 • work 功

Objective

Build the skills to answer exam questions on **potential energy**.

You must be able to:

- use **gravitational potential energy** 重力势能: $U = mgh$
- use **elastic potential energy** 弹性势能: $U = \frac{1}{2}kx^2$
- explain that potential energy is stored energy of position or configuration
- find the change in potential energy between two positions

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ Gravitational potential energy

Near Earth's surface,

$$U = mgh,$$

measured from a chosen reference height. A 2 kg mass raised 3 m ($g = 10 \text{ m s}^{-2}$) gains $U = 2(10)(3) = 60 \text{ J}$.

■ Elastic potential energy

A stretched or compressed spring stores

$$U = \frac{1}{2}kx^2.$$

A spring with $k = 400 \text{ N m}^{-1}$ compressed 0.1 m stores $U = \frac{1}{2}(400)(0.1)^2 = 2 \text{ J}$.

■ Change in potential energy

Only the *change* matters. Lifting from h_1 to h_2 : $\Delta U = mg(h_2 - h_1)$.

2 Practice

Now apply the methods above.

2.1 A 5 kg mass is at height 4 m ($g = 10 \text{ m s}^{-2}$). Find its gravitational PE. [2]

2.2 A spring ($k = 200 \text{ N m}^{-1}$) is stretched 0.2 m. Find its elastic PE. [2]

2.3 State what kind of energy a raised object stores. [1]

2.4 A 3 kg box is lifted from 1 m to 4 m ($g = 10 \text{ m s}^{-2}$). Find the change in PE. [2]

3 Exam-style questions

3.1 Gravitational potential energy near Earth's surface is [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** $\frac{1}{2}mv^2$
B mgh
C $\frac{1}{2}kx^2$
D Fd

3.2 Doubling the compression of a spring changes its stored energy by a factor of [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** 2
B 4
C 1/2
D 1

3.3 A spring with $k = 500 \text{ N m}^{-1}$ is compressed 0.06 m.

(a) Find the elastic potential energy stored. [2]

(b) State what happens to this energy if the spring is released to push a block. [1]

3.4 A 10 kg crate is raised 2.5 m ($g = 9.8 \text{ m s}^{-2}$).

(a) Find the gain in gravitational potential energy. [2]

(b) State the minimum work needed to lift it. [1]