

5.5 Rotational Equilibrium and Newton's First Law in Rotational Form

Name: _____ Class: _____ Date: _____

Total: 15 marks

KEY WORDS rotational equilibrium 转动平衡 • torque 力矩 • angular acceleration 角加速度

Objective

Build the skills to answer exam questions on **rotational equilibrium**.

You must be able to:

- state the condition for **rotational equilibrium** 转动平衡: the net torque is zero
- combine it with translational equilibrium (net force zero)
- balance clockwise and anticlockwise torques about a pivot
- solve for an unknown force or distance in a balanced system

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ The condition

An object is in rotational equilibrium when

$$\sum \tau = 0,$$

i.e. the clockwise torques equal the anticlockwise torques about any axis.

■ A balanced beam

A pivot supports a beam. A 20 N weight sits 0.5 m left of the pivot; an unknown weight W sits 1 m right. Balance:

$$20 \times 0.5 = W \times 1 \Rightarrow W = 10 \text{ N}.$$

■ Full equilibrium

Complete equilibrium needs **both** $\sum F = 0$ and $\sum \tau = 0$: no linear acceleration and no angular acceleration.

2 Practice

Now apply the methods above.

2.1 State the condition for rotational equilibrium. [1]

2.2 A 30 N weight sits 0.4 m from a pivot. Find its torque. [2]

2.3 For full equilibrium, name the two conditions that must both hold. [2]

2.4 A beam balances with 40 N m clockwise. State the anticlockwise torque. [1]

3 Exam-style questions

3.1 An object is in rotational equilibrium when [1]

A	B
C	D

- A** the net force is zero
- B** the net torque is zero
- C** it is at rest
- D** it has no mass

3.2 A seesaw balances. The clockwise and anticlockwise torques are [1]

A	B
C	D

- A** both zero
- B** equal in size
- C** unequal
- D** in the same direction

3.3 A uniform beam pivots at its centre. A 50 N weight hangs 0.6 m to the left.

(a) Find the torque it produces. [2]

(b) A 30 N weight is placed on the right to balance it. Find its distance from the pivot. [2]

3.4 A 2 m uniform plank of weight 60 N rests on a pivot 0.5 m from its left end.

(a) State where the plank's weight effectively acts. [1]

(b) Explain, using torque, why the plank would tip without extra support. [2]