

5.6 Newton's Second Law in Rotational Form

Name: _____ Class: _____ Date: _____

Total: 15 marks

KEY WORDS angular acceleration 角加速度 • rotational inertia 转动惯量 • torque 力矩

Objective

Build the skills to answer exam questions on **Newton's second law in rotational form**.

You must be able to:

- apply the rotational second law: $\tau_{net} = I\alpha$
- recognise it as the analogue of $F = ma$ (torque $\leftrightarrow$ force, $I \leftrightarrow$ mass, $\alpha \leftrightarrow$ acceleration)
- find any one of τ , I , α given the other two
- explain why a larger rotational inertia gives a smaller angular acceleration

1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

■ The rotational second law

$$\tau_{net} = I\alpha.$$

A net torque of 8 N m on a wheel with $I = 2 \text{ kg m}^2$ gives

$$\alpha = \frac{\tau}{I} = \frac{8}{2} = 4 \text{ rad s}^{-2}.$$

■ The analogy with $F = ma$

Torque plays the role of force, rotational inertia the role of mass, and angular acceleration the role of acceleration.

■ Bigger inertia, gentler response

For a fixed torque, a larger I gives a smaller α – a heavy flywheel is hard to spin up.

2 Practice

Now apply the methods above.

2.1 A torque of 12 N m acts on a body with $I = 3 \text{ kg m}^2$. Find the angular acceleration. [2]

2.2 State the rotational analogue of mass. [1]

2.3 What net torque gives a 5 kg m^2 wheel an angular acceleration of 2 rad s^{-2} ? [2]

2.4 For a fixed torque, how does a larger rotational inertia affect α ? [1]

3 Exam-style questions

3.1 The rotational form of Newton's second law is [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** $F = ma$
B $\tau = I\alpha$
C $p = mv$
D $W = \tau\theta$

3.2 A 6 N m torque acts on a wheel with $I = 2 \text{ kg m}^2$. Its angular acceleration is [1]

- | | |
|---|---|
| A | B |
| C | D |
- A** 3 rad s^{-2}
B 12 rad s^{-2}
C 0.33 rad s^{-2}
D 8 rad s^{-2}

3.3 A grindstone with $I = 0.5 \text{ kg m}^2$ is driven by a net torque of 4 N m .

(a) Find its angular acceleration. [2]

(b) State what happens to α if the torque is doubled. [1]

3.4 A wheel with $I = 4 \text{ kg m}^2$ speeds up from rest to 6 rad s^{-1} in 3 s .

(a) Find the angular acceleration. [2]

(b) Find the net torque needed. [2]