

## 5.6 Newton's Second Law in Rotational Form

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 15 marks

KEY WORDS angular acceleration 角加速度 • rotational inertia 转动惯量 • torque 力矩

### Objective

Build the skills to answer exam questions on **Newton's second law in rotational form**.

You must be able to:

- apply the rotational second law:  $\tau_{net} = I\alpha$
- recognise it as the analogue of  $F = ma$  (torque  $\leftrightarrow$  force,  $I \leftrightarrow$  mass,  $\alpha \leftrightarrow$  acceleration)
- find any one of  $\tau$ ,  $I$ ,  $\alpha$  given the other two
- explain why a larger rotational inertia gives a smaller angular acceleration

### 1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

#### ■ The rotational second law

$$\tau_{net} = I\alpha.$$

A net torque of 8 N m on a wheel with  $I = 2 \text{ kg m}^2$  gives

$$\alpha = \frac{\tau}{I} = \frac{8}{2} = 4 \text{ rad s}^{-2}.$$

#### ■ The analogy with $F = ma$

Torque plays the role of force, rotational inertia the role of mass, and angular acceleration the role of acceleration.

#### ■ Bigger inertia, gentler response

For a fixed torque, a larger  $I$  gives a smaller  $\alpha$  — a heavy flywheel is hard to spin up.

### 2 Practice

Now apply the methods above.

**2.1** A torque of 12 N m acts on a body with  $I = 3 \text{ kg m}^2$ . Find the angular acceleration. [2]

---



---

**2.2** State the rotational analogue of mass. [1]

---

**2.3** What net torque gives a  $5 \text{ kg m}^2$  wheel an angular acceleration of  $2 \text{ rad s}^{-2}$ ? [2]

---



---

**2.4** For a fixed torque, how does a larger rotational inertia affect  $\alpha$ ? [1]

---

### 3 Exam-style questions

**3.1** The rotational form of Newton's second law is [1]

- |   |   |
|---|---|
| A | B |
| C | D |
- A**  $F = ma$   
**B**  $\tau = I\alpha$   
**C**  $p = mv$   
**D**  $W = \tau\theta$

**3.2** A 6 N m torque acts on a wheel with  $I = 2 \text{ kg m}^2$ . Its angular acceleration is [1]

- |   |   |
|---|---|
| A | B |
| C | D |
- A**  $3 \text{ rad s}^{-2}$   
**B**  $12 \text{ rad s}^{-2}$   
**C**  $0.33 \text{ rad s}^{-2}$   
**D**  $8 \text{ rad s}^{-2}$

**3.3** A grindstone with  $I = 0.5 \text{ kg m}^2$  is driven by a net torque of  $4 \text{ N m}$ .

(a) Find its angular acceleration. [2]

(b) State what happens to  $\alpha$  if the torque is doubled. [1]

**3.4** A wheel with  $I = 4 \text{ kg m}^2$  speeds up from rest to  $6 \text{ rad s}^{-1}$  in  $3 \text{ s}$ .

(a) Find the angular acceleration. [2]

(b) Find the net torque needed. [2]