

# 6.6 Motion of Orbiting Satellites

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 13 marks

**KEY WORDS** satellite 卫星 • kepler's third law 开普勒第三定律 • centripetal force 向心力  
• gravity 引力

## Objective

Build the skills to answer exam questions on **the motion of orbiting satellites**.

**You must be able to:**

- explain that **gravity** 引力 provides the centripetal force for a circular orbit
- derive the orbital speed:  $v = \sqrt{\frac{GM}{r}}$
- use **Kepler's third law** 开普勒第三定律:  $T^2 \propto r^3$
- state that a satellite's own mass cancels out

## 1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

### ■ Gravity is the centripetal force

For a circular orbit,

$$\frac{GMm}{r^2} = \frac{mv^2}{r} \Rightarrow v = \sqrt{\frac{GM}{r}}.$$

Lower orbits are faster; higher orbits are slower.

### ■ Kepler's third law

The period and radius are linked by

$$T^2 = \frac{4\pi^2}{GM} r^3,$$

so  $T^2 \propto r^3$  – a bigger orbit takes much longer.

### ■ The mass cancels

The satellite's mass  $m$  cancels, so orbital speed and period do not depend on it.

## 2 Practice

---

Now apply the methods above.

**2.1** What provides the centripetal force that holds a satellite in orbit? [1]

---

**2.2** A satellite moves to a lower orbit. State whether its speed increases or decreases. [1]

---

**2.3** Compute the orbital speed where  $GM/r = 4.0 \times 10^7 \text{ m}^2 \text{ s}^{-2}$ . [2]

---

---

**2.4** State whether a heavier satellite at the same radius orbits faster, slower, or the same. [1]

---

## 3 Exam-style questions

---

**3.1** The orbital speed of a satellite depends on [1]

|   |   |
|---|---|
| A | B |
| C | D |

- A** its own mass
- B** the central mass and the orbital radius
- C** its colour
- D** the launch angle

**3.2** According to Kepler's third law, a larger orbit has a [1]

|   |   |
|---|---|
| A | B |
| C | D |

- A** shorter period
- B** longer period
- C** the same period
- D** zero period

**3.3** Satellite B orbits at twice the radius of satellite A (same planet).

(a) State how B's orbital speed compares with A's (qualitatively). [1]

(b) Using  $T^2 \propto r^3$ , state how B's period compares with A's. [2]

**3.4** A satellite orbits where  $GM/r = 2.5 \times 10^7 \text{ m}^2 \text{ s}^{-2}$ .

(a) Find its orbital speed. [2]

(b) State whether doubling the satellite's mass changes this speed. [1]