

1(a)	C The only correct answer is C. <i>A is incorrect because amino acids are not found in DNA</i> <i>B is incorrect because a mutation is a change in DNA</i> <i>D is incorrect because there are no bases in protein</i>		(1)
1(c)	An answer that includes three of the following points: - as age increase the number of cases increases (in both males and females) (1) - up to 57 years of age {males and females have a similar number of cases / females have a higher incidence} (1) - above 57 the number of cases is higher in males (1) - onset of cancer is later in males than females (1)	ACCEPT converse where appropriate ACCEPT men and women throughout ACCEPT positive correlation IGNORE risk for cases ACCEPT 58 ACCEPT 58 NB penalise wrong age once IGNORE just figures quoted	(3)

2	An answer that includes the following points (in order): - dipolar (1) - positive (1) - solvent (1) - hydrolysis (1) - lactose (1)	ACCEPT dipole / polar ACCEPT medium DO NOT ACCEPT hydration DO NOT ACCEPT lactase / other named molecules	(5)
3(a)	The correct answer is C , fibrin <i>A is incorrect because cholesterol is not part of the wound</i> <i>B is incorrect because collagen is inside the artery wall</i> <i>D is incorrect because fibrinogen is soluble</i>		(1)
3(b)	The correct answer is A , 1 <i>B is incorrect because prothrombin is the only inactive enzyme precursor in the list</i> <i>C is incorrect because prothrombin is the only inactive enzyme precursor in the list</i> <i>D is incorrect because prothrombin is the only inactive enzyme precursor in the list</i>		(1)

3(d)	An explanation that includes three of the following points: - to keep thromboplastin separate from prothrombin (1) - so that prothrombin will not be converted into thrombin (1) - the blood clotting process will be prevented (1) - to have thromboplastin {available / released quickly} (when needed) (1)	ACCEPT other descriptions of what will not happen e.g. fibrin will not be formed ACCEPT will be at a high concentration (when needed) NB award mps if candidate clearly states what would happen if the thromboplastin was NOT inside platelets	(3)
-------------	---	--	------------

4(a)(i)	The correct answer is B A is incorrect because the aorta takes blood away from the left hand side of the heart C is incorrect because pulmonary vein returns blood to the left hand side of the heart D is incorrect because the vena cava returns blood to the right atrium		(1)
4(b)(i)	- values read from the graph and subtracted to give the time for one heart beat (1) 75.0 (1)	0.8 / any pair of values that give 0.8 when subtracted DO NOT ACCEPT 75 ECF from mp 1 if values correspond to readings from graph Bald answer of 75.0 = 2 marks Bald answer of 75 = 1 mark	(2)

4(b)(ii)	An answer that includes three of the following points: - graph will be {the same / similar in} {shape / position} (1) - because the left hand side and right hand side beat simultaneously (1) - peaks will be lower (1) - because pressure in right hand side is lower {as blood is only pumped to <u>lungs</u> / to prevent damage to <u>alveoli</u>} (1)	NB 'It' refers to the line for the right ventricle NB accept converse where appropriate ACCEPT line ACCEPT description e.g. both ventricles contract at the same time IGNORE graph lower down ACCEPT because right ventricle has {less muscle / thinner walls} as blood is only pumped to <u>lungs</u> less force to <u>lungs</u> NB If candidate says that there is something drawn on the graph you must send it to review	(3)
----------	---	---	-----

5(a)	<table border="1"> <thead> <tr> <th>Polymer</th><th>Monomer</th><th>Elements in monomer</th><th>Type of bond</th></tr> </thead> <tbody> <tr> <td>Carbohydrates</td><td>monosaccharide</td><td>carbon, hydrogen and oxygen</td><td>glycosidic</td></tr> <tr> <td>Nucleic acids</td><td>(mono)nucleotide</td><td>carbon, hydrogen, oxygen, phosphorus and nitrogen</td><td>phosphodiester</td></tr> <tr> <td>Proteins</td><td>amino acid</td><td>carbon, hydrogen, oxygen, (sulfur) and nitrogen</td><td>peptide</td></tr> </tbody> </table>	Polymer	Monomer	Elements in monomer	Type of bond	Carbohydrates	monosaccharide	carbon, hydrogen and oxygen	glycosidic	Nucleic acids	(mono)nucleotide	carbon, hydrogen, oxygen, phosphorus and nitrogen	phosphodiester	Proteins	amino acid	carbon, hydrogen, oxygen, (sulfur) and nitrogen	peptide	ACCEPT chemical symbols C, H, O ACCEPT chemical symbols C, H, O, N, S	(4)
Polymer	Monomer	Elements in monomer	Type of bond																
Carbohydrates	monosaccharide	carbon, hydrogen and oxygen	glycosidic																
Nucleic acids	(mono)nucleotide	carbon, hydrogen, oxygen, phosphorus and nitrogen	phosphodiester																
Proteins	amino acid	carbon, hydrogen, oxygen, (sulfur) and nitrogen	peptide																
5(b)	A description that includes three of the following points: TWO FROM (one) glycerol and three fatty acids (1) - joined by {condensation reaction / ester bond} (1) - by enzymes (1) AND (at least) one fatty acid is {unsaturated / has a CC double bond} (1)		(3)																