

Exercise walk-through

1.1

Complex numbers: arithmetic, Argand diagrams and polar form

Pearson Edexcel · International A-Level · Further Mathematics

Exercises 2.1·2.3

2.1 Write each in the form $a + bi$: (a) $(3 - 2i) + (5 + 7i)$; (b) $(2 + i)(4 - 3i)$; (c) $\frac{5 + i}{3 - i}$. [3]

2.2 Find the modulus and argument (exact, radians) of (a) $3 + 4i$; (b) $-2 + 2i$; (c) $-1 - \sqrt{3}i$. [3]

2.3 Solve $x^2 + 4x + 29 = 0$, giving roots in the form $a \pm bi$. [2]

Exercises 2.1·2.3

2.1 Write each in the form $a + bi$: (a) $(3 - 2i) + (5 + 7i)$; (b) $(2 + i)(4 - 3i)$; (c) $\frac{5 + i}{3 - i}$. [3]

2.1 (a) $8 + 5i$; (b) $8 - 6i + 4i - 3i^2 = 11 - 2i$; (c) $\frac{(5 + i)(3 + i)}{10} = \frac{15 + 5i + 3i + i^2}{10} = \frac{14 + 8i}{10} = \frac{7}{5} + \frac{4}{5}i$.

2.2 Find the modulus and argument (exact, radians) of (a) $3 + 4i$; (b) $-2 + 2i$; (c) $-1 - \sqrt{3}i$. [3]

2.2 (a) $|z| = 5$, $\arg z = \arctan \frac{4}{3} \approx 0.927$; (b) $2\sqrt{2}$, $\frac{3\pi}{4}$; (c) 2 , $\tan \theta = \sqrt{3}$ with both parts negative so $\theta = -\frac{2\pi}{3}$ (or $\frac{4\pi}{3}$).

2.3 Solve $x^2 + 4x + 29 = 0$, giving roots in the form $a \pm bi$. [2]

2.3 $(x + 2)^2 + 25 = 0 \Rightarrow x = -2 \pm 5i$.

Exercises 2.4·3.1

2.4 $z_1 = \sqrt{2}(\cos \frac{\pi}{4} + i \sin \frac{\pi}{4})$ and $z_2 = 2(\cos \frac{5\pi}{6} + i \sin \frac{5\pi}{6})$. Find $|z_1 z_2|$ and hence write $z_1 z_2$ in polar form. [3]

2.5 On one Argand diagram plot $z = 2 + 3i$, $\bar{z}$, iz and $-z$, describing the geometry that links each pair. [3]

3.1 (*Original.*) The complex number w satisfies $|w| = 4$ and w has argument $\frac{2\pi}{3}$. (a) Write w exactly in the form $a + bi$. (b) Find $|w^2|$. (c) Mark w and w^2 on an Argand diagram, justifying the position of w^2 using moduli. [4]

Exercises 2.4·3.1

2.4 $z_1 = \sqrt{2}(\cos \frac{\pi}{4} + i \sin \frac{\pi}{4})$ and $z_2 = 2(\cos \frac{5\pi}{6} + i \sin \frac{5\pi}{6})$. Find $|z_1 z_2|$ and hence write $z_1 z_2$ in polar form. [3]

2.4 $|z_1 z_2| = \sqrt{2} \cdot 2 = 2\sqrt{2}$. In Cartesian form $z_1 = 1 + i$ and $z_2 = -\sqrt{3} + i$, so $z_1 z_2 = -(1 + \sqrt{3}) + (1 - \sqrt{3})i$ and $|z_1 z_2|^2 = (1 + \sqrt{3})^2 + (1 - \sqrt{3})^2 = 8$, confirming $2\sqrt{2}$.

2.5 On one Argand diagram plot $z = 2 + 3i$, $\bar{z}$, iz and $-z$, describing the geometry that links each pair. [3]

2.5 z at $(2, 3)$; $\bar{z}$ at $(2, -3)$: reflection in the real axis; $iz = -3 + 2i$: quarter-turn anticlockwise about O ; $-z = -2 - 3i$: half-turn about O .

3.1 (*Original.*) The complex number w satisfies $|w| = 4$ and w has argument $\frac{2\pi}{3}$. (a) Write w exactly in the form $a + bi$. (b) Find $|w^2|$. (c) Mark w and w^2 on an Argand diagram, justifying the position of w^2 using moduli. [4]

3.1 (a) $w = 4(-\frac{1}{2} + \frac{\sqrt{3}}{2}i) = -2 + 2\sqrt{3}i$. (b) $|w^2| = 16$. (c) w in the second quadrant on the circle of radius 4; w^2 on the circle of radius 16 – multiplying scales the modulus (and turns the point through $2 \times \frac{2\pi}{3} = \frac{4\pi}{3}$, equivalent to $-\frac{2\pi}{3}$, landing in the third quadrant).

Exercise 3.2

3.2 (*Adapted from Edexcel IAL WFM01 June 2025 Q5.*) $z_1 = 3(\cos \frac{5\pi}{6} + i \sin \frac{5\pi}{6})$ and $z_2 = a + bi$. Given that $|z_1 z_2| = 6$ and that $z_1 + z_2$ has zero imaginary part, determine the possible values of a and b . [5]

Exercise 3.2

3.2 (*Adapted from Edexcel IAL WFM01 June 2025 Q5.*) $z_1 = 3(\cos \frac{5\pi}{6} + i \sin \frac{5\pi}{6})$ and $z_2 = a + bi$. Given that $|z_1 z_2| = 6$ and that $z_1 + z_2$ has zero imaginary part, determine the possible values of a and b . [5]

3.2 $z_1 = 3(-\frac{\sqrt{3}}{2} + \frac{1}{2}i) = -\frac{3\sqrt{3}}{2} + \frac{3}{2}i$. Imaginary parts cancel: $b = -\frac{3}{2}$. Then $a^2 + \frac{9}{4} = |z_2|^2 = (6/3)^2 = 4$, so $a = \pm\frac{\sqrt{7}}{2}$: $z_2 = \pm\frac{\sqrt{7}}{2} - \frac{3}{2}i$.

Local review guidance: conjugate used to make a denominator real; exact modulus and argument values; Argand positions justified by geometry, not just plotted. This is authored classroom guidance.