

Reproduction and inheritance

Pearson Edexcel · International GCSE · Biology

Passing it on

Every living thing gets one chance to pass its genes on. Flowers do it with petals and pollen, humans with gametes and cycles of hormones – and the packets of information that pass are chromosomes, shuffled by meiosis and recombined at fertilisation. This section runs from flower structure to monohybrid crosses, from Darwin's finches to antibiotic-resistant bacteria.

Edexcel International GCSE Biology 4BI1, Section 3 (statements 3.1–3.39) is the genetics and reproduction section. Crosses and pedigrees carry reliable marks for students who lay out a genetic diagram properly.

Reproduction

Sexual reproduction needs two gametes; the offspring are genetically different. **Asexual** reproduction needs one parent; the offspring are genetically identical clones.


Flowering plants. Insect-pollinated flowers have large colourful petals, scent and nectar; wind-pollinated flowers are small and green, with light smooth pollen in huge quantities, anthers hanging outside and feathery stigmas.

feature	insect-pollinated	wind-pollinated
petals	large, colourful, scented	small, dull, green
nectar	present, guides mark it	absent
pollen	sticky/heavy, small quantity	light, smooth, huge quantity
anthers/ stigma	inside flower, firm	hang outside, feathery stigma

After **pollination** the pollen grain grows a **pollen tube** down the style; **fertilisation** follows, and the ovule becomes the **seed** while the ovary becomes the **fruit**. Germinating seeds live on their stored food reserves until the seedling can photosynthesise. Plants reproduce asexually by **runners** and artificially by **cuttings**.

Humans. The menstrual cycle: **FSH** matures an egg in the ovary; the mature follicle releases **oestrogen**, which thickens the uterus lining and


triggers the **LH surge** that causes **ovulation** at about day 14; the empty follicle becomes a corpus luteum releasing **progesterone**, holding the lining thick until day 28, when the falling hormone levels bring menstruation (B: FSH and LH from the pituitary).



The **placenta** supplies the embryo with oxygen and nutrients and removes waste; **amniotic fluid** protects it. **Oestrogen** and **testosterone** drive the development of secondary sexual characteristics.

Inheritance

The **genome** is all an organism's DNA; a **gene** is a section of a DNA molecule coding for one protein. Genes sit on **chromosomes** in the nucleus. (B) DNA is a **double helix** with paired bases – A–T and C–G; **RNA** is single-stranded with **U replacing T**. (B) Protein synthesis: **transcription** copies the gene to mRNA in the nucleus; **translation** at the ribosome reads **codons**, each matched by a **tRNA anticodon** carrying its amino acid, building the chain.



Alleles are alternative forms of a gene. Vocabulary: **dominant** (shows if one copy present), **recessive** (needs two), **homozygous**, **heterozygous**

, **genotype** , **phenotype** ; (B) **codominance** – both alleles expressed. Most features are **polygenic**, not single-gene.

A monohybrid cross, laid out to earn its marks: parents' genotypes → gametes → Punnett grid → phenotype ratio.

Worked check. Cystic fibrosis (cf, recessive): both parents heterozygous $Cc \times Cc$. Gametes C or c. Offspring CC, Cc, Cc, cc – 3 unaffected : 1 affected; a 1-in-4 chance per child, the same chance every child.


Sex determination: XX female, XY male. Mother always gives X; father gives X or Y – a genetic diagram of $X \times X$, $X \times Y$ gametes gives 1:1 female:male, and the father's gamete decides the sex.

Mitosis makes two cells with **identical** chromosomes – growth, repair, cloning, asexual reproduction. **Meiosis** makes four genetically different **haploid** gametes (human diploid 46 → haploid 23), and **random fertilisation** of any sperm with any egg creates further variation.

mitosis: 1 diploid cell → 2 identical cells (46 chromosomes)



meiosis: 1 diploid cell → 4 different haploid gametes (23 chromosomes)



gametes for sexual reproduction

Variation can be genetic, environmental, or both. **Mutation** is a rare, random change in DNA that can be inherited – mostly harmless, occasionally significant (B: a changed base can alter one amino acid and the protein's shape); ionising radiation and chemical mutagens such as tobacco chemicals raise mutation rates.

Evolution

Darwin's natural selection, step by step: organisms produce more offspring than survive; **variation** exists within a species; those with characteristics best suited to the environment survive and **reproduce**, passing the alleles on; over generations the advantageous characteristic becomes more common.

Antibiotic resistance is selection in action: a random mutation makes one bacterium resistant; antibiotics kill the non-resistant majority; the resistant bacterium survives and reproduces – completing courses of antibiotics and avoiding overuse slows the

spread, and resistant infections become hard to control.

Check yourself

1. Give two differences between sexual and asexual reproduction.
2. State two adaptations of a wind-pollinated flower.
3. What happens after the pollen tube reaches the ovule?
4. Which hormone surges at day 14, and what does it cause?
5. Define gene, allele and genome.
6. (B) Name the base that replaces thymine in RNA, and where translation happens.
7. Cross $Cc \times cc$ and give the phenotype ratio.
8. Why does the father's gamete determine the sex of a child?
9. Give two differences between mitosis and meiosis.
10. Explain antibiotic resistance by natural selection in three steps.

Answers: 1 sexual – two parents, genetically different offspring; asexual – one parent, genetically identical offspring; 2 light smooth pollen in large quantity; anthers hanging outside the flower with a feathery stigma (small dull petals, no nectar); 3 the male gamete fuses with the ovule's egg cell – fertilisation; the ovule becomes a seed and the ovary a fruit; 4 LH – ovulation (release of the egg); 5 gene – a DNA section coding for one protein; allele – an alternative form of a gene; genome – all the organism's DNA; 6 (B) uracil; at a ribosome; 7 gametes C, c and c, c $\rightarrow$ Cc, Cc, cc, cc – 1 unaffected : 1 affected; 8 the mother's egg always carries X; the sperm carries X or Y, so XX (female) or XY (male) depends on the sperm; 9 mitosis – two cells, identical, same (diploid) chromosome number, for growth/repair/asexual reproduction; meiosis – four cells, genetically different, half the number (haploid), for gametes; 10 a mutation gives one bacterium resistance; the antibiotic kills the non-resistant bacteria; the resistant one survives and reproduces, so resistance spreads.