

Course Companion

Pearson Edexcel • International GCSE • Biology

Every topic handout in one volume

exercises.lol

Contents

1. The nature and variety of living organisms	2
2. Structures and functions in living organisms	5
3. Reproduction and inheritance	13
4. Ecology and the environment	17
5. Use of biological resources	21

The nature and variety of living organisms

Pearson Edexcel · International GCSE · Biology

What counts as alive?

A housefly and a maize plant could not look more different, yet both are alive in the same eight ways, and both are built from the same kind of cell. This first section gives you the words for that shared life – the characteristics every organism shows – and a map of life’s variety: five groups of organisms plus the viruses, which are not alive at all but still infect every living thing.

Edexcel International GCSE Biology 4BI1, Section 1 is assessed in both papers; expect direct recall and “compare” questions from 1.1–1.4, often one mark for a feature and one for the named example.

The characteristics of life

Every living organism does all eight: it takes in **nutrition** (material for energy or growth), it **respires** (releases energy from food), it **excretes** (removes waste), it **responds** to its surroundings, it **moves**, it **controls its internal conditions** (keeps itself steady inside), it **reproduces**, and it **grows and develops**. The memory hook MRS GREN lists movement, reproduction, sensitivity, growth, respiration, excretion, nutrition – the “control of internal conditions” is the eighth that the hook leaves out, so name it separately.

A virus does none of these by itself – that is why it is not living.

Variety: the five groups and their give-away features

Plants : multicellular; cells contain **chloroplasts** and carry out **photosynthesis**; walls of **cellulose**; carbohydrate stored as **starch** or sucrose. Examples: a cereal (maize) and a herbaceous legume (peas or beans).

Animals : multicellular; no chloroplasts, no photosynthesis; **no cell walls**; usually nervous coordination and movement from place to another; store carbohydrate as **glycogen**. Examples: mammals (humans) and insects (housefly, mosquito).

Fungi : no photosynthesis; body usually a **mycelium** of thread-like **hyphae** containing **many nuclei**; some single-celled (yeast); walls of **chitin**; feed by secreting digestive enzymes onto food outside the body and absorbing the products – **saprotrophic nutrition**; store glycogen. Examples: **Mucor** (typical hyphae) and **yeast** (single-celled).

Protoctists : microscopic **single-celled** organisms. *Amoeba* (pond water) is like an animal cell; *Chlorella* has chloroplasts and is like a plant. The pathogenic example is ***Plasmodium***, which causes **malaria**.

Bacteria : microscopic single-celled organisms with a cell wall, cell membrane,

cytoplasm and **plasmids** ; they **lack a nucleus** but have a **circular chromosome of DNA** DNA. Some photosynthesise; most feed off living or dead organisms. Examples: *Lactobacillus bulgaricus* (rod-shaped, used to make yoghurt) and *Pneumococcus* (spherical, causes pneumonia).


Plants multicellular; chloroplasts; cellulose walls; store starch (e.g. maize, peas)	Animals multicellular; no chloroplasts; no cell walls; store glycogen (e.g. humans, housefly)	Fungi hyphae with many nuclei; chitin walls; saprotrophic feeding (e.g. Mucor, yeast)
Protoctists single-celled; some like animals (Amoeba), some like plants (Chlorella); Plasmodium	Bacteria single-celled; no nucleus; circular DNA + plasmids (e.g. Lactobacillus, Pneumococcus)	Viruses not living; protein coat around DNA or RNA; reproduce only in cells (e.g. TMV, flu, HIV)

The four-way comparison the examiners like: **cell wall material** (cellulose / none / chitin / bacterial wall), **nucleus** (yes / yes / yes / no), **chloroplasts** (plants and some protoctists only), **storage carbohydrate** (starch / glycogen / glycogen / -).

Pathogens and the viruses

A **pathogen** is any organism or particle that causes disease – the specification allows fungi, bacteria, protoctists **or viruses**.

Viruses are **not living organisms**: they are small particles (smaller than bacteria), **parasitic**, and can **reproduce only inside living cells**; they have **no cellular structure** – just a **protein coat** containing **one type of nucleic acid, DNA or RNA** (never both). Learn the three named examples with their diseases: **tobacco mosaic virus** (discoloured tobacco leaves – it stops chloroplasts forming), **influenza virus** (flu) and **HIV** (AIDS).



Check yourself

1. List the eight characteristics shared by all living organisms.
2. Give two features of a plant cell that an animal cell lacks.
3. Which group stores carbohydrate as glycogen, and which as starch?
4. Describe saprotrophic nutrition in fungi, using the words hyphae, enzymes and absorb.
5. How does the genetic material of a bacterium differ from that of a plant cell?
6. Name the pathogenic protist and the disease it causes.
7. State three reasons why viruses are not classified as living organisms.
8. Which named virus prevents chloroplast formation, and what is the visible result?

Answers: 1 nutrition, respiration, excretion, response, movement, control of internal conditions, reproduction, growth; 2 chloroplasts and a cellulose cell wall; 3 animals and fungi store glycogen; plants store starch (or sucrose); 4 fungi secrete digestive enzymes from their hyphae onto dead food material, then absorb the soluble organic products; 5 a bacterium has no nucleus – circular DNA chromosome plus plasmids – while a plant cell keeps its DNA in a nucleus; 6 Plasmodium – malaria; 7 no cellular structure; reproduce only inside living cells; no life processes alone; 8 tobacco mosaic virus – discoloured, mosaic-patterned leaves.

Structures and functions in living organisms

Pearson Edexcel · International GCSE · Biology



From cell to system

One cell became many; many cells became tissues, organs and systems; and every system serves the same three jobs – taking in what the body needs, moving it to where it is used, and removing what the body must not keep. This section is the core of IGCSE Biology: cells and molecules, how substances cross membranes, nutrition in plants and humans, respiration, gas exchange, transport, excretion and coordination.

Edexcel International GCSE Biology 4BI1, Section 2 (statements 2.1–2.95) is the largest section of the course and feeds every long question on both papers. B-suffixed statements are the separate-science (Biology-only) extension; double-award students learn the unlettered core.

Organisation and cells

Organisation runs upward: **organelles** → **cells** → **tissues** → **organs** → **systems** .



Structure	Function
Nucleus	contains DNA, controls the cell
Cytoplasm	where reactions happen

Structure	Function
Cell membrane	controls what enters and leaves
Cell wall (plants)	strength (cellulose)
Mitochondria	release energy in respiration
Chloroplasts (plants)	absorb light for photosynthesis
Ribosomes	protein synthesis
Vacuole	stores water and dissolved substances (large and permanent in plants)


2.5B Specialised cells develop by **cell differentiation** ; **2.6B** stem cells can replace damaged cells – advantages: treat conditions like paralysis or leukaemia; disadvantages: ethical concerns over embryos, risk of rejection and uncontrolled division.

Biological molecules and enzymes

Carbohydrates contain C, H, O; proteins add N; lipids are C, H, O with much less oxygen. Large molecules are chains of small units: **starch and glycogen from simple sugars, protein from amino acids, lipid from fatty acids and glycerol.**
2.9 Food tests: glucose – Benedict’s (heated, blue → brick red); starch – iodine (yellow-brown → blue-black); protein – Biuret (blue → purple); fat – ethanol emulsion (cloudy white layer).

Enzymes are **biological catalysts** : they speed metabolic reactions without being used up. Each has an **active site** the substrate must fit. Above an optimum temperature or away from the optimum pH, the active site changes shape (**denaturation**) and the enzyme no longer works. Practical 2.12/2.14B follow amylase digesting starch at different temperatures or pH with iodine.

Movement into and out of cells




all three move substances into and out of cells; only active transport needs energy


Diffusion is the net movement of particles from a higher to a lower concentration (oxygen into blood). **Osmosis** is the diffusion of **water** across a **partially permeable membrane** from a dilute to a more concentrated solution. **Active transport** moves substances **against** the gradient using energy from respiration (mineral ions into root hair cells). Rate increases with surface-area-to-volume ratio, concentration gradient and temperature, and decreases with distance.

Nutrition

Flowering plants. Photosynthesis converts light energy into chemical energy stored in glucose:



Limiting factors: **carbon dioxide concentration, light intensity, temperature** – each raises rate until another factor limits. **Magnesium ions** build chlorophyll (deficiency yellows leaves); **nitrate ions** build amino acids. 2.23: pondweed shows oxygen evolution; iodine tests a leaf for starch after blocking light, CO₂ or chlorophyll.



stomata in the lower epidermis: gases diffuse in and out, water evaporates here

Humans. A balanced diet: carbohydrate, protein, lipid, vitamins A (night vision), C (connective tissue), D (calcium absorption), calcium (bones) and iron (haemoglobin), water, and dietary fibre. Energy needs rise with activity, growth (age) and pregnancy. The alimentary canal – mouth → oesophagus → stomach → duodenum and ileum → colon and rectum, with the pancreas supplying enzymes – moves food by **peristalsis**

. Digestion: amylase and maltase (starch → glucose), proteases (protein → amino acids), lipases (lipid → fatty acids + glycerol). **Bile** (made in the liver, stored in the gall bladder) **neutralises stomach acid** and **emulsifies lipids** into droplets. The ileum's wall is folded into **villi** : huge surface area, one-cell-thick walls, dense capillary network – built for absorption.


Respiration and gas exchange

Respiration releases energy from glucose to make **ATP**, which supplies energy for muscle contraction, protein synthesis and active transport. **Aerobic**: glucose + oxygen → carbon dioxide + water (symbol equation: $\text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2 \rightarrow 6\text{CO}_2 + 6\text{H}_2\text{O}$). **Anaerobic** (without oxygen): in animals glucose → **lactic acid** (less energy, oxygen debt); in plants and yeast glucose → ethanol + carbon dioxide.

Plants (2.40B–2.45B). Gases move by **diffusion through stomata**; the leaf's flat shape, air spaces and thin, moist surfaces serve gas exchange as they serve photosynthesis. By day, photosynthesis outweighs respiration, so the **net** exchange is CO_2 in and O_2 out; at night only respiration continues (net O_2 in, CO_2 out). Hydrogen-carbonate indicator shows this: orange → yellow with CO_2 (dark), orange → purple with less CO_2 (bright light).

Humans (2.46–2.50). The thorax: ribs, intercostal muscles, diaphragm, trachea → bronchi → bronchioles → **alveoli**, all in pleural membranes. Inhaling: intercostal muscles and diaphragm contract, the chest volume rises, pressure falls and air flows

in. Smoking damages alveoli (emphysema), clogs arteries and raises coronary heart disease risk.




thin walls • huge total surface area • moist surface • dense capillary network

Transport

Unicellular organisms manage with diffusion alone – every part is close to the surface. Multicellular organisms need transport systems.

Plants. **Xylem** transports water and mineral ions from roots to leaves; **phloem** carries sucrose and amino acids between leaves and the rest of the plant. B-extension: root hair cells absorb water by osmosis; **transpiration** is the evaporation of water from surfaces, mostly via stomata, faster in low humidity, high wind, high temperature and bright light.

Humans. Blood: **plasma** (carries CO₂, digested food, urea, hormones, heat), **red blood cells** (biconcave discs, no nucleus, full of **haemoglobin** – a large surface and short diffusion path for oxygen), **white blood cells** (**phagocytes** ingest pathogens; **lymphocytes** release specific **antibodies**), and **platelets** (clotting, B-extension; vaccination builds **memory cells**, B-extension).



The heart's right side pumps blood to the lungs, the left side to the body; exercise and **adrenaline** raise heart rate. Arteries carry blood away at high pressure (thick, elastic walls), veins return it at low pressure (wide lumen, valves), capillaries exchange materials (one-cell-thick walls). Risk factors for **coronary heart disease** include smoking, high-fat diet and lack of exercise.


Excretion

Plants lose waste O_2 and CO_2 through stomata. Humans excrete CO_2 (lungs), urea + water + ions (kidneys – water and urea also in sweat). B-extension: the kidney **filters blood in nephrons** (Bowman's capsule → glomerulus; ultrafiltration; selective reabsorption of all glucose at the proximal convoluted tubule; water reabsorbed from the collecting duct under **ADH** – osmoregulation). Urine holds water, urea and ions; the urinary system runs kidneys → ureters → bladder → urethra.

Coordination and response

Homeostasis keeps the internal environment constant (water content, temperature). A coordinated response needs **stimulus** → **receptor** → **effector**. Plants respond to light (**phototropism**) and gravity (**geotropism**) – shoots grow towards light, roots downwards – controlled by **auxin** accumulating on the shaded side of a shoot.

Nervous control is electrical, fast and short-lived; **hormonal** control is chemical in the blood, slower and longer-lasting. The CNS (brain and spinal cord) links to sense organs by nerves; at a **synapse** a **neurotransmitter** passes the signal between neurones.



a reflex is rapid and automatic: it does not wait for the brain

The eye focuses by changing lens shape (near: more curved) and responds to light via the pupil. Skin temperature control: **sweating** cools by evaporation; **vasodilation** loses heat; **vasoconstriction** conserves it. Hormones: **adrenaline** (adrenal glands – fight or flight), **insulin** (pancreas – lowers blood glucose), **testosterone** (testes), **progesterone** and **oestrogen** (ovaries); B-extension adds **ADH** (pituitary), **FSH** and **LH** (pituitary – menstrual cycle).

Check yourself

1. Put in order of size: cell, organ, organelle, system, tissue.
2. Give two structures a plant cell has that an animal cell lacks, and one the animal cell has that most plant cells lack many of.
3. Name the small units that build proteins, starch and lipids.
4. State the colour changes for Benedict's, iodine and Biuret tests.
5. Why does heating an enzyme far above its optimum stop it working?
6. Distinguish diffusion, osmosis and active transport in one sentence each.
7. Write the balanced symbol equation for photosynthesis and for aerobic respiration.
8. Give two adaptations of the leaf for photosynthesis and two of the alveolus for gas exchange.
9. Why can a single-celled organism survive without a transport system?
10. Compare arteries, veins and capillaries by wall thickness, lumen size and function.
11. Outline what happens to glucose, water and urea as liquid passes along a nephron (B).
12. State the pathway of a reflex arc, and give one advantage of reflexes.

Answers: 1 organelle → cell → tissue → organ → system; 2 cellulose wall and chloroplasts (and a large permanent vacuole); animal cells contain many mitochondria; 3 amino acids; simple sugars; fatty acids and glycerol; 4 Benedict's blue → brick red (with glucose, heated); iodine yellow-brown → blue-black (with starch); Biuret

blue → purple (with protein); 5 the active site changes shape (denaturation) so the substrate no longer fits; 6 diffusion – net movement down a concentration gradient; osmosis – water only, across a partially permeable membrane; active transport – against the gradient, using energy; 7 $6\text{CO}_2 + 6\text{H}_2\text{O} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$ (light, chlorophyll); $\text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2 \rightarrow 6\text{CO}_2 + 6\text{H}_2\text{O}$; 8 leaf: broad flat surface and palisade cells packed with chloroplasts (or air spaces/stomata); alveolus: one-cell-thin walls and enormous surface area (moist surface, capillary network); 9 its surface area is large compared with its volume, so diffusion reaches every part quickly enough; 10 arteries – thick muscular walls, narrow lumen, carry blood away at high pressure; veins – thin walls, wide lumen, valves, return blood at low pressure; capillaries – one-cell-thick walls, exchange materials; 11 (B) all glucose is selectively reabsorbed into the blood at the proximal convoluted tubule; water is reabsorbed from the collecting duct (controlled by ADH); urea is not reabsorbed and leaves in the urine with water and ions; 12 stimulus → receptor → sensory neurone → relay neurone (CNS) → motor neurone → effector; reflexes are rapid and automatic, protecting the body before harm is done.

Reproduction and inheritance

Pearson Edexcel · International GCSE · Biology

Passing it on

Every living thing gets one chance to pass its genes on. Flowers do it with petals and pollen, humans with gametes and cycles of hormones – and the packets of information that pass are chromosomes, shuffled by meiosis and recombined at fertilisation. This section runs from flower structure to monohybrid crosses, from Darwin's finches to antibiotic-resistant bacteria.

Edexcel International GCSE Biology 4BI1, Section 3 (statements 3.1–3.39) is the genetics and reproduction section. Crosses and pedigrees carry reliable marks for students who lay out a genetic diagram properly.

Reproduction

Sexual reproduction needs two gametes; the offspring are genetically different. **Asexual** reproduction needs one parent; the offspring are genetically identical clones.


Flowering plants. Insect-pollinated flowers have large colourful petals, scent and nectar; wind-pollinated flowers are small and green, with light smooth pollen in huge quantities, anthers hanging outside and feathery stigmas.

feature	insect-pollinated	wind-pollinated
petals	large, colourful, scented	small, dull, green
nectar	present, guides mark it	absent
pollen	sticky/heavy, small quantity	light, smooth, huge quantity
anthers/ stigma	inside flower, firm	hang outside, feathery stigma

After **pollination** the pollen grain grows a **pollen tube** down the style; **fertilisation** follows, and the ovule becomes the **seed** while the ovary becomes the **fruit**. Germinating seeds live on their stored food reserves until the seedling can photosynthesise. Plants reproduce asexually by **runners** and artificially by **cuttings**.

Humans. The menstrual cycle: **FSH** matures an egg in the ovary; the mature follicle releases **oestrogen**, which thickens the uterus lining and


triggers the **LH surge** that causes **ovulation** at about day 14; the empty follicle becomes a corpus luteum releasing **progesterone**, holding the lining thick until day 28, when the falling hormone levels bring menstruation (B: FSH and LH from the pituitary).



The **placenta** supplies the embryo with oxygen and nutrients and removes waste; **amniotic fluid** protects it. **Oestrogen** and **testosterone** drive the development of secondary sexual characteristics.

Inheritance

The **genome** is all an organism's DNA; a **gene** is a section of a DNA molecule coding for one protein. Genes sit on **chromosomes** in the nucleus. (B) DNA is a **double helix** with paired bases – A–T and C–G; **RNA** is single-stranded with **U replacing T**. (B) Protein synthesis: **transcription** copies the gene to mRNA in the nucleus; **translation** at the ribosome reads **codons**, each matched by a **tRNA anticodon** carrying its amino acid, building the chain.



Alleles are alternative forms of a gene. Vocabulary: **dominant** (shows if one copy present), **recessive** (needs two), **homozygous**, **heterozygous**

, **genotype** , **phenotype** ; (B) **codominance** – both alleles expressed. Most features are **polygenic**, not single-gene.

A monohybrid cross, laid out to earn its marks: parents' genotypes → gametes → Punnett grid → phenotype ratio.

Worked check. Cystic fibrosis (cf, recessive): both parents heterozygous $Cc \times Cc$. Gametes C or c. Offspring CC, Cc, Cc, cc – 3 unaffected : 1 affected; a 1-in-4 chance per child, the same chance every child.


Sex determination: XX female, XY male. Mother always gives X; father gives X or Y – a genetic diagram of $X \times X$, $X \times Y$ gametes gives 1:1 female:male, and the father's gamete decides the sex.

Mitosis makes two cells with **identical** chromosomes – growth, repair, cloning, asexual reproduction. **Meiosis** makes four genetically different **haploid** gametes (human diploid 46 → haploid 23), and **random fertilisation** of any sperm with any egg creates further variation.

mitosis: 1 diploid cell → 2 identical cells (46 chromosomes)



meiosis: 1 diploid cell → 4 different haploid gametes (23 chromosomes)



gametes for sexual reproduction

Variation can be genetic, environmental, or both. **Mutation** is a rare, random change in DNA that can be inherited – mostly harmless, occasionally significant (B: a changed base can alter one amino acid and the protein's shape); ionising radiation and chemical mutagens such as tobacco chemicals raise mutation rates.

Evolution

Darwin's natural selection, step by step: organisms produce more offspring than survive; **variation** exists within a species; those with characteristics best suited to the environment survive and **reproduce**, passing the alleles on; over generations the advantageous characteristic becomes more common.

Antibiotic resistance is selection in action: a random mutation makes one bacterium resistant; antibiotics kill the non-resistant majority; the resistant bacterium survives and reproduces – completing courses of antibiotics and avoiding overuse slows the

spread, and resistant infections become hard to control.

Check yourself

1. Give two differences between sexual and asexual reproduction.
2. State two adaptations of a wind-pollinated flower.
3. What happens after the pollen tube reaches the ovule?
4. Which hormone surges at day 14, and what does it cause?
5. Define gene, allele and genome.
6. (B) Name the base that replaces thymine in RNA, and where translation happens.
7. Cross $Cc \times cc$ and give the phenotype ratio.
8. Why does the father's gamete determine the sex of a child?
9. Give two differences between mitosis and meiosis.
10. Explain antibiotic resistance by natural selection in three steps.

Answers: 1 sexual – two parents, genetically different offspring; asexual – one parent, genetically identical offspring; 2 light smooth pollen in large quantity; anthers hanging outside the flower with a feathery stigma (small dull petals, no nectar); 3 the male gamete fuses with the ovule's egg cell – fertilisation; the ovule becomes a seed and the ovary a fruit; 4 LH – ovulation (release of the egg); 5 gene – a DNA section coding for one protein; allele – an alternative form of a gene; genome – all the organism's DNA; 6 (B) uracil; at a ribosome; 7 gametes C, c and c, c $\rightarrow$ Cc, Cc, cc, cc – 1 unaffected : 1 affected; 8 the mother's egg always carries X; the sperm carries X or Y, so XX (female) or XY (male) depends on the sperm; 9 mitosis – two cells, identical, same (diploid) chromosome number, for growth/repair/asexual reproduction; meiosis – four cells, genetically different, half the number (haploid), for gametes; 10 a mutation gives one bacterium resistance; the antibiotic kills the non-resistant bacteria; the resistant one survives and reproduces, so resistance spreads.

Ecology and the environment

Pearson Edexcel · International GCSE · Biology

Who lives where, and what eats whom

A pond holds more than water: populations that feed each other, cycle carbon and nitrogen, and respond – sometimes catastrophically – to what humans add. Ecology asks four questions: who lives here (population, community, habitat, ecosystem), who eats whom (food chains, webs, pyramids), what goes round (the carbon and nitrogen cycles), and what we are doing to it (pollution, greenhouse gases, eutrophication, deforestation).


Edexcel International GCSE Biology 4BI1, Section 4 (statements 4.1–4.18B) rewards precise definitions and the carbon cycle drawn from memory.

The organism in the environment


A **population** is all the organisms of one species in a habitat; a **community** is all the populations in that habitat; a **habitat** is the place; an **ecosystem** is the community plus its non-living surroundings. Population size is set by **abiotic** factors (light, water, temperature) and **biotic** factors (food, predators, disease, competition). Quadrat practicals estimate population size (mean per quadrat $\times$ total area $\div$ quadrat area), and (B) quadrats along a transect show distribution and **biodiversity**.

Feeding relationships

Producers (plants) capture light energy; **primary consumers** eat producers; **secondary** and **tertiary consumers** follow; **decomposers** break down dead material. Arrows in a food chain point from eaten to eater – the direction energy flows. **Pyramids of number** can invert (one tree, many insects), but **pyramids of biomass** and of **energy transfer** always narrow upward – because only about **10 %** of the energy at one level passes to the next: the rest is lost in respiration, movement and excretion, and as heat.



Cycles within ecosystems




Carbon: photosynthesis removes CO₂ from the air; feeding passes carbon along chains; **respiration** (all organisms) and **decomposition** return it; **combustion** of fossil fuels releases carbon stored for millions of years.

(B) Nitrogen: nitrogen-fixing bacteria make nitrogen compounds from atmospheric N₂; decomposers break dead matter into ammonia; nitrifying bacteria convert ammonia to nitrates plants absorb; denitrifying bacteria return nitrogen to the air.

Human influences

Air pollution: sulfur dioxide dissolves in rain to form acid rain (damages leaves, lakes, buildings); carbon monoxide binds haemoglobin, cutting the oxygen blood can carry.

Greenhouse gases – water vapour, carbon dioxide, nitrous oxide, methane and CFCs – trap outgoing radiation; burning fossil fuels, deforestation, agriculture and industry add them, thickening the blanket (the **enhanced greenhouse effect**), bringing global warming with rising sea levels and shifting climates. **Sewage** in water feeds microbes that consume oxygen. **Eutrophication** : fertiliser leaches into water, algae bloom, die, and decomposers strip the oxygen – fish suffocate.



(B) Deforestation removes roots and canopy: rain leaches soil minerals away, soil erodes, evapotranspiration falls (less cloud and rain), and stored carbon returns to the air, unbalancing atmospheric gases.

Check yourself

1. Define population, community, habitat and ecosystem.
2. Why can a pyramid of number be inverted when a biomass pyramid cannot?
3. Explain why only about 10 % of energy passes between trophic levels.
4. Name the four processes of the carbon cycle.
5. (B) Which bacteria convert ammonia to nitrates, and which return nitrogen to the air?
6. Why does carbon monoxide kill?
7. Name the five greenhouse gases.
8. Describe the eutrophication sequence in four steps.
9. (B) Give two consequences of deforestation for the carbon cycle and two for the soil.

Answers: 1 population – all organisms of one species in a habitat; community – all populations in a habitat; habitat – the place where organisms live; ecosystem – community plus its environment; 2 number counts individuals – one huge tree can feed many insects, inverting the shape – while biomass measures total mass, which

always falls with each level; 3 energy is lost at each step through respiration (heat), movement, and egestion/excretion of uneaten parts; 4 photosynthesis, respiration, decomposition, combustion; 5 (B) nitrifying bacteria; denitrifying bacteria; 6 it binds to haemoglobin more strongly than oxygen, so blood carries less oxygen to tissues; 7 water vapour, carbon dioxide, nitrous oxide, methane, CFCs; 8 fertiliser runs into water → algal bloom → algae die and decomposers multiply → decomposers respire, using the oxygen, so fish and other organisms die; 9 (B) carbon: fewer trees photosynthesise, and burning/combustion releases stored carbon; soil: leaching of minerals and erosion without roots, with less evapotranspiration.

Use of biological resources

Pearson Edexcel · International GCSE · Biology

Using life to feed and to heal


Bread rises, yoghurt thickens, insulin saves lives – all products of organisms put to work. This last section covers how humans increase yields (glasshouses, fertiliser, pest control), grow micro-organisms at scale (fermenters), and change organisms deliberately: selective breeding, genetic modification and cloning.

Edexcel International GCSE Biology 4BI1, Section 5 (statements 5.1–5.20B) completes the course. The B-suffixed statements (fish farming, micropropagation, mammal cloning) are Biology-only.

Food production

Crop plants. Glasshouses and polythene tunnels trap heat and shelter crops, letting farmers control light, temperature, CO₂ and water; raising CO₂ and temperature toward the optimum lifts the photosynthesis rate and yield. **Fertilisers** replace mineral ions (nitrate for amino acids, magnesium for chlorophyll) the soil loses with each harvest. **Pest control:** pesticides kill pests quickly and completely but risk **bioaccumulation** , harming other species and leaving residues; **biological control** (introducing a pest's predator) is self-sustaining and specific but slow and less controllable if the control species itself spreads.

Micro-organisms. Yeast ferments sugar: anaerobically it produces carbon dioxide (which raises bread) and ethanol; *Lactobacillus* converts milk sugar to lactic acid, thickening yoghurt. An **industrial fermenter** keeps micro-organisms at their optimum: **aseptic precautions** (no contamination), **nutrients**, **optimum temperature and pH**, **oxygenation** (air supply for aerobic cultures) and **agitation** (stirring spreads heat and nutrients evenly).




(B) **Fish farming** provides protein efficiently: maintain water quality, control predation (intraspecific – among the fish – and interspecific), control disease, remove waste, control feeding quality and frequency, and selectively breed fast-growing strains.

Selective breeding

Choose parents with the desired characteristics → breed them → select the best offspring → repeat over generations. It develops plants with higher yield, disease resistance or hardiness, and animals with more meat, milk or docility – but it narrows the gene pool, increasing vulnerability to disease, and takes many generations.

Genetic modification (genetic engineering)

Restriction enzymes cut DNA at specific sites; **ligase** joins pieces of DNA together. A **plasmid** (or a virus) acts as a **vector**: the human insulin gene is cut out, inserted into an opened plasmid, and the **recombinant DNA** is taken up by bacteria, which multiply in a fermenter producing **human insulin**. GM plants can resist pests or herbicides or make more food. An organism receiving genes from a different species is **transgenic**.



the product is transgenic: genetic material moved between species

Cloning (B)

Micropropagation (tissue culture): a small **explant** is grown **in vitro** on a nutrient medium with growth hormones, producing genetically identical plantlets – commercial quantities of plants with desirable characteristics, disease-free and fast. **Mammal cloning**: a **diploid nucleus from a mature cell** is inserted into an **enucleated egg cell** (its own nucleus removed); the cell divides into an embryo placed in a surrogate – Dolly the sheep. Cloned **transgenic** animals can produce human proteins in their milk.

Check yourself

1. Give two ways a glasshouse raises crop yield.
2. State one advantage and one disadvantage of biological control.
3. Why does *Lactobacillus* thicken milk?
4. List the five conditions a fermenter maintains.
5. (B) Name two methods of controlling predation in fish farming.
6. Give two drawbacks of selective breeding.
7. Name the enzyme that cuts DNA and the one that joins it.
8. What is a vector in genetic engineering?
9. Explain why bacteria with the human insulin gene make useful medicine.
10. (B) Outline the stages of cloning a mammal.

Answers: 1 Traps heat near the optimum; CO₂, light and water controlled (any two); 2 Advantage – self-sustaining, no residues; disadvantage – slow, and the control species may spread; 3 It converts lactose to lactic acid, which coagulates the milk protein; 4 aseptic conditions, nutrients, optimum temperature and pH, oxygenation, agitation; 5 (B) net cages against interspecific predators; lower stocking density against intraspecific; 6 narrows the gene pool, so disease spreads easily; takes many generations.

Answers continued: 7 Restriction enzymes cut; ligase joins; 8 a plasmid or virus carrying recombinant DNA into a cell; 9 they multiply fast in a fermenter, secreting human insulin – safe and producible at scale; 10 (B) Diploid nucleus from a mature cell → enucleated egg → divides into an embryo → implanted in a surrogate.