GAC017 Practical Backend, Related Tables and Data Decisions

GAC Computing · Vocabulary in context

Word	Example
HTTP request /ˌeɪtʃ tiː tiː ˈpiː rɪˈkwest/	The browser sends an **HTTP request** for the class list. HTTP
HTTP response /ˌeɪtʃ tiː tiː ˈpiː rɪˈspɒns/	The server sends the results back in an **HTTP response**. HTTP
JSON object /ˈdʒeɪsn ˈɒbdʒekt/	This **JSON object** stores the class name and size. JSON
in-memory database /ɪn ˈmeməri ˈdeɪtəbeɪs/	The **in-memory database** loses its data when the app restarts.
many-to-many relationship /ˈmeni tə ˈmeni rɪˈleɪʃənʃɪp/	Students and clubs have a **many-to-many relationship**.
constraint /kənˈstreɪnt/	A **constraint** is a rule, such as NOT NULL. NOT NULL
prepared statement /prɪˈpeəd ˈsteɪtmənt/	Use a **prepared statement** to keep user input apart from the SQL. SQL
unit of analysis /ˈjuːnɪt ɒv əˈnæləsɪs/	The **unit of analysis** is one class, not one student.
limitation /ˌlɪmɪˈteɪʃn/	A small sample is one **limitation** of the study.

exercises.lol exercises.com.cn