

GAC Computing

Glossary · · every term in the course, A–Z

English	Pinyin
 Academic integrity <i>/,ækə'demik in'tegriti/</i>	xué shù chéng xìn
 Accessibility <i>/æk,sesə'biliti/</i>	wú zhàng ài
 aloud <i>/ə'laʊd/</i>	chū shēng
 alt text <i>/ɒlt tekst/</i>	tì dài wén běn
 Animation <i>/,æni'meɪʃn/</i>	dòng huà
 API <i>/,ei pi: 'ai/</i>	yìng yòng chéng xù jiē kǒu
 attribute <i>/'ætribjut/</i>	shǔ xìng
 Audio quality <i>/'ɔ:diəʊ 'kwɒliti/</i>	yīn zhì
 Authority <i>/ə'θɒriti/</i>	quán wēi xìng
 back end <i>/bæk end/</i>	hòu duān
 bias <i>/'baɪəs/</i>	piān jiàn
 box model <i>/bɒks 'mɒdl/</i>	hé mó xíng
 Bullet points <i>/'bʊlɪt pɔɪnts/</i>	yào diǎn
 chart <i>/tʃɑ:t/</i>	tú biǎo
 cloud document <i>/klaʊd 'dɒkjʊ:mənt/</i>	yún duān wén dàng
 Comments <i>/'kɒments/</i>	pī zhù
 content plan <i>/'kɒntent plæn/</i>	nèi róng jì huà
 Contrast <i>/'kɒntræst/</i>	duì bǐ dù

English	Pinyin
 Correlation is not causation <i>/,kɒrɪ'leɪʃn ɪz nɒt kə'seɪʃn/</i>	xiāng guān bù děng yú yīn guǒ
 coursework <i>/'kɔ:sju:z:k/</i>	píng shí zuò yè
 CSS <i>/,si: es 'es/</i>	céng dié yàng shì biǎo
 currency <i>/'kʌrənəsi/</i>	shí xiào xìng
 data analysis project <i>/'deɪtə ə'næləsɪs 'prɒdʒekt/</i>	shù jù fēn xī xiàng mù
 Data science <i>/'deɪtə 'saɪəns/</i>	shù jù kē xué
 database <i>/'deɪtəbeɪs/</i>	shù jù kù
 declaration <i>/,deklə'reɪʃn/</i>	shēng míng
 dependencies <i>/di'pendənsɪz/</i>	yī lài guān xì
 Descriptive statistics <i>/di'skriptɪv stə'tɪstɪks/</i>	miáo shù xìng tǒng jì
 DOM <i>/dɒm/</i>	wén dàng duì xiàng mó xíng
 domain name <i>/də'meɪn neɪm/</i>	yù míng
 element <i>/'elɪmənt/</i>	yuán sù
 entities <i>/'entɪtɪz/</i>	shí tǐ
 event <i>/'i'vent/</i>	shì jiàn
 Export <i>/'eksɒ:t/</i>	dǎo chū
 Eye contact <i>/aɪ 'kɒntækt/</i>	yǎn shén jiāo liú
 foreign key <i>/'fɒrən ki:/</i>	wài jiàn
 front end <i>/frʌnt end/</i>	qián duān
 function <i>/'fʌŋkʃn/</i>	hán shù

English	Pinyin
 GROUP BY /gru:p baɪ/	fēn zǔ
 group project /gru:p 'prɒdʒekt/	xiǎo zǔ xiàng mù
 Hosting /'həʊstɪŋ/	tuō guǎn
 HTML /ˌeɪtʃti: em 'el/	chāo wén běn biāo jì yǔ yán
 Information architecture /ˌɪnfə'meɪʃn 'ɑ:kitektʃə/	xìn xī jià gòu
 JOIN /dʒɔɪn/	lián jiē
 JSON /'dʒeɪsn/	shù jù jiāo huàn gé shì
 keywords /'ki:wɜ:dz/	guān jiàn cí
 licensed /'laɪsənst/	shòu quán
 media query /'mi:di:ə 'kwɪəri/	méi tǐ chá xún
 message /'mesɪdʒ/	xìn xī
 Metrics /'metrɪks/	zhǐ biāo
 Milestones /'maɪlstəʊnz/	lǐ chéng bēi
 Normalisation /ˌnɔ:məlaɪ'zeɪʃn/	guī fàn huà
 Operators /'ɒpəreɪtəz/	yùn suàn fú
 parameterised query /ˌpærə'metəraɪzd 'kwɪəri/	cān shù huà chá xún
 primary key /'praɪməri ki:/	zhǔ jiàn
 primary source /'praɪməri sɔ:s/	yī shǒu zī liào
 questions /'kwɛstʃnz/	tí wèn
 reference list /'refrəns list/	cān kǎo wén xiàn liè biǎo

English	Pinyin
 relational database /rɪ'leɪʃənəl 'deɪtəbeɪs/	guān xì shù jù kù
 request /rɪ'kwest/	qǐng qiú
 response /rɪ'spɒns/	xiǎng yìng
 Responsive design /rɪ'spɒnsɪv dɪ'zaɪn/	xiǎng yìng shì shè jì
 roles /rəʊlz/	fēn gōng
 route /ru:t/	lù yóu
 sans-serif /sænz 'serɪf/	wú chèn xiàn
 scope /skəʊp/	fàn wéi
 script /skrɪpt/	jiǎo běn
 secondary source /'sekəndəri sɔ:s/	èr shǒu zī liào
 selector /sɪ'lektə/	xuǎn zé qì
 Semantic elements /sə'mæntɪk 'elɪmənts/	yǔ yì huà yuán sù
 server /'sɜ:və/	fú wù qì
 Signposting /'saɪnpəʊstɪŋ/	tí shì yǔ
 social media strategy /'səʊʃl 'mi:di:ə 'strætədʒi/	shè jiāo méi tǐ cè lüè
 SQL /es kju: 'el/	jié gòu huà chá xún yǔ yán
 SQL injection /es kju: 'el m'dʒekʃn/	SQL SQL zhù rù
 storyboard /'stɔ:ribo:d/	fēn jìng jiǎo běn
 structure /'strʌktʃə/	jié gòu
 style /stɑɪl/	wén tǐ

English	Pinyin
 suggestions /səˈdʒestʃnz/	jiàn yì mó shì
 table /'teɪbl/	biǎo gé
 tables /'teɪblz/	biǎo
 team contract /ti:m 'kɒntrækt/	tuán duì xié yì
 Validate input /'vælɪdeɪt 'ɪnpʊt/	jiào yàn shū rù
 Version history /'vɜːʃn 'hɪstəri/	bǎn běn lì shǐ
 video /'vɪdɪəʊ/	shì pín
 Visual hierarchy /'vɪʒuːəl 'haɪərəːki/	shì jué céng cì
 visualisation /ˌvɪʒuːəlɪ'zeɪʃn/	kě shì huà
 web app /web æp/	wǎng luò yìng yòng
 wireframe /'waɪəfreɪm/	xiàn kuāng tú