

# Natural resources

International Baccalaureate · IB Diploma · Environmental Systems  
and Societies · SL

## Scope and prerequisites

---

This handout covers selected SL topics for the course first assessed in 2026; it is not the whole syllabus.

Prerequisites: read the stated quantities and units, and use arithmetic and the model conditions below.

The examples are original and fictional: they are not real measurements or real student investigations.

## Natural resources: soils, yields and trade-offs


---

### ■ What would explain this observation?

- Two farms report the same total harvest. The one using half the land is not automatically more sustainable: **natural resources** regenerate at their own rates.
- 

### ■ Build the model

- Soil is a resource: its removal and transport, by water, wind or gravity, is a loss measured beyond one season.
- Sustainable management weighs total **yield** per area and per energy input against regeneration rates and impacts beyond the farm boundary.
- Different stakeholders may rank food security, biodiversity and income differently.
- yield: The useful output of a managed system, per stated basis.
- natural resources: Materials and energy sources supplied by ecosystems and used by people.



### ■ Choose evidence that can test it

- Compare management options using a stated **functional unit** and the same timescale.
- Use approved secondary datasets or non-destructive soil observations.
- Explain trade-offs: no method is without disadvantages.

**In the lab:** State the functional unit (per hectare, per tonne, per gigajoule) before comparing, and keep the timescale identical.

### ■ Work from known quantities

- Known: farm A harvests 12 t from 4 ha (3 t per ha) using 40 GJ; farm B harvests 12 t from 2 ha (6 t per ha) using 25 GJ.

**Your turn:** A third farm matches B's per-hectare yield but feeds its soil nothing back. Which basis of comparison is still missing?

### ■ Check the conclusion and its limits

- A comparison is only as good as its stated functional unit and timescale.
- Stakeholder priorities differ: a food-security ministry and a conservation body can rank the same data differently, both correctly.

**Not true:** The higher-yielding farm is automatically the more sustainable one: re-generation and beyond-boundary impacts decide otherwise.

### Key:

- State the functional unit and the timescale before comparing.
- Total yield, yield per area and per energy input are different claims.
- Watch for: impacts beyond the farm boundary and differing stakeholder priorities.

### ■ Write from a functional unit

- Two farms are compared per farm and per 1 000 kg of grain.
- Per farm compares whole farms; per 1 000 kg of grain compares equal food output. Choose a functional unit that matches the stated question, with equivalent function and the same timescale.

### ■ Write from three yield claims

- A farm yields 12 t on 2 ha with 40 GJ of energy input.
- Total 12 t; per area  $12 \div 2 = 6$  t per ha; per energy  $12 \div 40 = 0.3$  t per GJ – three different claims from one farm.

### ■ Write from a boundary stakeholder

- Irrigation water leaves the farm boundary and reaches downstream users.
- Name them in the trade-off: an impact beyond the boundary is still an impact of the system.