2.2 Health and well-being

Name: _____ Class: _____ Date: _____ **Total: 30 marks**

KEY WORDS immune system • depression • cognitive triad • vulnerability factor • diathesis–stress model • cognitive behavioural therapy • diagnosis

Objective

Build the skills to answer exam questions on **health and well-being** : stress and the immune system, biological, cognitive and sociocultural explanations of **depression** , the diathesis–stress model, treatments, and culture and diagnosis.

You must be able to:

- describe Kiecolt-Glaser et al. (1995) and explain how long-term stress affects health
- explain depression from the biological, cognitive and sociocultural approaches
- apply the diathesis–stress model to a case
- compare drug treatment, cognitive behavioural therapy and social support
- explain why diagnosis can be biased across cultures

1 Key knowledge and worked examples

■ Stress and health

Kiecolt-Glaser et al. (1995): small wounds were made on the arms of 13 women caring for a relative with dementia and 13 similar women. The carers' wounds took 48.7 days on average to heal, against 39.3 days. Long-term stress, through hormones such as cortisol, weakens the **immune system** .

exercises.lol exercises.com.cn

Explaining depression

approach	explanation	evidence
biological	genes and serotonin	twin heritability about 38 % (Kendler, 2006); Caspi's 5-HTT study
cognitive	Beck's **cognitive triad** : negative views of the self, the world and the future	depressed people show these thoughts; CBT that changes them helps
sociocultural	hard lives and weak support	Brown and Harris (1978)

Brown and Harris (1978) interviewed working-class women in London. After a serious life event, women became depressed more often if they had **vulnerability factors**: no close person to talk to; three or more children under 14 at home; no job outside the home; losing their mother before age 11.

Diathesis–stress model - : a diathesis (a weakness such as certain genes or negative schemas) does not cause depression alone, but lowers the amount of stress needed.


Treatment and diagnosis

- **Drugs**: SSRIs act on serotonin. **Cognitive behavioural therapy** (CBT): notice and test negative thoughts. **Social** treatments: support groups and help with life problems. Many patients do best with a combination.
- **Diagnosis** uses manuals such as the DSM-5. In some cultures people describe depression mainly through body pain or tiredness, so a symptom list from one culture can miss cases in another (bias).


exercises.lol exercises.com.cn

2 Practice

2.1 Outline the findings of Kiecolt-Glaser et al. (1995) and what they suggest about stress. [3]




2.2 State **two** of Brown and Harris's (1978) vulnerability factors for depression. [2]



exercises.lol exercises.com.cn

2.3 *(Paper 1 Section A.)* Describe **one** cognitive explanation of depression. [4]



2.4 *(Paper 1 Section B, health and well-being.)* Wei's mother and grandmother both had depression. Wei was well until her final year at school, when her parents divorced and she failed an important exam in the same month. She then became depressed. Using the **diathesis–stress model**, explain Wei's depression. [6]

diathesis + stress → depression

exercises.lol exercises.com.cn

3 Exam-style questions

3.1 *(Paper 1 Section C.)* "Depression is best treated with medication." Discuss this claim with reference to the concept of **perspective**. [15]

drug CBT support

exercises.lol exercises.com.cn