3.2 Training principles and adaptations

Name: _____ Class: _____ Date: _____ **Total: 14 marks**

KEY WORDS progressive overload • reversibility • Karvonen method • periodization • tapering • overtraining

Objective

Build the skills to answer exam questions on **training** : principles of training, measuring intensity, training methods and **periodization** , long-term **adaptations** , and training load and health.

You must be able to:

- apply the principles of training, including progressive overload and reversibility
- calculate a training heart rate with the Karvonen method
- explain cardiovascular, respiratory and muscular adaptations to training
- explain periodization, tapering and the risks of overtraining

1 Key knowledge and worked examples

Training and adaptations

principle	meaning
specificity	train the systems, muscles and movements used in the sport
progressive overload	gradually increase the load (frequency, intensity, time) so the body keeps adapting
reversibility	fitness gains are lost when training stops
variation	change sessions to keep progress and motivation, and reduce overuse
individual differences	people respond differently (age, genes, training history)
recovery	adaptation happens during rest after training (**supercompensation**)

exercises.lol exercises.com.cn

Intensity: maximum heart rate $\approx 220 - \text{age}$. **Karvonen method:**

$$\text{training HR} = (\text{HR}_{\text{max}} - \text{HR}_{\text{rest}}) \times \text{intensity} + \text{HR}_{\text{rest}}$$

Also the **rating of perceived exertion** (RPE, Borg scale 6–20).

Methods: continuous, interval (incl. **HIIT**), fartlek, circuit, resistance, plyometric, flexibility training.

Periodization divides the year into **macrocycles**, **mesocycles** (several weeks) and **microcycles** (about a week), with preparation, competition and transition phases. A **taper** (less volume, keep intensity) before a main event lets the body recover fully.

Adaptations


aerobic (endurance) training	resistance training
larger heart, higher stroke volume, lower resting HR	**hypertrophy** (larger fibres)
more capillaries, mitochondria and myoglobin	better recruitment of motor units (**neural** adaptation; most of the early strength gain)
higher $\dot{V}O_2$max and lactate threshold	stronger tendons and bones

Training load and health: too much load with too little recovery raises the risk of injury, illness and **overtraining** (performance falls, mood and sleep worsen). The **acute:chronic workload ratio** compares this week's load with the 4-week average; a sudden rise (about > 1.3–1.5) is linked with more injuries. The WHO recommends 150–300 minutes of moderate activity a week for adults, plus muscle strengthening on 2 or more days.

Answer shapes: name the principle or adaptation, explain how it works, and link it to performance.

2 Practice

2.1 Define progressive overload and reversibility. [2]




2.2 An 18-year-old has a resting heart rate of 60 beats min^{-1}. Use the Karvonen method to calculate her training heart rate at 70% intensity. [3]



3 Exam-style questions

3.1 After six months of endurance training, a runner's resting heart rate falls from 72 to 58 beats min^{-1}.

(a) Explain why resting heart rate falls. [2]



(b) State **two** other adaptations to endurance training. [2]

3.2 The diagram shows a swimmer's training year.

(a) Outline the purpose of a taper. [2]

(b) Explain how periodization helps to avoid overtraining. [3]



exercises.lol exercises.com.cn

Solutions

Marking: **M1** a correct method, **A1** the correct answer, **B1** an independent mark.

Each answer shows the steps, then the **result**.

2.1

progressive overload: gradually increasing the training load so the body keeps adapting; reversibility: fitness gains are lost when training stops or is reduced

2.2

$\mathrm{HR}_{\max} = 220 - 18 = 202$; $(202 - 60) \times 0.70 + 60 \approx \mathbf{159}$ beats min^{-1}

3.1

(a) the heart muscle (left ventricle) gets larger and stronger, so stroke volume rises; the same resting cardiac output is reached with fewer beats

(b) any two: more capillaries; more mitochondria; more myoglobin; higher $\dot{V}\mathrm{O_2max}$; higher lactate threshold; more blood plasma and haemoglobin

3.2

(a) training volume is reduced before a main competition while intensity is kept; so the body recovers fully and performance peaks on the day

(b) it plans hard and easy periods, so load rises gradually; recovery weeks and a transition phase allow adaptation (supercompensation); load can be monitored and adjusted, so fatigue does not build up over many weeks

exercises.lol exercises.com.cn