


- 5 A potato was used as a source of plant tissue. Four potato sticks of identical size were cut from the same potato. At the start of the investigation, each potato stick was 10 squares long. The potato sticks were put into four separate Petri dishes. Each Petri dish contained a different concentration of sugar solution.

The diagram shows the four Petri dishes after 24 hours.


Which dish contains a sugar solution that has a higher water potential than the potato tissue?



- 6 Cylinders of potato tissue were placed in sugar solutions of different concentrations and left overnight.

The lengths of the potato cylinders were measured before and after they were placed in the sugar solutions.

The graph shows the results of the investigation.



In which sugar solution concentrations did the potato cells gain water?

- A 0.1 moles per dm³ and 0.2 moles per dm³
 B 0.1 moles per dm³ only
 C 0.2 moles per dm³ and 0.3 moles per dm³
 D 0.4 moles per dm³ and 0.5 moles per dm³

- 7 Uncooked potato cylinders of identical size were placed in four different liquids for two hours.

The different liquids are listed.

- 1 pure water
- 2 a sugar solution that was less concentrated than the contents of the potato cells
- 3 a sugar solution that was more concentrated than the contents of the potato cells
- 4 a sugar solution that was the same concentration as the contents of the potato cells

In which liquids will the potato cylinders increase in length?

- A 1 and 2 B 1 and 3 C 2 and 4 D 3 and 4

- 3 What happens when plant cells are placed in a sugar solution that has a lower water potential than the cytoplasm of the cells?
- A** The cells gain water and become flaccid.
B The cells gain water and become turgid.
C The cells lose water and become flaccid.
D The cells lose water and become turgid.

- 7 A potato was removed from a potato plant. A 5 g cube of potato was cut and put into a beaker of distilled water.

What is the most likely mass of the cube of potato after two hours?

- A** 2g **B** 4g **C** 5g **D** 7g

- 5 Fig. 5.1 is a diagram of a plant root hair cell.




Fig. 5.1

- (a) (i) Using the information in Fig. 5.1, explain how nitrate ions are transported into the root hair cell.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

- (ii) State **two** ways that nitrogen fixation occurs.

1

2 [1]

- (b) State the name of the process that moves water molecules into root hair cells.

..... [1]

(c) Describe differences **and** similarities between the structure of a plant root hair cell and a bacterial cell.

..... [5]

[Total: 11]

1 A student investigated the effect of the concentration of salt solutions on osmosis in potato tissue.

The student used three different concentrations of salt solution and potato tissue that had been cut into cylinders.

(a) (i) Using the information in Table 1.1, decide the volumes of **S** and **W** needed to make 50 cm³ of a 0.5 mol per dm³ salt solution.

Complete Table 1.1 by writing in the volumes of **S** and **W** needed to make the 0.5 mol per dm³ salt solution.

Table 1.1

beaker	volume of 1.0 mol per dm ³ salt solution S /cm ³	volume of distilled water W /cm ³	final concentration of salt solution /mol per dm ³
S1	50	0	1.0
S2			0.5
S3	0	50	0.0

[1]

The student used this method:

Step 1 Label three beakers **S1**, **S2** and **S3**.

Step 2 Use the volumes of 1.0 mol per dm³ salt solution **S** and distilled water **W** shown in Table 1.1 to make the salt solutions in beakers **S1**, **S2** and **S3**.

Step 3 Put the potato cylinders onto a white tile and cut each potato cylinder into 3 mm discs, as shown in Fig. 1.1. You will need 30 potato discs.



Fig. 1.1

Step 4 Place 10 potato discs in a line next to a ruler, as shown in Fig. 1.2.




Fig. 1.2

Step 5 Measure the total length of the 10 potato discs.

Step 6 Put the 10 potato discs into beaker **S1**.

- Step 7 Repeat step 4 to step 6 with the other potato discs and the salt solutions in beakers **S2** and **S3**.
- Step 8 Start the stop-clock and leave the potato discs in the beakers of salt solution for 20 minutes.
- Step 9 Remove the 10 potato discs from beaker **S1** and put them onto the white tile, line them up along the ruler, as shown in Fig. 1.2.
- Step 10 Measure the final total length of the 10 potato discs.
- Step 11 Repeat step 9 and step 10 with the potato discs in beaker **S2** and beaker **S3**.

Fig. 1.3 shows the notes the student recorded about the results.




Fig. 1.3

Fig. 1.4 is a diagram showing the actual size of the 10 potato discs from beaker **S3** after 20 minutes.



Fig. 1.4

- (ii) Measure the total length of the 10 potato discs in Fig. 1.4.

S3 total length mm [1]

- (iii) Prepare a table and record the results shown in Fig. 1.3 and your measurement in 1(a)(ii).

Include the final concentrations of the salt solutions in your table.

[3]

- (iv) Calculate the **change** in total length of the 10 potato discs in each beaker.

beaker **S1** mm

beaker **S2** mm

beaker **S3** mm

[1]

- (v) State a conclusion for the results of this investigation.

.....

.....

..... [1]

- (vi) State the dependent variable in this investigation.

..... [1]

(vii) Suggest why the student used 10 potato discs instead of 1 potato disc in each salt solution.

.....

 [1]

(viii) Describe **one** safety precaution the student should take when preparing the potato discs.

.....
 [1]

(b) The student added a few drops of a yellow-brown solution to test one of the potato discs.

The solution changed to a blue-black colour.

Identify the solution added and state a conclusion for this test.

solution

conclusion [1]

(c) Fig. 1.5 shows a leaf from a potato plant.




Fig. 1.5

(i) Draw a large diagram of the leaf shown in Fig. 1.5.

(ii) Line PQ represents the length of the leaf in Fig. 1.5.

Measure the length of line PQ in Fig. 1.5.

length of line PQ mm

The actual length of the leaf is 39 mm.

Using your measurement and the formula, calculate the magnification of the leaf in Fig. 1.5.

magnification = $\frac{\text{length of line PQ in Fig. 1.5}}{\text{actual length of the leaf}}$

Give your answer to **two** significant figures.

Space for working.

.....
[3]

(iii) Fig. 1.6 shows a leaf from a tomato plant. The tomato leaf is narrower than the potato leaf shown in Fig. 1.5.



Fig. 1.6

Compare the leaves shown in Fig. 1.5 and in Fig. 1.6.

Describe **one** visible difference, other than size, and **one** visible similarity.


difference

.....

similarity

.....

5 The diagram shows four mesophyll cells, W, X, Y and Z. Water moves through these cells.



Which arrow shows the direction of movement of water through these cells?

	direction of water movement	water potential / kPa			
		W	X	Y	Z
A	→	−600	−450	−350	−250
B	→	−350	−400	−450	−600
C	←	−400	−450	−500	−550
D	←	−200	−300	−350	−450