

- 5** The diagram shows the order of bases along part of one strand of DNA.

A—C—T—T—A—G—A—T

What is the order of bases on the complementary part of the other strand?

- A** A—C—T—T—A—G—A—T
B C—A—G—G—C—T—C—G
C T—A—G—A—T—T—C—A
D T—G—A—A—T—C—T—A

- 1 Yeast cells produce an enzyme called invertase. Invertase catalyses the breakdown of sucrose into reducing sugars. Sucrose is **not** a reducing sugar.

A student investigated the effect of two different concentrations of invertase extract on a sucrose solution.

The student used this method:

Step 1 Label three test-tubes **A**, **B** and **W**.

Step 2 Use a syringe to put 2 cm³ of sucrose solution into all three test-tubes.

Step 3 Use a clean syringe to put 2 cm³ of 100% invertase extract into test-tube **A**.

Step 4 Use a clean syringe to put 2 cm³ of 10% invertase extract into test-tube **B**.

Step 5 Use a clean syringe to put 2 cm³ of distilled water into test-tube **W**.

Step 6 Put all three test-tubes in a warm water-bath at 40 °C for 15 minutes.

Step 7 Measure the temperature of the liquid in the test-tubes.

(a) State the name of the piece of equipment that is used to measure temperature.


..... [1]

Step 8 Use a clean syringe to add 4 cm³ of Benedict's solution to all three test-tubes.

Step 9 Place all three test-tubes into a hot water-bath for five minutes.

Step 10 After five minutes, record the colour of the liquid in each test-tube.

Fig. 1.1 shows the notes the student made about their observations in step 10.



the liquid in test-tube **A** is brick-red

the liquid in test-tube **B** is green

W remains blue

Fig. 1.1

(b) Prepare a table and record the results of this investigation using the information in Fig. 1.1.

[3]

(c) State a conclusion for the results shown in test-tube A and test-tube B.

[1]

(d) Explain the purpose of test-tube W.

[2]

(e) State the independent variable in this investigation.

[1]

(f) Explain why the test-tubes were placed in the warm water-bath in step 6.

[1]

(g) Explain why a clean syringe was used in steps 3, 4 and 5.

.....

.....

..... [1]

(h) Invertase is a protein.

State the reagent used to test for the presence of protein.

..... [1]

[Total: 11]

5 A DNA molecule contains pairs of bases.

What is a correct combination of a pair of bases?

- A** A and G **B** C and A **C** G and T **D** T and A

6 What is the test for protein?

	name of the test	heat	colour change
A	Benedict's	yes	blue to purple
B	biuret	yes	blue to red
C	biuret	no	blue to purple
D	Benedict's	no	blue to red

21 What is the chemical formula of glucose?

- A** $C_6H_6O_6$ **B** C_6HO_6 **C** $C_6H_{12}O_6$ **D** $C_{12}H_{12}O_6$

2 (a) A student used DCPIP solution to compare the concentration of vitamin C in five solutions.

The student used this method:

- Put 1 cm³ of 1% DCPIP solution into a test-tube.
- Use a syringe to add drops of 125 mg per dm³ vitamin C solution to the test-tube.
- Keep adding drops of vitamin C solution until the DCPIP solution becomes colourless.
- Record the total volume of the 125 mg per dm³ vitamin C solution added.

This method was repeated with four other concentrations of vitamin C solution.

(i) State the expected colour of the DCPIP solution **before** the vitamin C solution was added.

..... [1]

(ii) State **two** variables that were kept constant by the student in this investigation.

1


2 [2]

The results of the investigation are shown in Table 2.1.

Table 2.1

concentration of vitamin C / mg per dm ³	total volume of vitamin C solution added / cm ³
125	1.6
250	1.4
500	1.1
750	0.8
1000	0.5

(b) (i) Plot a line graph on the grid of the data in Table 2.1.



[4]

(ii) The student tested a sample of orange juice.

They found that 1.2cm³ of orange juice was needed to react with 1cm³ of 1% DCPIP solution.

Use your graph to estimate the vitamin C concentration of the orange juice.

Show on the graph how you obtained your estimate.

..... mg per dm³

[2]

(c) The student wanted to investigate the effect of storage on the vitamin C concentration in apple juice.

Three samples of fresh apple juice and three samples of stored apple juice were tested.

The results are shown in Table 2.2.

Table 2.2

sample	concentration of vitamin C in fresh apple juice / mg per dm ³	concentration of vitamin C in stored apple juice / mg per dm ³
1	281	170
2	276	96
3	272	104

(i) State a conclusion for the data shown in Table 2.2.

.....

.....

..... [1]

(ii) The student decided that the result of one sample shown in Table 2.2 was anomalous.

State what is meant by an anomalous result.

.....

.....

..... [1]

(iii) Draw a circle around the anomalous result in Table 2.2.

[1]

- (iv) Using the data for **sample 3** in Table 2.2, calculate the percentage change in the vitamin C concentration of the apple juice when it is stored.

Give your answer to **one** decimal place.

Space for working.

.....% [3]

- (d) Fig. 2.1 is a photograph of a fruit from a strawberry plant, *Fragaria ananassa*, that has been cut in half.




Fig. 2.1

- (i) Draw a large diagram of the strawberry fruit shown in Fig. 2.1.

(ii) Line **PQ** in Fig. 2.1 represents the maximum diameter of the strawberry fruit.

Measure the length of line **PQ** in Fig. 2.1.

length of **PQ** mm

Calculate the actual diameter of the strawberry fruit using the formula and your measurement.

magnification =
$$\frac{\text{length of line PQ in Fig. 2.1}}{\text{actual diameter of the strawberry fruit}}$$

Give your answer to **three** significant figures.

Space for working.

.....mm

[3]

(e) Describe a method the student could use to test a strawberry fruit for reducing sugars.

.....

.....

.....

.....

.....

.....

.....

..... [2]

[Total: 24]

- 1 Potato cells contain the enzyme catalase. Catalase catalyses the breakdown of hydrogen peroxide into water and oxygen gas. The oxygen gas forms a foam. The height of the foam indicates how active the enzyme is.

A student investigated the effect of temperature on the activity of the enzyme catalase.

The student used this method:

Step 1 Label three test-tubes **C**, **R** and **H**.

Step 2 Use a syringe to add 4 cm³ of hydrogen peroxide solution to each of the test-tubes labelled **C**, **R** and **H**.

Step 3 Place test-tube **C** into a cold water-bath.

Step 4 Place test-tube **R** in a test-tube rack to keep it at room temperature.

Step 5 Place test-tube **H** into a hot water-bath.

Step 6 Leave the test-tubes for five minutes.

Step 7 After five minutes, use a clean syringe to add 1 cm³ of potato extract to test-tube **C**. Start the stop-clock.

Step 8 Repeat step 7 for test-tube **R** and test-tube **H**.

Fig. 1.1 shows the test-tubes 30 seconds after adding the potato extract.




Fig. 1.1

(a) (i) Prepare a table for the results of the investigation.

Measure the maximum height of the foam, in mm, in each of test-tubes **C**, **R** and **H** shown in Fig. 1.1.

Record these measurements in your table.

[4]

(ii) State a conclusion for these results.

[1]

(iii) State the independent and dependent variables in the investigation.

independent variable

dependent variable

[2]

(iv) Explain why test-tube **C** and test-tube **H** were kept in the water-baths for five minutes in step 6.

[1]

(v) The student suggests repeating the investigation twice more.
Explain how this would give you more confidence in these results.

[1]

(vi) Potato extract can be prepared by cutting a potato into pieces and then grinding it with a mortar and pestle and some water.

Describe a safety precaution that would reduce the hazards in producing potato extract using this method.

[1]

(b) (i) Another student did the same experiment and measured the height of the foam in one of the test-tubes as 29 mm. The diameter of the test-tube was 25 mm.

Calculate the volume of foam produced, and give your answer in cm³ to **one** decimal place.

Use 3.14 as the value for π .

cm³ [3]

(ii) Suggest a more accurate method of measuring the volume of oxygen gas produced.

[1]

(c) Potatoes are a source of starch and vitamin C.

(i) Iodine solution was used to test a sample of potato for starch.

State the result of a positive test for starch.

..... [1]

(ii) State the name of a reagent that can be used to test for vitamin C.

..... [1]

(d) Photosynthesis also produces oxygen gas.

Plan an investigation to determine the effect of light intensity on the rate of photosynthesis in aquatic plants.

..... [6]

[Total: 22]

8 Which chemical element is found in proteins but **not** in carbohydrates?

- A** carbon
B hydrogen
C nitrogen
D oxygen