

3.3 Data storage

Name: _____ Class: _____ Date: _____ **Total: 31 marks**

KEY WORDS secondary storage 辅助存储 • primary storage 主存储器 • cloud storage 云存储
• magnetic 磁性 • optical 光学

Objective


Build the skills to answer exam questions on **data storage** 数据存储 — **RAM/ROM** 内存, **secondary storage** 辅助存储, and **virtual memory** 虚拟内存.

You must be able to:


- compare RAM and ROM (volatile/non-volatile, read/write)
- describe magnetic, optical and solid-state secondary storage
- explain virtual memory

1 Worked examples

■ Memory and storage



Registers/cache: fast but small; secondary storage: slow but large



This frees RAM, so more programs can run than RAM alone could hold — but it is slower, because the disk is much slower than RAM.

When RAM is full, unused data is moved to disk to free RAM — slower, but runs more programs

- **RAM:** volatile, read/write. **ROM:** non-volatile, read-only (start-up).

■ Naming the storage, and choosing between types

Primary storage is directly addressable by the CPU. **RAM** 随机存取存储器 is volatile: it loses its contents when the power goes off, and it holds the programs, data and parts of the operating system currently in use. **ROM** 只读存储器 is non-volatile and holds the start-up instructions (the bootstrap or BIOS) that never change.

Secondary storage is non-volatile and not directly addressed by the CPU. The three technologies, with what each is best at:

Type	How it stores data	Good	Poor
magnetic 磁性 (hard disc drive)	magnetised sectors on spinning platters, read by a moving head	very large capacity, low cost per gigabyte	moving parts, so slower and easily damaged by knocks
optical 光学 (CD, DVD, Blu-ray)	pits and lands burned into a track, read by a laser	cheap, removable, good for distributing files	small capacity, slow, scratches easily
solid state 固态 (SSD, memory stick)	electrons trapped in NAND flash cells, no moving parts	fast, silent, robust, low power	costs more per gigabyte, limited number of write cycles

Virtual memory 虚拟内存 is space on secondary storage used as if it were RAM. When RAM is full, pages not in use are moved out to the virtual memory, freeing RAM for the current program; they are moved back when needed. It lets a computer run more (or larger) programs than RAM alone allows, but because secondary storage is much slower, heavy use of it slows the computer down.

Cloud storage 云存储 keeps data on remote servers reached over the internet. It

gives access from any device and anywhere, automatic backup, and easy sharing; it needs an internet connection, may cost a subscription, and puts the security of the data in someone else's hands.

2 Practice

2.1 State whether RAM is volatile or non-volatile. [1]

2.2 Name the three types of secondary storage. [3]

2.3 Give one difference between RAM and ROM. [2]

2.4 Describe how data is stored on an optical disc. [2]

2.5 Explain what virtual memory is and why it is used. [3]

3 Exam-style questions

3.1 ROM is used to store: [1]

- | | |
|---|---|
| A | B |
| C | D |
- A programs in use now
B the start-up instructions
C files permanently
D virtual memory

3.2 A computer uses virtual memory.

(a) Explain what virtual memory is. [2]

(b) State one disadvantage of using virtual memory. [1]

3.3 State one difference between an SSD and an HDD. [1]

3.4 A school replaces the hard disc drives in its laptops with solid-state drives.

(a) Describe how a magnetic hard disc drive stores data. [2]

(b) Describe how a solid-state drive stores data. [2]

(c) Give three benefits of the solid-state drives for laptops that students carry between classes. [3]

(d) Give one drawback of solid-state storage compared with a magnetic hard disc. [1]

(e) The laptops have 4 GB of RAM. Explain how virtual memory allows a student to open more programs than the RAM can hold, and describe what the student would notice if many programs were open. [4]

(f) The school also stores the students' work in cloud storage. Give two benefits and one drawback of this. [3]
