

E1.18 Surds

Name: _____ Class: _____ Date: _____

Total: 14 marks

KEY WORDS surd 根式 • simplify 化简 • rationalise the denominator 分母有理化
 • exact form 精确值 • irrational 无理数

Objective


Build the skills to answer Extended exam questions on **surds** 根式 — **simplifying** 化简 a square root, adding and subtracting **like surds** 同类根式, expanding brackets containing surds, and **rationalising the denominator** 分母有理化.

You must be able to:

- simplify a surd by taking out the largest square factor
- add, subtract and multiply surds, leaving the answer in exact form
- rationalise a denominator of the form $\sqrt{a}$


1 Worked examples

■ Pull out the largest square factor, then collect like surds



picking a smaller square factor ($\sqrt{20} = \sqrt{2 \times 10}$) gets stuck -
 always take out the **largest** square: 4, 9, 16, 25, ...

Look for 4, 9, 16, 25, 36 ... inside the root



A surd that does not simplify to a whole number is irrational

- **Simplify:** $\sqrt{50} = \sqrt{25 \times 2} = 5\sqrt{2}$. Take the **largest** square factor, or you will have to simplify twice.
- **Add and subtract:** only **like** surds combine. $\sqrt{12} + \sqrt{27} = 2\sqrt{3} + 3\sqrt{3} = 5\sqrt{3}$.
- **Multiply:** $(\sqrt{5})^2 = 5$, and $(2 + \sqrt{3})(2 - \sqrt{3}) = 4 - 3 = 1$ — the surd disappears.
- **Rationalise:** multiply top and bottom by the surd. $\frac{6}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3}$.

Answer shapes (marked by **method marks** — M1 for a correct method, A1 for the correct answer): the line splitting the root into a square factor times the rest is the method mark. A decimal answer earns nothing — surd questions want **exact** form.

2 Practice

2.1 Simplify $\sqrt{75}$. [2]

2.2 Simplify $\sqrt{8} + \sqrt{18}$. [2]

2.3 Rationalise the denominator of $\frac{10}{\sqrt{5}}$, giving your answer in its simplest form. [2]

3 Exam-style questions

3.1 (a) Expand and simplify $(3 + \sqrt{2})(3 - \sqrt{2})$. [2]

(b) Write $\sqrt{48} - \sqrt{12}$ in the form $a\sqrt{3}$, where a is an integer. [2]

3.2 Rationalise the denominator of $\frac{8}{\sqrt{6}}$ and simplify your answer. [2]

3.3 A square has an area of 18 cm^2 . Find the exact length of one side, in the form $a\sqrt{b}$ where a and b are integers. [2]
